Patch settings for ZOOM G2 and G2.1u

Butterflies and Hurricanes	s (Live@ Hullabaloo)	Muse		
Description: Muse - Butterflies and Hu	rricanes (Live@ Hulla	baloo)		
Contributor: [JG¡ï]				
Date uploaded: 2008-01-28		Rating: 5.00		
Preset parameters:				
COMPRESSOR: Type:	Sense:	Attack:		
ON	3	SL	80	
WAH/EFX:				
Type:		Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: JC	Gain: 60	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 0	Middle: 0	Treble: 4	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 2	Presence/Mic pos: -1	Harmonics: 3	
MOD/SFX:				
Type: FL	Depth/Time: 28	Rate/Feedback: 5	Reso/Mix: 0	
DELAY:				
Type: dL	Time: 37	Feedback: 12	Mix: 6	
REVERB:				
Type: rM	Decay: 10	Tone: 3	Mix: 60	

Artist:

Preset-/Songname: distortion		Artist: me		
Description: heavy distortion big muffy				
Contributor: me				
Date uploaded: 2008-01-28		Rating: 5.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: FS	Level: 1.0	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 7		
DRIVE:				
Type: Ed	Gain: 68	Tone: 10	Level: 84	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: crying autowah		Artist:		
Description: autowah				
Contributor: hieyan				
Date uploaded: 2008-01-31		Rating: 5.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type:	Position/Depth:	Rate/Freq:	Level/Mix:	
AW	AF	8	7	
ZNR - Noise reduction:				
Type:				
nr		2		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
OTT				
EQ:				
State:	Bass:	Middle:	Treble:	
OFF				
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic nos:	Harmonics:	
OFF	Lo mid/Mile type.	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: Vb	Depth/Time: 70	Rate/Feedback: 29	Reso/Mix: 84	
VD	70	29	04	
DELAY:				
	Time:	Feedback:	Mix:	
OFF				
DEVEDD				
REVERB:	Decov	Tonci	Mix	
Type: rM	Decay: 22	Tone: 6	Mix: 80	

Preset-/Songname: "suspicious" wah		Artist: me		
Description: wah				
Contributor: hieyan				
Date uploaded: 2008-01-31		Rating: 5.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: SL	Level: 58	
WAH/EFX:				
Type:	Position/Depth:	Rate/Freq:	Level/Mix:	
AW	BF	8	8	
ZNR - Noise reduction:				
Type:				
OFF		THI GOILGIGH		
DRIVE:				
Type: JC	Gain: 90	Tone: 2	Level: 80	
EQ:				
State: ON	Bass: 0	Middle: 9	Treble:	
ON	U	9	4	
Extra EQ/Cabinet & Mic:				
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Et	12	-12	12	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
Vb	86	41	100	
DELAY:	Time:			
Type: OFF	rime:	reeupack:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Punk rock, nice drive		custom			
Description: It's one of my best presets which I set up since i have zoom (2 months). I think its great for ex. SUM41 or Offspring but also BFMV or some solos please rate :)					
Contributor: MeMyselfAndI					
Date uploaded: 2008-02-19		Rating: 5.00			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:			
ZNR - Noise reduction: Type: nr - ZNR		Threshold:			
		.•			
DRIVE:					
Type: Od - Overdrive	Gain: 90	Tone: 7	Level: 80		
EQ:					
State: ON	Bass:	Middle: 5	Treble:		
Extra EQ/Cabinet & Mic:					
Type: Cb - Cabinet & mic	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: CH - Chorus	Depth/Time:	Rate/Feedback:	Reso/Mix: 50		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type: SP - Spring	Decay:	Tone: 5	Mix: 8		

Artist:

Patch settings for ZOOM G2 and G2.1u

Voodoo child		JIMMY HENDR	X	
Description: voodoo child-ish overdriv	e/fuzz (if using the zoo	om g2.1u Set the pedal 2 V	VAH/EFX)	
Contributor:				
Date uploaded: 2008-02-24		Rating: 5.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: PV - Pedal VX	Position/Depth:	Rate/Freq: 15	Level/Mix: 72	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: Od - Overdrive	Gain: 92	Tone: 10	Level: 66	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb - Cabinet & mic	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: SP - Spring	Decay:	Tone: 3	Mix: 16	

Artist:

Patch settings for ZOOM G2 and G2.1u

i dont knowdistortion!!b	est!!for me	anyone		
Description: ito ay magalingtry this dist. >.<	i dont know what this	is but try itdelay is you.	whatever you wantk	cick ass fuckir
Contributor: YadZ				
Date uploaded: 2008-03-12		Rating: 5.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS - Booster	Position/Depth: 5	Rate/Freq: 7	Level/Mix: 67	
ZNR - Noise reduction:				
Type: nr - ZNR		Threshold: 12		
DRIVE:				
Type: PV - PV Drive	Gain: 86	Tone: 4	Level: 80	
EQ:				
State: ON	Bass: 5	Middle: 10	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb - Cabinet & mic	Lo mid/Mic type: dy	Presence/Mic pos: 0	Harmonics:	
MOD/SFX:				
Type: CH - Chorus	Depth/Time: 42	Rate/Feedback: 20	Reso/Mix:	
DELAY:				
Type: dL - Delay	Time:	Feedback:	Mix:	
REVERB:				
Type: HL - Hall	Decay: 7	Tone: 1	Mix: 2	

Artist:

Patch settings for ZOOM G2 and G2.1u

metropolis intro - delay -		dream theat	ter	
Description: this is an example of the I	metropolis intro , the	guitar is with delay		
Contributor: posis_9				
Date uploaded: 2007-12-15		Rating: 4.93		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 76	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: bG	Gain: 1.0.	Tone: 5	Level: 88 (adjustable)	
EQ:				
State: ON	Bass: 4	Middle: 2	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: -4	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 26	Reso/Mix:	
DELAY:				
Type: dL	Time: 58	Feedback: 44	Mix: 50	· — — —
REVERB:				
Type: HL	Decay:	Tone:	Mix: 4	

Artist:

Patch settings for ZOOM G2 and G2.1u

Ace of Spades album		Motörhead				
Description: This is patch is for the s	This is patch is for the studio version, I think. I use SQ strat, bridge pickup.					
Contributor: Hege						
Date uploaded: 2007-12-28		Rating: 4.88				
Preset parameters:						
COMPRESSOR:						
Type: OFF	Sense:	Attack:	Level:			
WAH/EFX:	Position/Depth:	 Rate/Freq:				
Type: OFF	Position/Depth:	кате/ггед:	Level/MIX:			
ZNR - Noise reduction:						
Type:		Threshold:				
DRIVE:						
Type: PV	Gain: 58	Tone: 4	Level: 90			
EQ: State: OFF	Bass:	Middle:				
Extra EQ/Cabinet & Mic:						
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:			
MOD/SFX:						
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:			
DELAY:						
Type: OFF	Time:	Feedback:	Mix:			
REVERB:						
Type: HL	Decay:	Tone: 4	Mix: 58	-		

Artist:

Preset-/Songname: im alright		Artist: neil zaza		
Description: im alright presets				
Contributor: iltasin				
Date uploaded: 2008-02-16		Rating: 4.80		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: SL	Level: 30	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 7	Level/Mix: 64	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: Md	Gain: 50	Tone: 7	Level: 56	
EQ:				
State: ON	Bass: 5	Middle:	Treble: 7	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time:	Feedback: 10	Mix: 4	
REVERB:				
Type: Er	Decay: 14			

Patch settings for ZOOM G2 and G2.1u

SRV	Eric Johnson			
Description: I just created this patch formid base level. Im using a			switch the level of your g	uitar on the
Contributor: Odie				
Date uploaded: 2008-02-22		Rating: 4.80		
Preset parameters: COMPRESSOR:				
Type: ON	Sense:	Attack: SL	Level: 58	
WAH/EFX:				
Type: bS - Booster	Position/Depth:	Rate/Freq: 6	Level/Mix: 86	
ZNR - Noise reduction:				
OFF		Till Calloid.		
DRIVE:				
Type: FC - FD Clean	Gain: 48	Tone: 3	Level: 80	
EQ:				
State: ON	Bass: 9	Middle: 5	Treble: 6	
Extra EQ/Cabinet & Mic:				
Type: Cb - Cabinet & mic	Lo mid/Mic type: CO	Presence/Mic pos: 2	Harmonics: 2	
MOD/SFX:				
Туре: FL - Flanger	Depth/Time: 80	Rate/Feedback: 6	Reso/Mix:	
DELAY:				
Type: EC - Echo	Time: 36	Feedback: 66	Mix: 34	
REVERB:				
Type: SP - Spring	Decay:	Tone:	Mix: 40	- -

Artist:

Preset-/Songname: MESA!!! var2		Artist: uigres		
Description: a new mesa preset. wo	rks great with headpho	nes		
Contributor: Various				
Date uploaded: 2008-01-24		Rating: 4.78		
Preset parameters: COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 1	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: bG	Gain: 60	Tone: 7	Level:	
EQ:				
State:	Bass: 10	Middle: 6	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time: 100	Rate/Feedback: 26	Reso/Mix: 4	
DELAY:				
Type: dL	Time: 22	Feedback:	Mix: 18	
REVERB:				
Type:	Decay: 20	Tone: 6	Mix: 60	

Preset-/Songname: Syu (Galneryus)

Patch settings for ZOOM G2 and G2.1u

Description: This is a preset I did for a couple of Galneryus songs that I liked. This would probably sound better with a seymore duncan in the bridge postition because that what syu uses. But this sounds pretty good and really close on my fender. I didn't feel like yanking out my other guitar with a duncan in the bridge just to see if this preset was good enough.But it totally has a badass sound anyways. Real heavy with good crunch like syu. Contributor: CowboyFromHell Date uploaded: Rating: 2007-09-03 4.75 Preset parameters: **COMPRESSOR:** Type: Sense: Attack: Level: ON 5 **FS** 72 WAH/EFX: Type: Position/Depth: Rate/Freq: Level/Mix: 3 68 bS 8 **ZNR - Noise reduction:** Type: Threshold: 13 nr Type: Gain: Tone: Level: Ed 54 8 80 State: Bass: Middle: Treble: 10 -2 ON Extra EQ/Cabinet & Mic: Type: Harmonics: Lo mid/Mic type: Presence/Mic pos: Cb Co 0 MOD/SFX: Depth/Time: Rate/Feedback: Reso/Mix: **OFF DELAY:** Time: Feedback: Type: Mix: **OFF REVERB:** Type: Decay: Tone: Mix. HL 19 4 30

Artist:

Galneryus (Syu)

Pull Me Under intro

Patch settings for ZOOM G2 and G2.1u

	y the intro of the song, w c sound. Amp settings: I	rith the acoustic-like clean Bass-3, Mid-6, Treble-6.	guitar. And basicly I us	e this patch every
Contributor: Aiwa				
Date uploaded: 2007-11-28		Rating: 4.75		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 70	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: nr		Threshold:		
DRIVE:				
Type: AC	Gain: 7	Tone: 1	Level: 88	
EQ:				
State: ON	Bass:	Middle: 7	Treble: 10	
Extra EQ/Cabinet & Mic	:			
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 30	Reso/Mix: 60	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: ⊔I	Decay:	Tone:	Mix:	

Artist:

Dream Theater

Preset-/Songname: Peace Pipe	Artist: The Shadows			
Description: Played on Fender Stra	nt Pick Up Setting Neck			
Contributor:				
Date uploaded: 2007-11-29		Rating: 4.75		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 2		
DRIVE:				
Type: CA	Gain: 70	Tone: 3	Level: 74	
EQ:				
State: ON	Bass: 1	Middle: 2	Treble: 1	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos: -6	Harmonics: -6	
MOD/SFX:				
Type: tE	Depth/Time: 28	Rate/Feedback: 24	Reso/Mix: 40	
DELAY:				
Type: dL	Time: 36	Feedback: 38	Mix: 60	
REVERB:				
Type: Md	Decay: 37	Tone: 8	Mix: 26	

Preset-/Songname: blizzard of ozz		Artist: Randy Rhoad	ds	
Description: Rhandy Rhoads' patch				
Contributor:				
Date uploaded: 2007-11-29		Rating: 4.75		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 4	Attack: FS	Level: 52	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 76	
ZNR - Noise reduction:				
Type: Gt		Threshold: 4		
DRIVE:				
Type: Md	Gain: 50	Tone: 6	Level: 70	
EQ:				
State: ON	Bass: 8	Middle: 2	Treble: 7	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 5	Presence/Mic pos: 2	Harmonics: 1	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 26	Reso/Mix: 4	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: great second solo patch		Artist: me		
Description: this is my second solo p	atch , try it too in the	amp: Bass:6 Mid:4 treb:7		
Contributor: posis_9				
Date uploaded: 2007-12-15		Rating: 4.75		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 80	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: nr		Threshold:		
DRIVE:				
Type: PV	Gain: 92	Tone:	Level: 92	
EQ:				
State: ON	Bass: -2	Middle: 7	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: -5	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time: 64	Rate/Feedback: 13	Reso/Mix:	
DELAY:				
Type: EC	Time: 40	Feedback: 12	Mix: 18	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Bulls on Parade	Rage Against The Machine			
Description: Here is a version that i r pedal!	nade of the wah- wah I	oit for bulls on parade. Wo	orks great if you get the	timing right on the
Contributor: myroslav_91				
Date uploaded: 2007-12-31		Rating: 4.75		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 5	Attack: SL	Level: 94	
WAH/EFX:				
Type: Pb	Position/Depth: BF	Rate/Freq: 47	Level/Mix: 88	
ZNR - Noise reduction:				
Type: nr		Threshold: 16		
DRIVE:				
Type: Mt	Gain: 60	Tone: 5	Level: 66	
EQ:				
State: ON	Bass:	Middle: 5	Treble: 5	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Distortion for all range of metal

Patch settings for ZOOM G2 and G2.1u

Description: hmm. juz trying my first tweaking this patch thingy for the the first time.. and this is my first one.. i'm so noob in this patching world but it seems this patch it sounds good to me pretty though... this patch never failed me on playing on some metal songs... whether heavy/thrashed metal or metalcore even post-hardcore, in rhythm or lead.. or while soloing, this patch may suit juz for u all guys.. try it! u may like it! (: some example of band songs i tried playing using this patch.. avenged sevenfold bullet for my valentine metallica trivium...... and other bands using mesa/boogie amps...; -D recommended xtra tweaking settings for this patch: MOD/SFX - CH DELAY - OFF REVERB - HL/SP/Er/nD p.s. adjust the parameters at ur liking dude :) Contributor: syuk90 Date uploaded: Rating: 4.75 2008-01-03 Preset parameters: **COMPRESSOR:** Type: Sense: Attack: Level: ON 8 SL 74 WAH/EFX: Position/Depth: Rate/Freq: Level/Mix: Type: 4 4 84 bS **ZNR - Noise reduction:** Type: Threshold: 12 nr **DRIVE:** Type: Gain: Tone: Level: bG 80 7 80 State: Bass: Middle: Treble: 5 9 ON Extra EQ/Cabinet & Mic: Type: Lo mid/Mic type: Presence/Mic pos: Harmonics: Cb Co MOD/SFX: Type: Depth/Time: Rate/Feedback: Reso/Mix: **OFF DELAY:** Type: Time: Feedback: Mix: **OFF REVERB:** Decay: Type: Tone: Mix: **OFF**

Artist:

most heavy/thrash metal and metalcore...

Patch settings for ZOOM G2 and G2.1u

Youthanasia		Megadeth				
Description: I found that preset on a website called Irpass. This is the sound for Youthanasia, it's excellent! Works also with other albums like Rust In Peace!!!!!!! You'd better use it!						
Contributor: Glemfyr						
Date uploaded: 2008-01-24		Rating: 4.75				
Preset parameters:						
COMPRESSOR:						
Type: OFF	Sense:	Attack:	Level:			
WAH/EFX:						
Type: bS	Position/Depth:	Rate/Freq: 6	Level/Mix: 94			
ZNR - Noise reduction:						
Type:		Threshold:				
DRIVE:						
Type: Ed	Gain: 20	Tone: 5	Level: 74			
EQ:						
State:	Bass: 10	Middle: -8	Treble: 9			
Extra EQ/Cabinet & Mic:						
Type: Et	Lo mid/Mic type: 10	Presence/Mic pos:	Harmonics: 5			
MOD/SFX: Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:			
DELAY: Type: OFF		Feedback:	——————————————————————————————————————			
REVERB: Type: SP	Decay:	Tone: 8	 Mix: 22			

Artist:

Preset-/Songname: MESA!!!!		Artist: Various		
Description: Distortion!!				
Contributor: Mk				
Date uploaded: 2007-09-25		Rating: 4.74		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		14		
DRIVE:				
Type: bG	Gain: 60	Tone: 7	Level:	
EQ:				
State: ON	Bass: 10	Middle:	Treble: 12	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: SC	Depth/Time: 1.0	Rate/Feedback: 26	Reso/Mix: 4	
DELAY:				
Type: dL	Time:	Feedback:	Mix: 16	
REVERB:				
Type:	Decay: 30		Mix: 20	

Preset-/Songname: Boulvard of Broken Drea	ms	Artist: Green Day		
Description: Tremolo				
Contributor: Simon				
Date uploaded: 2007-09-28		Rating: 4.73		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: tr	Position/Depth: 1.0	Rate/Freq:	Level/Mix: 9	
ZNR - Noise reduction:				
Type:		Threshold: 12		
DRIVE:				
Type: bG	Gain: 54	Tone: 7	Level: 78	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 30			

Preset-/Songname: Master of Puppets Alk	oum	Artist: Metallica		
Description: The closest thing to a	n absolete album.			
Contributor:				
Date uploaded: 2008-01-28		Rating: 4.71		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: FS	Level: 54	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold: 15		
DRIVE:				
Type: bG	Gain: 80	Tone: 9	Level: 80	
EQ:				
State: ON	Bass: -5	Middle: 7	Treble:	
Extra EQ/Cabinet & Mic				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 1	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback:	Reso/Mix: 10	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Slayer - South of Heave	n	Slayer			
Description: I ve been using this patch for Slayer songs. Especialy playing the South of Heaven album ("reign in blood" & seasons in the abyss" also have nearly the same guitar tone). Hope you enjoy this.					
Contributor: drtolga					
Date uploaded: 2008-02-03		Rating: 4.69			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 3	Attack: FS	Level: 42		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type:		Threshold:			
nr		13			
DRIVE:					
Type: Ed	Gain: 68	Tone: 8	Level: 70		
EQ:					
State:	Bass: 10	Middle:	Treble: 10		
Extra EQ/Cabinet & Mic:					
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: SC	Depth/Time:	Rate/Feedback: 28	Reso/Mix: 16		
DELAY:					
Type: dL	Time:	Feedback: 12	Mix: 2		
REVERB:					
Type:	Decay: 25	Tone:	Mix: 20		

Artist:

Patch settings for ZOOM G2 and G2.1u

Clean (Corrected!)		Metallica			
escription: his is the real clean sound with stereo chorus! sorry about the other one					
Contributor: Ben Scullion					
Date uploaded: 2007-10-21		Rating: 4.68			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 10	Attack: SL	Level: 60		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type:		Threshold: 12			
DRIVE:					
Type: MC	Gain: 6	Tone: 10	Level: 80		
EQ:					
State: ON	Bass: 4	Middle: 2	Treble:		
Extra EQ/Cabinet & Mic:					
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: SC	Depth/Time: 1.0	Rate/Feedback: 20	Reso/Mix: 84		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type: rM	Decay: 30	Tone: 10	Mix: 80		

Artist:

Methenesque

Patch settings for ZOOM G2 and G2.1u

		und. Good for neck humb e turned on). The EQ secti		
Contributor: James				
Date uploaded: 2007-05-15		Rating: 4.67		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 9		
DRIVE:				
Type: JC	Gain: 50	Tone:	Level: 90	
EQ:				
State: OFF	Bass: -6	Middle: -2	Treble: -2	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time: 20	Rate/Feedback: 20	Reso/Mix: 56	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 10			

Artist:

Pat Metheny

Preset-/Songname: MESA SOLOS!!!!!!!!		Artist: Various		
Description: Distorion Lead Solo				
Contributor: Mk				
Date uploaded: 2007-10-10		Rating: 4.67		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 8	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 1.0	
ZNR - Noise reduction:				
Type: nr		Threshold: 14		
DRIVE:				
Type: bG	Gain: 40	Tone: 7	Level: 80	
EQ:				
State: ON	Bass: 10	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 26	Reso/Mix: 30	
DELAY:				
Type: dL	Time: 1.2	Feedback: 10	Mix: 16	
REVERB:				
Type:	Decay: 30	Tone: 10		

Preset-/Songname: message in a bottle		Artist: the police		
Description: this is a good sound of t	this great song			
Contributor: posis_9				
Date uploaded: 2007-12-15		Rating: 4.67		
Preset parameters: COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 50	
WAH/EFX: Type: OFF	Position/Depth:	– – – – – – – – Rate/Freq:		
ZNR - Noise reduction:		 Threshold:		
nr		13		
DRIVE:				
Type: Od	Gain: 26	Tone: 5	Level: 86	
EQ:				
State: ON	Bass:	Middle:	Treble: 10	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: -3	Presence/Mic pos: -1	Harmonics: -2	
MOD/SFX:				
Type: SC	Depth/Time: 1.0	Rate/Feedback: 41	Reso/Mix: 64	
DELAY:				
Type: EC	Time: 26	Feedback: 44	Mix: 30	
REVERB:				
Type:	Decay:	Tone:	Mix: 28	

Preset-/Songname: The Black Album		Artist: Metallica		
Description: Closest sound I could ge	et to this masterpiece	record!!! Great for other h	eavy riffs with palm mut	ting!!
Contributor: Celenza				
Date uploaded: 2007-11-18		Rating: 4.63		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 2	Level/Mix: 76	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		13		
DRIVE:				
Type: Ed	Gain: 60	Tone: 5	Level: 80	
EQ:				
State: ON	Bass:	Middle: -12	Treble: 12	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: -4	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 26	Reso/Mix: 4	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: great solo patch		Artist: me		
Description: this is my first solo pa	atch, try it			
Contributor:				
Date uploaded: 2007-12-15		Rating: 4.63		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 14		
DRIVE:				
Type: Md	Gain: 80	Tone: 7	Level: 76	
EQ:				
State: ON	Bass:	Middle: 7	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 5	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 18	Reso/Mix: 18	
DELAY:				
Type: EC	Time: 43	Feedback: 4	Mix: 18	
REVERB:				
Type:	Decay: 10	Tone: 3	Mix: 20	

Patch settings for ZOOM G2 and G2.1u

Thrash/Death/Metalcore Distortion

	n, suits for thrash metal, c ender Frontman): Bass-5,	death metal and metalcore Middle-0 to 3, Treble-5.	. I suggest you'll put this	s settings on your
Contributor: Aiwa				
Date uploaded: 2007-10-12		Rating: 4.62		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX: Type: bS	Position/Depth:	Rate/Freq:		
ZNR - Noise reduction Type: nr	<u>:</u>	 Threshold: 8		
DRIVE:				
Type: Ed	Gain: 70	Tone: 2	Level: 100	
EQ: State: ON	Bass:	 Middle: -12	Treble: -2	
Extra EQ/Cabinet & Mi	ic:			
Type: Et	Lo mid/Mic type: -2	Presence/Mic pos:	Harmonics: 7	
MOD/SFX: Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY: Type: OFF	Time:	 Feedback:		
REVERB: Type: OFF	Decay:	 Tone:		

Artist:

my own patch

Patch settings for ZOOM G2 and G2.1u

Eric Johnson - WCOD)	Eric Johnson	1	
Description: I finf it quite close to	Eric'c tone on Cliff Of Do	ver		
Contributor: NoorSuria				
Date uploaded: 2007-01-01		Rating: 4.60		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type: bC	Gain: 50	Tone: 6	Level: 50	
EQ:				
State: ON	Bass:	Middle: 10	Treble:	
Extra EQ/Cabinet & Mic				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 10	Reso/Mix: 18	
DELAY:				
Type: EC	Time: 34	Feedback: 34	Mix: 24	
REVERB:				
Type: rM	Decay: 24	Tone: 0	Mix: 24	_

Artist:

Patch settings for ZOOM G2 and G2.1u

Universally Speaking Red Hot Chili Peppers						
Description: Clean guitar sound, can be used for many other songs also As before, some tweaking should be done acc. to your setup. Mine is Ibanez RG, single and bridge ham trough phones						
Contributor: Fa11eN						
Date uploaded: 2007-06-05		Rating: 4.60				
Preset parameters: COMPRESSOR:						
Type: ON	Sense: 10	Attack: SL	Level: 80			
WAH/EFX:						
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:			
ZNR - Noise reduction:						
Type:		Threshold: 15				
DRIVE:						
Type: JC	Gain: 80	Tone:	Level:			
EQ:						
State:	Bass:	Middle: 11	Treble:			
Extra EQ/Cabinet & Mic:						
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 10	Harmonics:			
MOD/SFX:						
Type: OFF	Depth/Time:	Rate/Feedback: 0	Reso/Mix: 0			
DELAY:						
Type: OFF	Time:	Feedback: 0	Mix: 0			
REVERB:						
Type:	Decay:	Tone:	Mix:			

Artist:

Preset-/Songname: Cause we've ended as love	e	Artist: jeff beck		
Description: KIN				
Contributor: KIN				
Date uploaded: 2007-07-31		Rating: 4.60		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		8		
DRIVE:				
Type: JC	Gain: 90	Tone: 10	Level: 1.0	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 2	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 28	Reso/Mix: 40	
DELAY:				
Type: Pd	Time: 25	Feedback: 44	Mix: 48	
REVERB:				
Type: HL	Decay:	Tone: 4	Mix: 40	

Preset-/Songname: killer kleen		Artist: self		
Description: really cool clean sound of	check it out			
Contributor: buddemeyer72				
Date uploaded: 2007-10-23		Rating: 4.60		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 8	Attack: SL	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		4		
DRIVE:				
Type:	Gain: 9	Tone: 4	Level: 80	
FO:				
EQ:	 Bass:	 Middle:		
ON	-8	-1	4	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Et	-12	0	6	
MOD/SFX:				
Type:	Depth/Time: 74	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone: 7	Mix:	
ПL	8	1	30	

John Petrucci (lead)

Patch settings for ZOOM G2 and G2.1u

	get the lead sound that Joh ut in my opinion it sound be			nation. I know he
Contributor: Aiwa				
Date uploaded: 2007-12-10		Rating: 4.60		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX: Type: bS	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction Type:	on:	Threshold:		
DRIVE:				
Type: bG	Gain: 90	Tone: 4	Level: 80	
EQ:				
State: ON	Bass:	Middle: 8	Treble:	
Extra EQ/Cabinet & I	Mic:			
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 50	Reso/Mix: 20	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay: 20	Tone: 10	Mix: 40	

Artist:

John Petrucci

Patch settings for ZOOM G2 and G2.1u

Marshall 2000 Stereo		None		
		r power chords or lead wo designed for recording into		s has been added
Contributor: blueblueday				
Date uploaded: 2007-02-10		Rating: 4.58		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 6	Attack: SL	Level: 70	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 4	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: Md	Gain: 50	Tone: 6	Level: 70	
EQ:				
State: ON	Bass:	Middle: -2	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback:	Reso/Mix: 30	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 30			

Artist:

Preset-/Songname: Cosmic		Artist:		
Description: A beautiful spacey soun	nd , great for beggining	gs		
Contributor: system38				
Date uploaded: 2007-01-15		Rating: 4.57		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 4	Attack: SL	Level: 1.0	
WAH/EFX:				
Type: PH	Position/Depth: AF	Rate/Freq: 0	Level/Mix: 1	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type:	Gain: 60	Tone: 7	Level: 82	
EQ:				
State: ON	Bass:	Middle: 7	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 5	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback:	Reso/Mix: 1.0	
DELAY:				
Type: Pd	Time: 50	Feedback: 60	Mix: 1.0	
REVERB:				
Type:	Decay:	Tone:	Mix: 70	

sonido maiden (corregido)II

Patch settings for ZOOM G2 and G2.1u

		el patch intentare mejorar ando.gracias up the irons		no siempre espero
Contributor: metal				
Date uploaded: 2007-12-27		Rating: 4.53		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 8	Attack: SL	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 6	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 10-14		
DRIVE:				
Type: Md	Gain: 54	Tone: 6	Level: 90	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	3	1	3	
Extra EQ/Cabinet & Mic				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 20	Reso/Mix:	
DELAY:				
Type: dL	Time: 18	Feedback: 18	Mix: 20	
REVERB:				
Type:	Decay: 20	Tone: 10	Mix: 20	

Artist:

Iron Maiden

Patch settings for ZOOM G2 and G2.1u

Soundchild Hotbox	Misc (alt-rock songs)			
Description: I use this for the chorus this patch	of most of our alt-rocl	k songs. Check out Sound	Ichild ND for the lead th	at i use along with
Contributor: johnpat28				
Date uploaded: 2007-02-27		Rating: 4.50		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:		 Threshold: 14		
nr		14		
Type: Hb	Gain: 60	Tone: 8	Level: 80	
EQ:				
State: ON	Bass: 5	Middle: 0	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time: 30	Rate/Feedback: 21	Reso/Mix: 30	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Artist:

Preset-/Songname: slash II		Artist: slash		
Description: son slash live				
Contributor:				
Date uploaded: 2007-05-31		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: PV	Position/Depth: bf	Rate/Freq: 45	Level/Mix: 70	
ZNR - Noise reduction:				
Type: nr		Threshold: 14		
DRIVE:				
Type: Md	Gain: 25	Tone: 10	Level: 80	
EQ:				
State: ON	Bass:	Middle: -6	Treble: 7	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type: 5	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 20	Reso/Mix: 50	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay:	Tone: 10	Mix: 60	

Preset-/Songname: Artist: **Echo Etude** Yngwie Malmsteen **Description:** This is the preset I personally use for the song. There is no violin effect bacause you will need a pedal to cut the volume and slowly raise the volume for that. And that can be done using your pinky on your vol knob on guitar or by using the pedal. But this preset is Yngwie's exact delay and everything he used on the song. As close as the processor can get to it anyway. To practice at a slower speed just raise the ms of the delay to 800 but Yngwie actually used a 760. This also may sound different on other guitars so adjust to your liking. Also this sounds best with switch to both pickups. Enjoy Contributor: CowboyFromHell Date uploaded: Rating: 2007-06-20 4.50 **Preset parameters: COMPRESSOR:** Type: Sense: Attack: Level: 8 FS 84 ON WAH/EFX: Type: Position/Depth: Rate/Freq: Level/Mix: **OFF ZNR - Noise reduction:** Type: Threshold: Gt 8 Type: Gain: Tone: Level: 76 72 CA 9 State: Bass: Middle: Treble: ON 3 6 3 Extra EQ/Cabinet & Mic: Type: Lo mid/Mic type: Presence/Mic pos: Harmonics: Cb Co 0 MOD/SFX: Type: Depth/Time: Rate/Feedback: Reso/Mix: Vb 2 20 1.0 **DELAY:** Type: Time: Feedback: Mix: dL 76 30 90 **REVERB:**

Tone:

4

Mix.

60

Printed from www.haax.se

Type:

SP

Decay:

20

Preset-/Songname: Blues 2		Artist: Larsen		
Description: Pour le Blues Toujours				
Contributor: Larsen				
Date uploaded: 2007-06-23		Rating: 4.50		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 0	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 2	Level/Mix: 76	
ZNR - Noise reduction:				
Type: nr		Threshold: 13		
DRIVE:				
Type: bL	Gain: 40	Tone: 7	Level: 90	
EQ:				
State:	Bass: 12	Middle: -2	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: Dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type:	Time: 10	Feedback: 30	Mix: 30	
REVERB:				
Type:	Decay:	Tone:	Mix: 1 0	

Patch settings for ZOOM G2 and G2.1u

A Forest		The Cure		
Description: Another patch option for A Forest and for many others Cure's songs, specially from Concert album.				
Contributor: Edu				
Date uploaded: 2007-07-09		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: PH	Position/Depth: bF	Rate/Freq: 12	Level/Mix: 2	
ZNR - Noise reduction:				
Type: OFF		Threshold: 10		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State: ON	Bass: 4	Middle: 7	Treble: 6	
Extra EQ/Cabinet & Mic				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 19	Reso/Mix: 80	
DELAY:				
Type: dL	Time: 37	Feedback: 30	Mix: 14	
REVERB:				
Type: HL	Decay:	Tone: 5	Mix: 40	

Artist:

Patch settings for ZOOM G2 and G2.1u

Behinf Blue Eyes		Limp Bizkit		
Description: You can use this patc	h for almost any acousti	c song		
Contributor: Carreyoooo!				
Date uploaded: 2007-07-19		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 90	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 13		
DRIVE:				
Type: AC	Gain: 8	Tone: 7	Level: 50	
EQ:				
State: ON	Bass: 5	Middle: -1	Treble: 10	
Extra EQ/Cabinet & Mic	:			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 19	Reso/Mix: 32	
DELAY:				
Type: Pd	Time: 25	Feedback: 40	Mix: 30	
REVERB:				
Type: r M	Decay: 29	Tone:	Mix: 60	_

Artist:

Patch settings for ZOOM G2 and G2.1u

Around The World (Distortion)		Red Hot Chili Peppers		
	ng in intro and middle of t ing money for G7.1u :) B	the song. Could be better letter unit!	but hey a good start for	u guys to tamper
Contributor: Fa11eN				
Date uploaded: 2007-07-27		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 9	Attack: SL	Level: 88	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 16		
DRIVE:				
Type: bG	Gain: 80	Tone: 9	Level: 70	
EQ:				
State: ON	Bass: 10	Middle:	Treble: 12	
Extra EQ/Cabinet & Mic	C:			
Type: Cb		Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time: 0	Feedback: 0	Mix: O	
REVERB:				
Type: OFF	Decay:	Tone: 0	Mix: 0	

Artist:

Patch settings for ZOOM G2 and G2.1u

Crazy Auto-Wah		Xilence		
Description: One of my own recipe	s. Set amplifier EQs @ 1	2 o'clock. Cut off reverb.		
Contributor: Xilence				
Date uploaded: 2007-08-06		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 50	
WAH/EFX:				
Type:	Position/Depth: bf	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type: PV	Gain: 70	Tone: 5	Level: 90	
EQ:				
State: ON	Bass: 9	Middle:	Treble: -4	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 10	Tone: 5	Mix: 60	

Artist:

Preset-/Songname: METALCORE SONGS

Patch settings for ZOOM G2 and G2.1u

Description: BASIC METALCORE TONE. AT LEAST IT SOUNDS LIKE TO ME. IF YOU DISLIKE THE VOLUME AND DRIVE, JUST TWEAK THE EQ AND DRIVE ON YOUR OWN. **Contributor: SLIPPINGSUNDAY** Rating: Date uploaded: 2007-09-20 4.50 **Preset parameters: COMPRESSOR:** Type: Sense: Attack: Level: **OFF** WAH/EFX: Type: Position/Depth: Rate/Freq: Level/Mix: 2 8 64 bS **ZNR - Noise reduction:** Type: Threshold: Gt 6 DRIVE: Type: Gain: Tone: Level: PV 70 7 80 State: Bass: Middle: Treble: **OFF** 7 0 12 Extra EQ/Cabinet & Mic: Type: Lo mid/Mic type: Presence/Mic pos: Harmonics: Cb CO 0 MOD/SFX: Type: Depth/Time: Rate/Feedback: **OFF** DELAY: Type: Time: Feedback: Mix: Pd 3 0 8 **REVERB:** Decay: Type: Tone: Mix: 58 Er 8

Artist:

BMFV, ATREYU, KILLSWITCH ENGAGE, ETC)

Patch settings for ZOOM G2 and G2.1u

Dunkelheit		Burzum		
Description: lt's approximatively th	ne sound of Dunkelheit, k	out the real sound is impo	ssible to get, it is too re	maked
Contributor: Glemfyr				
Date uploaded: 2007-09-24		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: Ed	Gain: 96	Tone: 9	Level: 100	
EQ:				
State: ON	Bass:	Middle: -2	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type: -6	Presence/Mic pos: -5	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Preset-/Songname: I could have lied solo		Artist: Red Hot Chil	i Peppers	
Description: One of the best Mr Fru	sciante`s solo			
Contributor:				
Date uploaded: 2007-10-14		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 8	Level/Mix: 60	
ZNR - Noise reduction:				
Type:		Threshold: 16		
DRIVE:				
Type: Od	Gain: 40	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: -2	Middle: 7	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 10	Reso/Mix: 14	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone: 2	Mix: 20	

Preset-/Songname: wicked lead		Artist: self		
Description: try this with the wah on	and without killer tone	e and cool screams		
Contributor: buddemeyer72				
Date uploaded: 2007-10-23		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type:	Position/Depth: bf	Rate/Freq: 15	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		16		
DRIVE:				
Type: Ed	Gain: 50	Tone:	Level: 90	
EQ:				
State: ON	Bass: 2	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback: up	Reso/Mix:	
DELAY:				
Type: Pd	Time: 50	Feedback: 10	Mix: 38	
REVERB:				
Type:	Decay: 14	Tone:	Mix: 20	

Preset-/Songname: clean rhythm		Artist: Chevelle		
it, the rhythem this pa (guitarist/singer for che is not good for clean cl need them too much, (I	tch is great for rhythem evelle), uses a mesa/boo nevelle), he also uses tr maybe a little trebolo), v	y dont mind it), instead the covers or your own thing ogie mark IV, luckiliy, the emolo, phaser, and flange when you are playing clear them sparingly, dont make	I(Awesome for palm mut zoom has the mark III se er, though while distorted n, it is likely chevelle will	ing) Pete Loeffler tting on it(though d you may not
Contributor: k				
Date uploaded: 2007-11-23		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Туре:	Position/Depth:	Rate/Freq:	Level/Mix:	
tr	24	40	d2	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type:	Gain:	Tone:	Level:	
FC	1	10	1	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: FL	Depth/Time:	Rate/Feedback: 0	Reso/Mix: 1	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	

Printed from www.haax.se

OFF

REVERB:

Decay:

_____ Tone: Mix:

Meteora

Patch settings for ZOOM G2 and G2.1u

		ng dont stay.Maybe u have clock.Corrections would l		on but with my
Contributor: MiCz.M4@gmx.de				
Date uploaded: 2007-11-28		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 80	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type: bG	Gain: 80	Tone: 4	Level: 100	
EQ:				
State: ON	Bass:	Middle: -4	Treble:	
Extra EQ/Cabinet & Mid);			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 9	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 26	Reso/Mix: 12	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist: Linkin Park

Preset-/Songname: Slither		Artist: Velvet Revolver			
Description: Uso un ibanez gax 30 roll!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!		vl10se lo migliorate n	ni fate un piacere a scrive	erlorock n'	
Contributor:					
Date uploaded: 2007-12-03		Rating: 4.50			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type: OFF		Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type: nr		Threshold:			
DRIVE:					
Type: bC	Gain: 70	Tone: 5	Level: 80		
EQ:					
State: ON	Bass:	Middle: 5	Treble:		
Extra EQ/Cabinet & Mic	; <u> </u>				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 6	Harmonics: 8		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type: HL	Decay: 4	Tone: 0	Mix: 60		

Preset-/Songname: gas panic		Artist: oasis		
Description: con capo pero suena	muy parecido en vivo	o prueben y cuenten		
Contributor: Reginadap				
Date uploaded: 2007-12-13		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		14		
DRIVE:				
Type:	Gain:		Level:	
bC	80	4	10	
EQ:		Middle:	Trobles	
State: ON	Bass: 4	Middle: 6	Treble: 0	
Extra EQ/Cabinet & Mic:				
Type: Cb		Presence/Mic pos:	Harmonics:	
GD	dy	1		
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
Vb	14	40	60	
DELAY:				
Type:	Time:	 Feedback:		
OFF	-			
REVERB:				
Type:	Decay:	 Tone:		
HL	5	6	22	

Fuzz

Patch settings for ZOOM G2 and G2.1u

Description: I'm from Belgium, so please excuse my way of speaking :) It is the first patch I upload. I tried to sound like Matthew Bellamy in the song "Knights of Cydonia". I play on a Godin G Thousand. Sounds better with the humbucker. The patch isn't perfect: G2 isn't a Fuzz Factory and M.Bellamy plays on modified guitars!				
Contributor:				
Date uploaded: 2007-12-30		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 8	Attack: SL	Level: 58	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction	n:			
Type: OFF		Threshold:		
DRIVE:				
Type:	Gain: 80	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 4	Middle: 8	Treble: 10	
Extra EQ/Cabinet & M	lic:			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	-
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Matthew Bellamy

Preset-/Songname: Wah		Artist: Self		
Description: It is wah-wah with d efx)	istortion I love. I use a Wa	shburn Custom CD800 wi	th double humbucker. (I	Effectpedal on Wah/
Contributor: Harryx				
Date uploaded: 2008-01-11		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 3	Attack: SL	Level: 42	
WAH/EFX:				
Type:		Rate/Freq:	Level/Mix: 52	
ZNR - Noise reduction	n:			
Type: nr		Threshold:		
DRIVE:				
Type:	Gain: 4	Tone: 10	Level: 90	
EQ:				
State: ON	Bass: 5	Middle: 1	Treble: -2	
Extra EQ/Cabinet & M	lic:			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Hendrix clean / little wing		Hendrix		
Description: I play a les paul and this is neck and play it loud. If yo				
Contributor: Jimi				
Date uploaded: 2008-01-17		Rating: 4.50		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 5	Attack: FS	Level: 28	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:		 Threshold:		
Type: nr		16		
DRIVE:				
Type: CA	Gain: 1.0	Tone: 10	Level: 1.0	
EQ:				
State: ON	Bass: 8	Middle: -8	Treble: 14	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 0	Presence/Mic pos: 10	Harmonics: 0	
MOD/SFX:				
Type: SC	Depth/Time: 1.0	Rate/Feedback: 17	Reso/Mix: 98	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay: 20	Tone: 10	Mix: 22	

Artist:

Trooper Patch

Patch settings for ZOOM G2 and G2.1u

acesta poate fi oprit	ormatiei Trooper. Deoarec . This patch reprezents the se they play at 1/2 step do you like it :)	e sound of the Trooper he	avy metal band from Roi	mania. I used the
Contributor:				
Date uploaded: 2008-02-05		Rating: 4.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 8	Attack: SL	Level: 34	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq:	Level/Mix: 30	
ZNR - Noise reduction	n: 			
Type: Gt		Threshold: 5		
DRIVE:				
Type:	Gain: 60	Tone: 5	Level: 60	
EQ:				
State: ON	Bass:	Middle: 2	Treble: 5	
Extra EQ/Cabinet & M	lic:			
Type: Cb	Lo mid/Mic type: Co.	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix: 100 (1.0)	
DELAY:				
Type: dL	Time: 6	Feedback: 24	Mix: 20	
REVERB:				
Type: HL	Decay:	Tone:	Mix: 20	

Artist:

Trooper Romania

Patch settings for ZOOM G2 and G2.1u

iced earth(lead)		iced earth			
Description: ok this was hard but i get the sound i use a gibson sg with a pickup called "dirty finger" so it may change the sound for your guitars amp set (B\M\T)>(4\2\9) if using a strat try lowering 3\64"(in treble strings and bass strings) the neck pickup enjoy.					
Contributor: chevelle					
Date uploaded: 2008-02-06		Rating: 4.50			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 6	Attack: SL	Level: 78		
WAH/EFX:					
Type: SL	Position/Depth: bf	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction	n:				
Type: nr		Threshold: 14			
DRIVE:					
Type: bC	Gain: 66	Tone: 6	Level: 66		
EQ:					
State: ON	Bass: -6	Middle:	Treble: 11		
Extra EQ/Cabinet & M	lic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 6	Harmonics:		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: EC	Time:	Feedback: 1.0	Mix: 56		
REVERB:					
Type: HL	Decay: 22	Tone: 5	Mix: 16		

Artist:

Preset-/Songname: Thrash/Metalcore setting		Artist: Trivium, Laml	Artist: Trivium, Lamb of God, Shadows Fall		
Description: Here is the setting I use for High: o clock	or thrash metal and a	ı few metalcore bands. Am	p settings: Bass: 7 o clo	ock Mid: 2 o clock	
Contributor: justin					
Date uploaded: 2008-03-06		Rating: 4.50			
Preset parameters: COMPRESSOR:					
Type: ON	Sense:	Attack: FS	Level: 80		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type: Gt - Gate		Threshold: 8			
DRIVE:					
Type: Ed - Extreme Distorsi	Gain:	Tone: 9	Level: 82		
State: ON	Bass: 2	Middle: 6	Treble: 9		
Extra EQ/Cabinet & Mic:					
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type: OFF	Decay:	Tone:	Mix:		

Preset-/Songname: Children of Bodom		Artist: Alexi Laiho		
	oreset that I upload, and I o lessons. You might war	think that you lot shall lik nt to add some delay to!	te it. It sounds exactly lik	ce the tone that
Contributor: Hallström				
Date uploaded: 2007-08-01		Rating: 4.47		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 10	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type: PV	Gain: 20	Tone: 5	Level: 80	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	5	8	12	
Extra EQ/Cabinet & Mic	::			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

sonido maiden (corregi	do)	Iron Maiden		
Description: presets mas exacto al s	sonido iron maiden ,es _l	pero comentarios y aporta	ciones para mejorarlo	
Contributor: metal				
Date uploaded: 2007-12-16		Rating: 4.47		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 8	Attack: SL	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 6	Level/Mix: 80	
ZNR - Noise reduction:				
Type:		Threshold: 10-14		
DRIVE:				
Type: Md	Gain: 50	Tone: 5	Level: 80	
EQ:				
State:	Bass:	Middle: 1	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 20	Reso/Mix: 2	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 20	Tone:	Mix:	

Artist:

Country Twang

Patch settings for ZOOM G2 and G2.1u

	casters. Super twang on t Ss and a Deluxe Reverb w	he bridge pickup. More of rith treble & bass at 5.	a Scotty Moore in betw	een pickups. I'm		
Contributor: Derek						
Date uploaded: 2007-10-30		Rating: 4.44				
Preset parameters:						
COMPRESSOR:						
Type: ON	Sense:	Attack: SL	Level: 80			
WAH/EFX:						
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:			
ZNR - Noise reduction:	:					
Type: nr		Threshold:				
DRIVE:						
Type: FC	Gain: 60	Tone: 6	Level: 70			
EQ:						
State:	Bass: -4	Middle: -12	Treble:			
Extra EQ/Cabinet & Mic	c:					
Type:	Lo mid/Mic type: -7	Presence/Mic pos:	Harmonics: 0			
MOD/SFX:						
Type: tE	Depth/Time: 14	Rate/Feedback: 16	Reso/Mix: 68			
DELAY:						
Type: OFF	Time:	Feedback:	Mix:			
REVERB:						
Type: OFF	Decay:	Tone:	Mix:			

Artist:

Sun Records

Patch settings for ZOOM G2 and G2.1u

Comfortably Numb Solos	s Pink FloydDavid Gilmour					
Description: My settings are for playing a Strat with single coil pick ups with selector between middle and bridge pick ups poing direct into my PC this will sound different with Humbuckers or different set ups						
Contributor: David Gilmour Fan						
Date uploaded: 2007-01-03		Rating: 4.43				
Preset parameters: COMPRESSOR:						
Type: ON	Sense: 2	Attack: FS	Level: 60			
WAH/EFX:						
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80			
ZNR - Noise reduction:						
Type: nr		Threshold: 14				
DRIVE:						
Type: Ed	Gain: 60	Tone: 5	Level: 50			
EQ:						
State: ON	Bass: 6	Middle: 7	Treble: 11			
Extra EQ/Cabinet & Mic:						
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:			
MOD/SFX:						
Type: FL	Depth/Time:	Rate/Feedback: 6	Reso/Mix:			
DELAY:						
Type: dL	Time:	Feedback: 24	Mix: 34			
REVERB:						
Type:	Decay:		Mix: 8			

Artist:

Patch settings for ZOOM G2 and G2.1u

Best Tube Tone		Early Blues			
Description: This is so close to tube distortion that its scary.Adjust gain to taste.					
Contributor: Gerrymc					
Date uploaded: 2007-01-04		Rating: 4.43			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type: bS	Position/Depth: 2	Rate/Freq: 8	Level/Mix: 84		
ZNR - Noise reduction:					
Type: OFF		Threshold:			
DRIVE:					
Type: bL	Gain: 40	Tone: 5	Level: 100		
EQ:					
State: ON	Bass: 3	Middle: 2	Treble:		
Extra EQ/Cabinet & Mic	:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 6		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: EC	Time: 34	Feedback: 20	Mix: 18		
REVERB:					
Type: HL	Decay: 20	Tone: 5	Mix: 10		

Artist:

Under The Bridge

Patch settings for ZOOM G2 and G2.1u

		I bridge ham through pho pelive it's close to original!		ed some tweaking
Contributor: Fa11eN				
Date uploaded: 2007-06-05		Rating: 4.43		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 15		
DRIVE:				
Type: JC	Gain: 90	Tone: 8	Level: 80	
EQ:				
State: ON	Bass:	Middle: 6	Treble: 10	
Extra EQ/Cabinet & Mid):			
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: Pd	Time: 15	Feedback: 50	Mix: 20	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Red Hot Chili Peppers

Nice metal/hardcore distortion

Patch settings for ZOOM G2 and G2.1u

Description:				
No fucking mid-scoop	o here. I use it in the retu u should chainge Et to C	rn of my Randall. If you wa ab, and tweak a little bit.	ant to use it with you	r hifi, headphone,
Contributor: Martijn				
Date uploaded: 2007-05-17		Rating: 4.40		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: bG	Gain:	Tone: 8	Level: 98	
EQ:				
State: ON	Bass:	Middle: 6	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 7	Harmonics: 5	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	. —

Artist:

or

Me

Patch settings for ZOOM G2 and G2.1u

Preset-/Songname: Banjo		Artist: Country Boy	s	
Description: Strat - middle and brid	ge pick ups together. It	isn't my main interest but	this is my answer to "	santtony" request.
Contributor: FYROMB				
Date uploaded: 2007-06-01		Rating: 4.40		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 1	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 5	Level/Mix: 70	
ZNR - Noise reduction:				
Type:		Threshold: 5		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State: ON	Bass: -8	Middle: 12	Treble: 12	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: -12	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback: UP	Reso/Mix: 10	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: good patch		Artist: poison		
Description: good sound				
Contributor: poison				
Date uploaded: 2007-02-24		Rating: 4.38		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 8	Attack: FS	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		10		
DRIVE:				
Type: bC	Gain: 100	Tone: 10	Level: 100	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	4	6	3	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Time -solo-		Pink Floyd				
Description: Strat guitar with low output pickups. The sound is for direct use. To play through the amp take away the Cab simulator. Add EQ to taste, I like it this way. Adjust gain and tone for hotter pickups!						
Contributor: franx82						
Date uploaded: 2007-02-27		Rating: 4.38				
Preset parameters: COMPRESSOR:						
Type: OFF	Sense:	Attack:	Level:			
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:			
ZNR - Noise reduction: Type: OFF		 Threshold:				
DRIVE:						
Type: FF	Gain: 50	Tone: 6	Level: 80			
EQ:						
State: OFF	Bass:	Middle:	Treble:			
Extra EQ/Cabinet & Mic:						
Type: Cb	Lo mid/Mic type: Dy	Presence/Mic pos: 0	Harmonics:			
MOD/SFX:						
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:			
DELAY:						
Type: EC	Time: 31	Feedback: 30	Mix: 30			
REVERB:						
Type: OFF	Decay:	Tone:	Mix:	_		

Artist:

Patch settings for ZOOM G2 and G2.1u

Sweet Child'O Mine		Guns N Rose	es	
Description: may need some adjustments depending on the amp you are using but this patch is pretty good				
Contributor: Edu				
Date uploaded: 2007-01-09		Rating: 4.36		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 14		
DRIVE:				
Type: bG	Gain: 70	Tone: 05	Level: 80	
EQ:				
State: ON	Bass: 03	Middle: 05	Treble: 08	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 03	Presence/Mic pos: 06	Harmonics: 08	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay: 04	Tone: 00	Mix: 60	

Artist:

Black Sabbath Similar Sound

Patch settings for ZOOM G2 and G2.1u

Description: Black Sabbath Similar	Sound; unfortunately th	e G2 does not have the m	older of the Laney Amp	s
Contributor: FreakBrothers68				
Date uploaded: 2007-07-13		Rating: 4.36		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 6	Attack: SL	Level: 80	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: nr		Threshold:		
DRIVE:				
Type: PV	Gain: 60	Tone: 5	Level: 90	
EQ:				
State: OFF	Bass: 5	Middle: 0	Treble: 5	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 2	Presence/Mic pos: 4	Harmonics: 5	
MOD/SFX:				
Type: dL	Depth/Time:	Rate/Feedback: 10	Reso/Mix: 20	
DELAY: Type: OFF		Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Black Sabbath

Preset-/Songname: swtairway to heaven		Artist: led zepellin		
Description: Este es para tocar el inti	o de la rola(arpegio)			
Contributor: cocodrilo_ch				
Date uploaded: 2007-09-28		Rating: 4.36		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: SL	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		16		
DRIVE:				
	Gain:	Tone:	Level:	
MC	50	5	ajustar	
EQ:				
State:	Bass:	 Middle:	Treble:	
ON	8	5	8	
Futus FO/Oskinst 9 Miss				
Extra EQ/Cabinet & Mic: Type:	Lo mid/Mic type:	Presence/Mic nos:	Harmonics:	
Et	2	8	2	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
CH	20	10	20	
DELAY:				
Type:	Time:	Feedback:		
dL	40	20	6	
DEVEDD.				
REVERB: Type:	Decay:	 Tone:		
OFF	Doday.	i one.	IIIIA.	

Preset-/Songname: Hammer fall, Electric Eye		Artist: Hammerfall,	Judas Priest	
Description: Good for some Hammerfa	ıll songs or Electric e	eyePowerfull sound.		
Contributor: Duke				
Date uploaded: 2007-06-19		Rating: 4.35		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: Ed	Gain: 60	Tone: 5	Level:	
EQ:				
State: ON	Bass:	Middle: 2	Treble: 5	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 7	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix: 60	

Patch settings for ZOOM G2 and G2.1u

bridge of sighs	Robin Trower			
Description: an attempt at trowers	fx chain turn up amp for	feedback! ????		
Contributor: vartanian67				
Date uploaded: 2007-01-08		Rating: 4.33		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: PH	Position/Depth: BF	Rate/Freq: 8	Level/Mix: 1	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: bG	Gain: 60	Tone: 8	Level: 80	
EQ:				
State: ON	Bass: 5	Middle: 4	Treble:	
Extra EQ/Cabinet & Mid):			
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: SC	Depth/Time: 80	Rate/Feedback: 30	Reso/Mix: 26	
DELAY:				
Type: dL	Time: 35	Feedback: 0	Mix: 6	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Patch settings for ZOOM G2 and G2.1u

Death	Chuck Schuldiner			
Description: the kinda sound from t	the album 'Individual the	ought Patterns'		
Contributor: Awakwned Rune				
Date uploaded: 2007-04-11		Rating: 4.33		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 60	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: Ed	Gain: 60	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 2	Middle: -2	Treble: 5	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: MP	Depth/Time: 5	Rate/Feedback: 5	Reso/Mix: 32	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Preset-/Songname: Foo Distorsion		Artist: Foo Figthers		
Description: Dave Growl distorsion.				
Contributor: D'jordi				
Date uploaded: 2007-05-28		Rating: 4.33		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		13		
DRIVE:				
Type: bG	Gain: 70	Tone: 5	Level: 80	
EQ:				
State:	Bass:	 Middle:	Treble:	
ON	0	5	6	
Extra EQ/Cabinet & Mic:				
Type:		Presence/Mic pos:	Harmonics:	
Et	0	6	0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
				
DELAY:				
Type: dL	Time: 10	Feedback: 40	Mix: 10	
uL	10	₩.	10	
REVERB:				
Type: HL	Decay:	Tone:	Mix: 4	
L	J	J	4	

Preset-/Songname: Highway to hell		Artist: AC/DC		
Description: Good for playing this so	ng, works with most c	of their other stuff		
Contributor: Steve Haywood				
Date uploaded: 2007-06-01		Rating: 4.33		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: SL	Level: 44	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		12		
DRIVE:				
Type:	Gain:		Level:	
bC	90	5	10	
EO.				
EQ:			Treble:	
ON	2	2	1	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 2	Presence/Mic pos: 2	Harmonics: -2	
	-	-	-	
MOD/SFX:				
Туре:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF				
DELAY:				
Type:	Time:	Feedback:	Mix:	
OFF				
DEVEDR:				
REVERB:	Decay:		Mix:	
HL	2	5	18	

Freewill

Patch settings for ZOOM G2 and G2.1u

	could get to the chords fo master volume is at the CO use headphones			
Contributor: JBW				
Date uploaded: 2007-07-14		Rating: 4.33		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 52	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 74	
ZNR - Noise reduction	n:			
Type: nr		Threshold: 15		
DRIVE:				
	Gain:	Tone:	Level:	
Od	96	5	1.0	
EQ:				
State: ON	Bass: 12	Middle: 12	Treble: 12	
Extra EQ/Cabinet & N	lic:			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time: 64	Rate/Feedback: 27	Reso/Mix: 46	
DELAY:				
Type: dL	Time: 45	Feedback: 60	Mix: 38	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Rush

5150 super lead

Patch settings for ZOOM G2 and G2.1u

	with booster & reverb for I Fat, powerful metal sound.	ive. I use with neck humb	ucker pu. and Laney TF	200 amp.	
Contributor: T0@					
Date uploaded: 2007-09-28		Rating: 4.33			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type: bS	Position/Depth: 5	Rate/Freq: 9	Level/Mix: 82		
ZNR - Noise reduction	1:				
Type: nr		Threshold: 14			
DRIVE:					
Type: PV	Gain: 60	Tone: 7	Level: 90		
EQ:					
State: ON	Bass: 6	Middle: O	Treble: 2		
Extra EQ/Cabinet & M	lic:				
Type: Et	Lo mid/Mic type: 5	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type: HL	Decay: 15	Tone: 4	Mix: 40		

Artist:

gary moore, santana etc.

Tribute

Patch settings for ZOOM G2 and G2.1u

		one he had on Tribute with mids. It is kind of nasally I		
Contributor: Mike Lowery				
Date uploaded: 2007-10-11		Rating: 4.33		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: SL	Level: 1.0	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 1.0	
ZNR - Noise reduction:				
Type: nr		Threshold: 14		
DRIVE:				
Type: Od	Gain: 80	Tone: 7	Level: 1.0	
EQ:				
State: ON	Bass: 8	Middle: 6	Treble: 8	
Extra EQ/Cabinet & Mic	:			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time: 40	Rate/Feedback: 5	Reso/Mix: 20	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	 Tone: 5	Mix: 24	

Artist:

Randy Rhoads

Patch settings for ZOOM G2 and G2.1u

Nice high-gain rock overdrive/distortion

	setting I use (through my	playing some 70'-80' rock Fender Frontman amp): l		
Contributor: Aiwa				
Date uploaded: 2007-10-12		Rating: 4.33		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq:	Level/Mix: 100	
ZNR - Noise reduction: Type: OFF		Threshold:		
DRIVE:				
Type: Od	Gain: 90	Tone: 5	Level: 90	
EQ:				
State: ON	Bass:	Middle: 2	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

my own patch

What I've Done

Patch settings for ZOOM G2 and G2.1u

t can get, at least wh	en i'm playing with CD it'	nd on soundtrack of Trans s not distinguishable from ed with any other song. Pr	n original. (Ibanez RGX wi	th down switch).
Contributor: Fa11eN				
Date uploaded: 2007-10-16		Rating: 4.33		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense: 0	Attack:	Level: 0	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 20	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: bG	Gain: 10	Tone: 9	Level: 50	
EQ:				
	Bass:	Middle:	Treble:	
ON	2	8	2	
Extra EQ/Cabinet & Mic	o:			
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback: 0	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback: 0	Mix: O	
REVERB:				
Type: SP	Decay: 10	Tone: 4	Mix: 30	

Artist:

Linkin Park

Old School HC mesa based

Patch settings for ZOOM G2 and G2.1u

DELAYs too much. Ga	in is low because i use l	e, it works quite nicley for DiMarzio X2N wich is hi ou ou should turn it up at abo	Itput pickup, and zoom	PD-01 as a booster,
Contributor:				
Date uploaded: 2007-11-07		Rating: 4.33		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: Gt		Threshold: 5		
DRIVE:				
Type: bG	Gain: 10	Tone: 4	Level:	
EQ:				
State: ON	Bass: 9	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: r M	Decay:	Tone:	Mix: 60	

Artist:

Zvon

Preset-/Songname: Artist:
Great for covers or rhythem guitar (distorted, tre Chevelle

Description:

Contributor:

Chevelle may not do solos (though i personally dont mind it), instead they focus on the music the general core of it, the rhythem.. this patch is great for rhythem covers or your own thing(Awesome for palm muting).. Pete Loeffler (guitarist/singer for chevelle), uses a mesa/boogie mark IV, luckiliy, the zoom has the mark III setting on it(though is not good for clean chevelle), he also uses tremolo, phaser, and flanger, though while distorted you may not need them too much, (maybe a little trebolo), when you are playing clean, it is likely chevelle will use at least one of those effects, however, make sure you use them sparingly, dont make it too harsh....

K				
Date uploaded: 2007-11-23		Rating: 4.33		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: tr	Position/Depth: 14	Rate/Freq: 28	Level/Mix: u1	
ZNR - Noise reduction: Type: OFF		Threshold:		
DRIVE:				
Type: bC	Gain: 1	Tone: 10	Level: 52	
EQ:				
State: ON	Bass: 6	Middle: 3	Treble: 7	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Preset-/Songname: Breathe	Artist: David Gilmour/Pink Floyd			
Description: Breathe, old live versions				
Contributor: jbkkd				
Date uploaded: 2007-12-26		Rating: 4.33		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 48	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: JC	Gain: 96	Tone: 7	Level: 80	
EQ:				
State: ON	Bass: 1	Middle: -4	Treble: -1	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: -5	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 18	Reso/Mix: 1.0	
DELAY:				
Type: EC	Time:	Feedback:	Mix: 18	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: metallica		Artist: metallica		
Description: cuidado con el volumen VOLUME 40 OPTIMO	yo no soy el autor de	este patch es una aportac	cion para esta pagina a c	lisfrutarlo.MASTER
Contributor: metal				
Date uploaded: 2007-07-21		Rating: 4.31		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 8	Level/Mix: 64	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: bG	Gain: 1.0	Tone: 9	Level: 90	
EQ:				
State: ON	Bass: 12	Middle: 12	Treble: 12	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: CO	Presence/Mic pos: 1	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: Pd	Time: 3	Feedback: 0	Mix: 8	
REVERB:				
Type: Er	Decay: 9	Tone: 8	Mix: 58	

Preset-/Songname: Valley of the damned		Artist: Dragonforce		
Description: yeah ive tryed lots of stu	ıff and this is the clos	et so far. if you make a bet	tter patch plz lett me kno	ow.
Contributor: JohnP				
Date uploaded: 2007-11-16		Rating: 4.29		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 1	Level/Mix: 80	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		10		
DRIVE:				
Type: PV	Gain: 76	Tone: 7	Level: 84	
EQ:				
State:	Bass:		Treble:	
ON	6	7	7	
Extra EQ/Cabinet & Mic:				
Туре:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Cb	dy	0		
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
SC	68	30	6	
DELAY:				
Type:	Time:	Feedback:	Mix:	
Pd	2	8	38	
REVERB:				
Type:	Decay:	Tone:	Mix:	
rM	16	10	8	

Preset-/Songname: 12 String		Artist: -		
Description: Factory preset nr 21, a	nice acoustic 12-string	simulation.		
Contributor: haax				
Date uploaded: 2006-12-27		Rating: 4.27		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 90	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold: 13		
nr		13		
DRIVE:				
Type:	Gain:	Tone: 7	Level: 50	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	5	-1	10	
Extra EQ/Cabinet & Mic:				
Type:	Lo mid/Mic type:		Harmonics:	
Et	-3	3	4	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
СН	64	19	32	
DELAY:				
Type:	Time: 25	Feedback: 40	Mix: 30	_
ru	20	40	30	
REVERB:				
Type: HI	Decay:	Tone:	Mix: 40	

Preset-/Songname: Artist:
COMFORTABLY NUMB DAVID GILMOUR

Description:

I'm a italian fan of Pink Floyd and David Gilmour too, and, being interested in reproducing the correct sound of "Comfortably numb" (the most beautiful song I've ever listened)I amused myself trying to reproduce it and These are the preset I've used. I think it's very good but it's only my opinion, you might disagree, anyway don't forget to use C4 BASE ON THE PEDAL. *PS DON'T FORGET TO SELECT THE "C4 BASE" ON THE PEDAL, PRECISELY "FENDER CLEAN"

Contributor: Daniel				
Date uploaded: 2007-05-24		Rating: 4.27		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type: Ed	Gain: 80	Tone: 0	Level: 70	
EQ:				
State: ON	Bass:	Middle: 7	Treble: 11	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: Dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: FL	Depth/Time: 1.00	Rate/Feedback: 6	Reso/Mix: 4	
DELAY:				
Type: dL	Time: 36	Feedback: 24	Mix: 34	
REVERB:				
Type:	Decay: 16		Mix: 8	

Preset-/Songname: Comfortably Numb		Artist: David Gilmou	ur	
Description: My attempt at getting of	close to DG's tone witho	out a Big Muff simulation o	on the G2.	
Contributor: DNZ				
Date uploaded: 2007-01-01		Rating: 4.25		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 6	Attack: FS	Level: 68	
WAH/EFX:				
Type:	Position/Depth: bF	Rate/Freq: -4	Level/Mix: 4	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: bG	Gain: 68	Tone: 4	Level: 98	
EQ:				
State: ON	Bass: 2	Middle: 6	Treble: -1	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: -2	
MOD/SFX:				
Type: CH	Depth/Time: 20	Rate/Feedback: 20	Reso/Mix: 32	
DELAY:				
Type: dL	Time: 38	Feedback: 25	Mix: 34	
REVERB:				
Туре:	Decay:	Tone:	Mix:	

Printed from www.haax.se

OFF

Preset-/Songname: Start Me Up		Artist: Rolling Stone	es	
Description: it seems good to me				
Contributor: Edu				
Date uploaded: 2007-07-07		Rating: 4.25		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: SL	Level: 50	
WAH/EFX:				
Type: tr	Position/Depth: 50	Rate/Freq: 0	Level/Mix: t2	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type: FC	Gain: 80	Tone: 10	Level: 58	
EQ:				
State: ON	Bass: 5	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time:	Feedback: 6	Mix: 16	
REVERB:				
Type:	Decay:	Tone: 7	Mix: 30	

Patch settings for ZOOM G2 and G2.1u

Come as you are		nirvana		
Description: chorus/delay/verb. if	you have the pedal alos	set for mod/sfx to get the I	nigh rate chorus	
Contributor: JBW				
Date uploaded: 2007-08-02		Rating: 4.25		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 46	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 98	
ZNR - Noise reduction	<u>: </u>			
Type: Gt		Threshold: 4		
DRIVE:				
Type: FC	Gain: 68	Tone:	Level: 98	
EQ:				
State: ON	Bass: 11	Middle:	Treble:	
Extra EQ/Cabinet & Mi	ic:			
Type: Cb	Lo mid/Mic type: 0	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time: 26	Rate/Feedback: 46	Reso/Mix: 1.0	
DELAY:				
Type: EC	Time: 58	Feedback: 54	Mix: 24	
REVERB:				
Type:	Decay:	Tone:	Mix: 30	

Artist:

Patch settings for ZOOM G2 and G2.1u

Tube Tone #2		-		
		round long clean tone. Hi of tone control and add ecl		more distortion.
Contributor: FYROMB				
Date uploaded: 2007-08-18		Rating: 4.25		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 44	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 100	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type: FC	Gain: 1,0	Tone: 5	Level: 80	
EQ:				
State: ON	Bass:	Middle: 2	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 2	Presence/Mic pos:	Harmonics: -2	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
	Decay: 10			

Artist:

The Forgotten Part-I

Patch settings for ZOOM G2 and G2.1u

FR-424. I have tested i	t with my headphones a	l ! I'm using a DimArzio PA nd recorded using the US as a nice ping-pong delay	B connectivity on my Zo	
Contributor: SatchNT				
Date uploaded: 2007-10-03		Rating: 4.25		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 6	Attack: FS	Level: 60	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: Gt		Threshold: 2		
DRIVE:				
Type: FC	Gain: 60	Tone: 4	Level: 80	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	-2	1	0	
Extra EQ/Cabinet & Mic:	:			
Type: Cb	Lo mid/Mic type: DY	Presence/Mic pos: 1	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time: 50	Rate/Feedback: 30	Reso/Mix: 60	
DELAY:				
Type: Pd	Time: 32	Feedback: 26	Mix: 40	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Joe Satriani

Modern Extreme Distortion

Patch settings for ZOOM G2 and G2.1u

	rhythm sound, than my like Rammstein, Pantera	first patch "Fat, powerfu a, & Metalcore bands.	I metal sound". I use with	n EMG-HZ bridge
Contributor: T0@				
Date uploaded: 2007-10-12		Rating: 4.25		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: adjustable(13)		
DRIVE:				
Type: Ed	Gain: 70	Tone: 6	Level: adjustable(80)	
EQ:				
State: ON	Bass:	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic:	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay: 2	Tone: 5	Mix: 18	

Artist:

Rammstein, Pantera, Sepu...

Preset-/Songname: still got the blues		Artist: gary moore		
Description: este es la distor de esa g	gran rola (RHYTHM)			
Contributor: cocodrilo_ch(betokang@	hotmail.com)			
Date uploaded: 2007-10-16		Rating: 4.25		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 50	Attack: SL	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Туре:		Threshold:		
nr		14		
DRIVE:				
Type: Md	Gain: 70	Tone: 10	Level: 60	
EQ:				
State:	Bass:	 Middle:	Treble:	
OFF	10	8	10	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Et	5	8	4	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF				
DELAY:				
Type:	Time:	Feedback:	Mix:	
dL	20	20	20	
REVERB:				
Туре:	Decay:	Tone:	Mix:	
OFF				

Patch settings for ZOOM G2 and G2.1u

A7X Heavy Distortion Effect		Avenge Sevenfold			
Description: On the play mode: bass: 100 mid: 5 treble: 100 hope u'll like this email: kevin2903@bluebottle.com fs: www. friendster.com/kvinkvin please rate this if u like this! thanx					
Contributor: kvin					
Date uploaded: 2007-10-23		Rating: 4.25			
Preset parameters: COMPRESSOR:					
Type: ON	Sense: 2	Attack: FS	Level: 100		
WAH/EFX:					
Type: bS	Position/Depth: 2	Rate/Freq: 2	Level/Mix: 80		
ZNR - Noise reduction:					
Type: nr		Threshold: 13			
DRIVE:					
Type: bG	Gain: 100	Tone: 5	Level: 50		
EQ:					
State:	Bass:	Middle:	Treble:		
Extra EQ/Cabinet & Mic:					
Type: Cb	Lo mid/Mic type: dY	Presence/Mic pos:	Harmonics: 0		
MOD/SFX:					
Type: SC	Depth/Time: 100	Rate/Feedback: 26	Reso/Mix:		
DELAY:					
Type: dL	Time:	Feedback: 0	Mix: 12		
REVERB:					
Type: rM	Decay:	Tone: 10	Mix: 8		

Artist:

Preset-/Songname: Incredibly Clean Acousti	ic Patch	Artist: -		
Description: Almost the real deal				
Contributor: Apothis				
Date uploaded: 2007-06-06		Rating: 4.24		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 13		
DRIVE:				
Type:	Gain: 10	Tone: 5	Level: 54	
EQ:				
State: ON	Bass: 0	Middle: 0	Treble: 12	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone: 3	Mix: 36	

Preset-/Songname: 12 string electric	Artist: 60´, 70´ - west coast			
Description: Strat - bridge single co	il or middle and bridge	pick ups together.		
Contributor: FYROMB				
Date uploaded: 2007-05-25		Rating: 4.20		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		7		
DRIVE:				
Type: FC	Gain: 60	Tone: 10	Level: 72	
EQ:				
State:	Bass:	Middle:	Treble: -2	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: MP	Depth/Time: dt	Rate/Feedback: 6	Reso/Mix: 50	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
	Decay:	Tone: 10	Mix: 52	

Preset-/Songname: Heavy Metal sound		Artist: Tr@sgu		
Description: Sonido cojonudo.				
Contributor:				
Date uploaded: 2008-02-16		Rating: 4.20		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS - Booster	Position/Depth:	Rate/Freq:	Level/Mix: 60	
ZNR - Noise reduction:				
Type: nr - ZNR		Threshold:		
DRIVE:				
Type: PV - PV Drive	Gain: 1.0	Tone: 10	Level: 90	
EQ:				
State: ON	Bass:	Middle: -12	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: tE - Tape Echo	Depth/Time:	Rate/Feedback:	Reso/Mix: 50	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

New Age Punk		Rise Against	?	
Description: A nice heavy gain sou	ınd for new age punk Pe	dal Assign either Volume	or Nothing	
Contributor: system38				
Date uploaded: 2007-01-15		Rating: 4.17		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 4	Attack: SL	Level: 1.0	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: PV	Gain: 60	Tone: 7	Level: 82	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	0	7	6	
Extra EQ/Cabinet & Mic	:			
Type:	Lo mid/Mic type: -1	Presence/Mic pos:	Harmonics: 5	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix: 20	

Artist:

Preset-/Songname: Foo clean	Artist: Foo fighters			
Description: Dave Growl clean guitar	. Most distorsion is ob	otained by satured line-in i	f your put max volume i	n your guitar.
Contributor: D'jordi				
Date uploaded: 2007-05-28		Rating: 4.17		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type:	Position/Depth:	Rate/Freq:	Level/Mix:	
bS	3	6	70	
ZNR - Noise reduction:				
		 Threshold:		
Type: nr		13		
DRIVE:				
Type:	Gain:	Tone:	Level:	
CA	80	5	80	
FO:				
EQ:	Bass:	 Middle:		
ON	0	5	6	
Extra EQ/Cabinet & Mic:				
Туре:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Et	0	6	0	
1100/05/				
MOD/SFX:				
Type: CH	Depth/Time: 26	Rate/Feedback: 25	Reso/Mix: 20	
				
DELAY:				
Type:	Time:	Feedback:	Mix:	
dL	5	40	10	
REVERB:				
Туре:	Decay:	Tone:	Mix:	

run like hell

Patch settings for ZOOM G2 and G2.1u

		ve bastante bien, fijense a sa algun parche para el te		mejore lo subo de
Contributor: Valverd				
Date uploaded: 2007-07-11		Rating: 4.17		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 6	Attack: FS	Level: 80	
WAH/EFX:				
Type: PH	Position/Depth: af	Rate/Freq: 15	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: FC	Gain: 60	Tone: 5	Level: 80	
EQ: State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: FL	Depth/Time:	Rate/Feedback: 8	Reso/Mix: 6	
DELAY:				
Type: Pd	Time: 37	Feedback: 70	Mix: 1.0	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

david gilmour/pink floyd

Preset-/Songname: John Frusciante's Solo F	Artist: olo FX John Frusciante			
Description: Hard to explain. Fuzzy se	ound, high gain. See l	by yourself		
Contributor: ChapiX2				
Date uploaded: 2007-09-13		Rating: 4.17		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 60	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		16		
DRIVE:				
Type: PV	Gain: 30	Tone: 7	Level: 70	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	2	7	8	
Extra EQ/Cabinet & Mic:				
Туре:			Harmonics:	
Et	-2	6	7	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
СН	4	10	14	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
V . 1				
REVERB:				
Type: HL	Decay:	Tone: 2	Mix: 20	

Patch settings for ZOOM G2 and G2.1u

Wah-wah	Satriani/Vai				
Description: Joe Satriani and Steve Vai often use sound like this. It's a "mellow" wah-wah and distortion effect. It's great with songs like "Love Thing", "Flying in a Blue Dream", etc. And set this preset to your amp					
Contributor: Ibanezzz7					
Date uploaded: 2007-04-14		Rating: 4.15			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type:	Position/Depth: bF	Rate/Freq:	Level/Mix: 3		
ZNR - Noise reduction:					
Type: nr		Threshold: 12-16			
DRIVE:					
Type: bG	Gain: 1.0.	Tone: 6	Level: 70		
EQ:					
State: ON	Bass:	Middle:	Treble: 7		
Extra EQ/Cabinet & Mic	> -				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: dL	Time:	Feedback: 14	Mix: 24		
REVERB:					
Type:	Decay: 16	Tone: 10			

Artist:

Patch settings for ZOOM G2 and G2.1u

LP/ES 335 Distortion		Clapton 60's		
Description: Bluesbreaker sound wit p/u sounds great on my		aster FX in front of a Marsl	hall JTM45 from the 60's	s. Humbucker Neck
Contributor: mystro2b				
Date uploaded: 2007-01-20		Rating: 4.14		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 7	Level/Mix: 94	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: MC	Gain: 60	Tone: 5	Level: 40	
EQ:				
State: ON	Bass: -5	Middle: 12	Treble: -2	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos: 1	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay:	Tone: 4	Mix: 20	

Artist:

Patch settings for ZOOM G2 and G2.1u

My Last Breath		Evanescence	e	
Description: Tune down dropped D, for Zakk Wylde.	1/2 step: Db Ab Db Gb	Bb Eb. Very nice through	studio-quality headphon	e. Also good start
Contributor: Godin				
Date uploaded: 2007-03-31		Rating: 4.14		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF		Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type:	Gain: 60	Tone: 5	Level: 80	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	6	-2	6	
Extra EQ/Cabinet & Mic:				
		Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback: 30	Reso/Mix: 60	
DELAY:				
Type:	Time:	Feedback:	Mix:	
dL	25	10	20	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Artist:

Patch settings for ZOOM G2 and G2.1u

Death		Chuck Schuld	diner	
		ng "Crystal mountain".mor ion pedal. have fun with t		be switched on and
Contributor: Algis				
Date uploaded: 2007-04-05		Rating: 4.14		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 50	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: nr		Threshold:		
DRIVE:				
Type: bG	Gain: 98	Tone: 10	Level: 84	
EQ:				
State: ON	Bass: 0	Middle: -2	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos: 1	Harmonics:	
MOD/SFX:				
Type: MP	Depth/Time: 5	Rate/Feedback: 1	Reso/Mix: 30	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	- -

Artist:

Harp

Patch settings for ZOOM G2 and G2.1u

hot chick in the showe	er etc. I didn't really wan	e something you'd hear or t to post it but here it is. tr this for those 15 sec tv or	y different delay patterns	
Contributor: JBW				
Date uploaded: 2007-06-24		Rating: 4.14		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: FS	Level: 82	
WAH/EFX:				
Type: bS	Position/Depth: 1	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: FC	Gain: 98	Tone: 9	Level: 14	
EQ:				
State: ON	Bass: 12	Middle: 9	Treble: 11	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: -9	
MOD/SFX:				
Type: FL	Depth/Time:	Rate/Feedback: 20	Reso/Mix: -2	
DELAY:				
Type: dL	Time: 1	Feedback: 86	Mix: 46	
REVERB:				
Type: Md	Decay: 3.0	Tone: 7	Mix: 88	

Artist:

Cocteau Twins

with

Preset-/Songname: Who wants ACDC !!!!		Artist: ACDC		
Description: I think this is really close reference	My first patch	. pardon me if im wrong	I used "Have a drink on ı	ne" as a
Contributor: Narsi				
Date uploaded: 2007-06-28		Rating: 4.14		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 16		
DRIVE:				
Type: bC	Gain: 48	Tone: 10	Level: 64	
EQ:				
State: ON	Bass: 12	Middle: 12	Treble: -2	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 4	Presence/Mic pos: 0	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	-
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: Dimebag/CFH Era

Patch settings for ZOOM G2 and G2.1u

Description: This is as close to dime's sound as I could get during the CFH album. This sounds really good with the seymore duncan Intimidator Pickup I got in the bridge. Just adjust the gain if it doesn't have enough distortion for you. Cause my pickup is a hot pickup so it sounds different. If you have something like a dimebucker this should be close on the money for you. This will also make the dime harmonics sound good too. Contributor: CowboyFromHell Date uploaded: Rating: 2007-06-04 4.12 Preset parameters: **COMPRESSOR:** Type: Sense: Attack: Level: ON 8 FS 66 WAH/EFX: Type: Position/Depth: Rate/Freq: Level/Mix: 2 bS 5 60 **ZNR - Noise reduction:** Type: Threshold: dG 3 Type: Gain: Tone: Level: Ed 56 9 88 State: Bass: Middle: Treble: 9 12 ON 6 Extra EQ/Cabinet & Mic: Type: Harmonics: Lo mid/Mic type: Presence/Mic pos: Cb Co 0 MOD/SFX: Depth/Time: Rate/Feedback: Reso/Mix: **OFF DELAY:** Time: Feedback: Type: Mix: **OFF REVERB:** Type: Decay: Tone: Mix.

5

18

Artist:

Dimebag Darrell

Printed from www.haax.se

HL

20

Preset-/Songname: AC/DC		Artist: AC/DC		
Description: este sonido es en gener	al el de ac/dc			
Contributor: cocodrilo_ch				
Date uploaded: 2007-10-01		Rating: 4.11		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: SL	Level: 40	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 13		
DRIVE:				
Type: MC	Gain: 50	Tone: 10	Level: ajustar	
EQ:				
State: OFF	Bass:	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone: 5	Mix: 20	

Patch settings for ZOOM G2 and G2.1u

great solo patch		Martin		
Description: amplifer equalizer: ba	ss - your own, middle - 3	s/4, treble - 1/4		
Contributor: Martin				
Date uploaded: 2008-01-29		Rating: 4.10		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 60	
ZNR - Noise reduction:				
Type: nr		Threshold: 16		
DRIVE:				
Type: PV	Gain: 74	Tone: 5	Level: 90	
EQ:				
State: ON	Bass: 2	Middle: 0	Treble: -2	
Extra EQ/Cabinet & Mic	:			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 10	Tone: 5	Mix: 60	

Artist:

Slash November Rain Solo

Patch settings for ZOOM G2 and G2.1u

sound too fat on a Le	de for Slash's sound its goes Paul. But I tried listening and stuff of his. May need	g to the song and getting	as close as I could. thi	s also sounds good
Contributor: CowboyFromHell				
Date uploaded: 2007-10-02		Rating: 4.08		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: SL	Level: 86	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 6	Level/Mix: 94	
ZNR - Noise reduction:	:			
Type: nr		Threshold: 7		
DRIVE:				
Type: bG	Gain: 1.0	Tone:	Level: 74	
EQ:				
State: ON	Bass:	Middle: 6	Treble:	
Extra EQ/Cabinet & Mic	c:			
Type: Et	Lo mid/Mic type: 12	Presence/Mic pos: 9	Harmonics: 5	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 21	Tone: 9	Mix: 38	

Artist:

Guns n roses

Preset-/Songname: Yngwie Malmsteen Delay		Artist: Yngwie J. Ma	lmsteen	
Description: Nice Yngwie delay use sir	ngle coil "neck" for n	nax tone		
Contributor: Vartanian67				
Date uploaded: 2006-12-29		Rating: 4.00		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 80	
WAH/EFX:				
Type: bS	Position/Depth: 2	Rate/Freq: 8	Level/Mix: 64	
ZNR - Noise reduction:				
Type: Gt		Threshold: 5		
DRIVE:				
Type: bG	Gain: 50	Tone: 7	Level: 90	
EQ:				
State: ON	Bass: 12	Middle: -5	Treble: 7	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos: 1	Harmonics:	
MOD/SFX: Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time:	Feedback: 10	Mix: 28	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Best Clean TubeTone

Patch settings for ZOOM G2 and G2.1u

Description: Great clean tone. Adjust compression to personal taste. You can add the WAH/EFX module set to bs (Boost) at 2-9-74 if you want to add a little edge for lead work Gerrymc Date uploaded: Rating: 2007-01-06 4.00 **Preset parameters: COMPRESSOR:** Type: Sense: Attack: Level: ON 6 FS 50 WAH/EFX: Type: Position/Depth: Rate/Freq: Level/Mix: **OFF ZNR - Noise reduction:** Type: Threshold: **OFF** DRIVE: Type: Gain: Tone: Level: MC 10 6 100 State: Bass: Middle: Treble: ON 5 7 7 Extra EQ/Cabinet & Mic: Type: Lo mid/Mic type: Presence/Mic pos: Harmonics: Et 0 0 MOD/SFX: Type: Depth/Time: Rate/Feedback: Reso/Mix: **OFF** DELAY: Type: Time: Feedback: Mix: 35 20 16 EC REVERB: Type: Decay: Tone: Mix: 4 10 HL 10

Artist:

Robert Cray maybe

Listen To Her Heart

Patch settings for ZOOM G2 and G2.1u

	the jangly sound heard or ght with a Strat; sounds fu			o Her Heart".
Contributor: Boogie				
Date uploaded: 2007-01-19		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction	<u>:</u>			
Type: nr		Threshold: 12		
DRIVE:				
Type: CA	Gain: 80	Tone: 8	Level: 80	
EQ:				
State: ON	Bass: 5	Middle: -1	Treble:	
Extra EQ/Cabinet & M	ic:			
Type: Et	Lo mid/Mic type: -3	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Tom Petty & The Heartbreakers

Patch settings for ZOOM G2 and G2.1u

Pantera-ish		Pantera		
Description: I use this for a Panter	a grind and it suits me. 0	Give it a shot.		
Contributor: Aldar				
Date uploaded: 2007-01-19		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type: Ed	Gain: 98	Tone: 5	Level:	
EQ:				
State:	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mid	> :			
Type: Cb	Lo mid/Mic type: Dy	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time: 3	Feedback: 0	Mix: 12	
REVERB:				
Type: rM	Decay: 16	Tone: 10	Mix: 8	

Artist:

Patch settings for ZOOM G2 and G2.1u

Silver Machine		Hawkwind		
Description: A rich, phased sound	reminiscent of the silver	machine riff.		
Contributor: mark				
Date uploaded: 2007-02-26		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: SL	Level: 10	
WAH/EFX:				
Type: PH	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 13		
DRIVE:				
Type: PV	Gain: 60	Tone: 7	Level: 84	
EQ:				
State: ON	Bass: 0	Middle: 7	Treble:	
Extra EQ/Cabinet & Mic				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 5	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 8	Reso/Mix: 10	
DELAY:				
Type: Pd	Time: 50	Feedback: 60	Mix: 10	
REVERB:				
Type: Er	Decay: 20	Tone: -3	 Mix: 70	

Artist:

Preset-/Songname: come as you are		Artist: Nirvana		
Description: That chorusy sound bit I	ike come as you are			
Contributor: Tele custom				
Date uploaded: 2007-03-28		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		16		
DRIVE:				
Type:	Gain:	 Tone:		
Md	0	10	100	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et		Presence/Mic pos:		
MOD/SFX:				
Type: CH	Depth/Time: 56	Rate/Feedback: 33	Reso/Mix: 50	
DELAY:				
Type: dL	Time: 1	Feedback: 2	Mix: 40	
REVERB:				
Type: HI	Decay:	Tone:	Mix: 58	

Big Muffy

Patch settings for ZOOM G2 and G2.1u

remade it from scra Harley Benton all tu flanger. Okone oth	r a long period of illness at tch. This one is made for h be amp and it sounds goo her thing: I rated it first at a prove this patch.Whether y as I do:).	numbucker guitars,I play n d. Keep the volume on the 5 so that it pops out and a	ny Epiphone LP Studio t e amp low as I used a hig is many people can chec	hrough a modified gh gain model and ck it and add
Contributor: DNZ				
Date uploaded: 2007-05-15		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: SL	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction	n:			
Type: nr		Threshold: taste		
DRIVE:				
Type: Ed	Gain: 40	Tone: 6	Level: 30	
EQ:				
State: ON	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & N	fic:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 6	Harmonics:	
MOD/SFX:				
Type: FL	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type:	Time: 24	Feedback: 40	Mix: 40	
REVERB:				
Type:	Decay: 10	Tone: 8	Mix: 20	_ _

Artist:

David Gilmour / me

Patch settings for ZOOM G2 and G2.1u

Extra Strength Riffing	Extra Strength				
Description: this agressive tone is one that i use for practice sessions through a reference system, rather than an amp. good for fast palm mutes, squeals, and solos.					
Contributor: Extra Strength					
Date uploaded: 2007-05-19		Rating: 4.00			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type:	Position/Depth:	Rate/Freq:	Level/Mix:		
bS	4	6	82		
ZNR - Noise reduction:					
Type:		Threshold:			
nr		6			
DRIVE:					
Type: PV	Gain: 72	Tone: 0	Level: 82		
EQ:					
State:	Bass:	Middle:	Treble:		
ON	3	5	9		
Extra EQ/Cabinet & Mic:					
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
Et	-5	7	7		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type:	Decay:	Tone:	Mix:		
HL	10	3	46		

Artist:

Patch settings for ZOOM G2 and G2.1u

miked harmonica w/bite		generic			
Description: for miked harmonicahas some distorition for bite, and some reverb					
Contributor: neilio					
Date uploaded: 2007-05-24		Rating: 4.00			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type: bS	Position/Depth:	Rate/Freq: 2	Level/Mix: 76		
ZNR - Noise reduction:					
Type: nr		Threshold: 13			
DRIVE:					
Type: Md	Gain: 38	Tone: 7	Level: 56		
EQ:					
State: ON	Bass:	Middle:	Treble:		
Extra EQ/Cabinet & Mic:					
Type: Cb	Lo mid/Mic type:	Presence/Mic pos: 0	Harmonics: 0		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type:	Decay:	Tone:	Mix:		

Artist:

Preset-/Songname: Recti-Like Tone		Artist:		
Description: Fairly close to a rectifier'	s tone			
Contributor: Apothis				
Date uploaded: 2007-06-06		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 3	Rate/Freq: 2	Level/Mix: 76	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		13		
DRIVE:				
Type: Ed	Gain: 60	 Tone: 5	Level: 80	
		•		
EQ:				
State:	Bass:	Middle:	Treble:	
ON	6	-6	4	
Extra EQ/Cabinet & Mic:				
Туре:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Cb	Dy	0		
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Great Chorus Sound		Unknown			
Description: Here's my settings for T	Description: Here's my settings for Till They Take My Heart Away. It'll sound great in headphones.				
Contributor: Garret2007					
Date uploaded: 2007-06-19		Rating: 4.00			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type: nr		Threshold: 5			
DRIVE:					
Type: JC	Gain: 60	Tone: 6	Level: 70		
EQ:					
State: ON	Bass: 12	Middle: 0	Treble: 0		
Extra EQ/Cabinet & Mic:					
Type: Et	Lo mid/Mic type:	Presence/Mic pos: -12	Harmonics:		
MOD/SFX:					
Type: SC	Depth/Time:	Rate/Feedback: 30	Reso/Mix: 60		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type: HL	Decay: 20	Tone:	Mix: 60		

Artist:

Preset-/Songname: Like a Stone	Artist: Audioslave			
Description: solo				
Contributor: Shin				
Date uploaded: 2007-06-20		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: CP	Attack: SL	Level: 80	
WAH/EFX:				
Type: AW	Position/Depth: bF	Rate/Freq: 8	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 16		
DRIVE:				
Type: bG	Gain: 1.0.	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 5	Middle:	Treble: 5	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 5	Presence/Mic pos: 6	Harmonics: 11	
MOD/SFX:				
Type: PP	Depth/Time:	Rate/Feedback: UP	Reso/Mix: 10	
DELAY:				
Type: dL	Time:	Feedback: 0	Mix: 64	
REVERB:				
Type:	Decay:	Tone: 3	Mix: 20	

Preset-/Songname: Blues 1		Artist: Larsen		
Description: Pour le Blues				
Contributor: Larsen				
Date uploaded: 2007-06-23		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 2	Level/Mix: 76	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		13		
DRIVE:				
Type: FC	Gain: 60	Tone: 5	Level: 80	
EQ:				
State:	Bass: 12	Middle: -2	Treble: 5	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Cb	Dy	2	2	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: Pd	Time: 10	Feedback: 30	Mix: 30	
REVERB:				
Type: r M	Decay: 30	Tone: 10	Mix: 1.0	_

Preset-/Songname: Blues 4		Artist: Larsen		
Description: Pour se la jouer Crossro	ads			
Contributor: Larsen				
Date uploaded: 2007-06-23		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: SL	Level: 70	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold: 12		
nr		12		
DRIVE:				
Type: CA	Gain: 70	Tone: 5	Level:	
EQ:				
State:	Bass:	Middle:	Treble:	. – – – – –
ON	11	4	3	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Cb	Dy	0	0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: Pd	Time:	Feedback:	Mix: 30	
REVERB:				
Type:	Decay:	Tone:		
rivi	.50	10	1.0	

Preset-/Songname: Message in the bottle		Artist: The Police		
Description: I try to find the sound on	the album			
Contributor: charles				
Date uploaded: 2007-06-25		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		8		
DRIVE:				
Type:	Gain:	Tone:	Level:	
CA	60	3	80	
EQ:				
State:	 Bass:			
ON	0	0	-5	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Et	0	-3	-2	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
CH	70	20	30	
DELAY:				
Type:	 Time:		Mix:	
OFF				
REVERB:				
Type:	Decay:		Mix:	
OFF	•			

Patch settings for ZOOM G2 and G2.1u

Vulgar Display Of Po	wer	Pantera		
Description: Tried to emulate the t	tone from Mouth For War			
Contributor: Xenogen (me)				
Date uploaded: 2007-06-28		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: SL	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 7	Level/Mix: 80	
ZNR - Noise reduction:				
Type: dG		Threshold: 10		
DRIVE:				
Type: bG	Gain: 100	Tone: 10	Level: 70	
EQ:				
State: ON	Bass: -3	Middle:	Treble:	
Extra EQ/Cabinet & Mic	c:			
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos: 1	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	-
REVERB:				
Type:	Decay:	Tone:	Mix:	_

Artist:

Patch settings for ZOOM G2 and G2.1u

Fuzz - Blow by blow		Jeff BECK			
Description: Ce patch n'est pas d'une haute perfection mais je le trouve assez fidèle au son du grand Maître, surtout dans les aigus. A essayer aussi avec: BS:3/5/70 et DL:40(ajustez au tempo!)/30/8. Donnez-moi votre avis.					
Contributor: Niokman					
Date uploaded: 2007-07-05		Rating: 4.00			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 5	Attack: FS	Level: 60		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type: nr		Threshold: 7			
DRIVE:					
Type: FF	Gain: 2	Tone:	Level: 1.0		
EQ:					
State:	Bass: -6	Middle:	Treble:		
Extra EQ/Cabinet & Mic:					
Type: Et	Lo mid/Mic type: -6	Presence/Mic pos: 6	Harmonics: 6		
MOD/SFX:					
Type: CH	Depth/Time:	Rate/Feedback: 26	Reso/Mix: 4		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type:	Decay:	Tone: 7			

Artist:

Preset-/Songname: Learn To Fly		Artist: Foo Fighters		
Description: If you change any present suggestions	t, please post a messa	ige so everybody can take	the advantage of impro	oments
Contributor: Edu				
Date uploaded: 2007-07-07		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Туре:		Threshold:		
nr		12		
DRIVE:				
Type: Mt	Gain: 90	Tone: 6	Level:	
EQ:				
State: ON	Bass: 7	Middle: 7	Treble: 9	
Extra EQ/Cabinet & Mic:				
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Et	7	9	10	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: Dream On	Artist: Aerosmith			
Description: This is patch is for the s	tudio version			
Contributor: Edu				
Date uploaded: 2007-07-07		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		9		
DRIVE:				
Type: MC	Gain: 4	Tone: 8	Level: 88	
EQ:	Bass:	 Middle:	 Treble:	
ON	3	-1	9	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 31	Reso/Mix: 84	
DELAY:				
Type:	Time:	Feedback:	Mix:	
dL	34	14	24	
REVERB:				
Type:	Decay:	Tone:	Mix:	
HL	15	4	26	

The New Xenogenocide Sound

Patch settings for ZOOM G2 and G2.1u

sounds screechy. En	tirely up to you if you war	ne Ed sounds better with t nt any effects or reverb - t ocide.newgrounds.com/au	his is just the basis I use	
Contributor: Xenogen				
Date uploaded: 2007-07-19		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: SL	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 4	Level/Mix: 80	
ZNR - Noise reduction: Type: Gt		Threshold:		
DRIVE:				
Type:	Gain: 60	Tone: 0	Level: 52	
EQ:				
State: ON	Bass: -6	Middle: 2	Treble: 12	
Extra EQ/Cabinet & Mic	c:			
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	_ _

Artist:

Xenogenocide

Extreme III

Patch settings for ZOOM G2 and G2.1u

		that Nuno has for the albo		in Peace. Results
Contributor: Ar-Pharazon				
Date uploaded: 2007-07-23		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 7		
DRIVE:				
Type: PV	Gain: 30	Tone: 4	Level: 80	
EQ:				
State: ON	Bass: 7	Middle: 7	Treble: 4	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Nuno Bettencourt / Extreme

Preset-/Songname: whiskey in the jar (intro)		Artist: Thin Lizzy		
Description: the bit at start with the re	verb			
Contributor: danny				
Date uploaded: 2007-07-27		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 16		
DRIVE:				
Type: Md	Gain: 70	Tone: 7	Level: 86	
EQ:				
State:	Bass:	Middle: 8	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 20	Tone: 5		

Preset-/Songname: Punk Preset		Artist:		
Description:				
Contributor:				
Date uploaded: 2007-08-04		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 5		
DRIVE:				
Type: PV	Gain: 20	Tone: 10	Level: 80	
EQ:				
State: ON	Bass: 0	Middle: -8	Treble: 10	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 3	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: Nothing Else Matters		Artist: Me tallica		
Description: I think sounds good. I he	ope you like it.			
Contributor: Shark				
Date uploaded: 2007-08-10		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: FS	Level: 70	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 8	Level/Mix: 80	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		2		
DRIVE:				
Type: CA	Gain: 98	Tone: 7	Level:	
EQ:				
State: ON	Bass: 11	Middle: 7	Treble: 7	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 30	Reso/Mix: 60	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:			

East Bay Ray

Patch settings for ZOOM G2 and G2.1u

the chorus ("It's a	ontrol the DRIVE. In songs li Holiday in Cambodia") and nia Uber Alles, too. Feel free	d less during the verses. I		
Contributor: Zack Santos - Natu	ural Selection			
Date uploaded: 2007-08-21		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 4	Attack: FS	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reducti	on:			
Type: nr		Threshold: 16		
DRIVE:				
Type: bC	Gain: 28	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 0	Middle: 5	Treble: 12	
Extra EQ/Cabinet &	Mic:			
Type: Et	Lo mid/Mic type: 5	Presence/Mic pos: 5	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: r M	Decay: 20	Tone: 10	Mix: 1.0	

Artist:

Dead Kennedys

Preset-/Songname: Ac/Dc		Artist: AC/DC		
Description: good patch for ac/dc sor	ngs!have fun			
Contributor: Fedeslash				
Date uploaded: 2007-09-10		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 6	Attack: FS	Level: 66	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 16		
DRIVE:				
Type: bG	Gain: 90	Tone: 10	Level: 1.0	
EQ:				
State: ON	Bass: 6	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 3	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Preset-/Songname: "D" Tuner Check This Out	t	Artist: JBW		
Description: Check This Out. Pedal dep sound to be too trebley so				e open(pedal up)
Contributor: JBW				
Date uploaded: 2007-09-20		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: FS	Level: 26	
WAH/EFX:				
Type: bS	Position/Depth: 2-3	Rate/Freq:	Level/Mix: 1.0	
ZNR - Noise reduction:				
Type: dG		Threshold:		
DRIVE:				
Type: bC	Gain: 52	Tone: 10	Level: 74	
EQ:				
State: ON	Bass: 10	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: Pt	Depth/Time:	Rate/Feedback: 10	Reso/Mix: 94	
DELAY:				
Type:	Time:	Feedback:	Mix: 60	
REVERB:				
Type:	Decay:	Tone:	Mix:	

The Ocean

Patch settings for ZOOM G2 and G2.1u

'How The West Was 'turn both off if you a Page sound. To get t	Won'). The compression a re going into a clean tube he sound exactly, play wi	ges basic "Tonebender->Nand reverb is for headphore amp (or a simulated tube the the volume, as the sour vious to some, but make some.	nes/monitors, but you po) and put a tape echo in nd depends entirely on t	robably want to to be true to the the booster and
Contributor: Ar-Pharazon				
Date uploaded: 2007-09-23		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 6	Attack: FS	Level: 80	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 7	Level/Mix: 1.0	
ZNR - Noise reduction	<u>:</u>			
Type: OFF		Threshold:		
DRIVE:				
Type: MC	Gain: 1.0	Tone: 5	Level: 2	
EQ:				
State:	Bass: 0	Middle: 12	Treble:	
Extra EQ/Cabinet & Mi	c:			
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos: 1	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: r M	Decay: 30	Tone: 5	Mix: 50	

Artist:

Jimmy Page

Preset-/Songname: Can't Stop	Artist: Red Hot Chili Peppers			
Description: Solo				
Contributor: movo				
Date uploaded: 2007-09-28		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF		Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: Md	Gain: 78	Tone: 7	Level: 80	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	2	-1	12	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 5	Harmonics: 7	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Description:

Standard Malmsteen Sound

Patch settings for ZOOM G2 and G2.1u

This is a preset I use for my Yngwie sound when I play his songs. Sounds good on a fender. The sound transitions well between neck/bridge pickup so you can do all that pickup switchin stuff he does and I think it sounds pretty close to his instructional video....The one where he is fat. lol Anyway it sounded pretty good to me when I tried it on a couple of his songs I know. Contributor: CowboyFromHell Date uploaded: Rating: 2007-10-07 4.00 Preset parameters: **COMPRESSOR:** Type: Attack: Sense: Level: ON 1 SL WAH/EFX: Type: Position/Depth: Rate/Freq: Level/Mix: 2 7 bS 86 **ZNR - Noise reduction:** Type: Threshold: Gt 6 Type: Gain: Tone: Level: Md 1.0 5 1.0 State: Bass: Middle: Treble: 7 ON 6 Extra EQ/Cabinet & Mic: Type: Harmonics: Lo mid/Mic type: Presence/Mic pos: Cb dY 0 MOD/SFX: Depth/Time: Rate/Feedback: Reso/Mix: **OFF DELAY:** Time: Type: Feedback: Mix: **OFF REVERB:** Decay: Type: Tone: Mix. HL 26 4 40

Artist:

Yngwie Malmsteen

Patch settings for ZOOM G2 and G2.1u

Recording metal?		Me				
Description: Nice brutal metal disto for direct recording. You may need to tweek the EQ a bit to what you prefer. I use a Schecter Tempest Custom (Les Paul-like) with this.						
Contributor: Martijn						
Date uploaded: 2007-10-26		Rating: 4.00				
Preset parameters:						
COMPRESSOR:						
Type: OFF	Sense:	Attack:	Level:			
WAH/EFX:						
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:			
ZNR - Noise reduction:						
Type:		Threshold:				
nr		9				
DRIVE:						
Type:	Gain:	 Tone:				
Ed	40	9	88			
EQ:						
State:	 Bass:	 Middle:				
ON	3	6	10			
Extra EQ/Cabinet & Mic:						
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:			
Cb	Dy	0				
MOD/SFX:						
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:			
OFF						
DELAY:						
Type:	Time:	Feedback:	Mix:			
Pd	8	2	46			
REVERB:						
Type:	Decay:	Tone:	Mix:			
OFF						

Artist:

Preset-/Songname: Throw away your television		Artist: Red hot chili peppers		
		eres the tab to play it: e 8888910-10 g-		
7 d		x8 a		-
E	<i>[</i>	Add some more reverb for	that Slane Castle sour	ıd!
Contributor: Chadderino				
Date uploaded: 2007-10-17		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: SL	Level: 84	
WAH/EFX:				
Type: PH	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 6		
DRIVE:				
Type: bC	Gain: 62	Tone: 7	Level: 74	
EQ:				
State:	Bass:	Middle:	Treble: 10	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 12	Harmonics:	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback: 28	Reso/Mix: 5	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: rM	Decay: 10	Tone:	Mix:	

Preset-/Songname: Cowboys From Hell		Artist: Pantera		
Description: well, created this thing for	or basically the CFH s	ong itself, might suit for t	he whole album :) comi	ments welcome :)
Contributor: v1gnesh				
Date uploaded: 2007-10-29		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:		
ZNR - Noise reduction:				
Type: nr		Threshold: 7		
DRIVE:				
Type: PV	Gain: 80	Tone: 10	Level: 80	
EQ:				
State: ON	Bass: -6	Middle: -4	Treble: -5	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: rM	Decay: 12	Tone: 4	Mix: 32	

Preset-/Songname: In Loving Memory		Artist: Alter Bridge/	Mark Tremonti	
Description: its a nice clean patch wh	nich i use for this brilli	ant tremonti composition		
Contributor: Kaushik				
Date uploaded: 2007-11-03		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 03	Rate/Freq: 06	Level/Mix: 70	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		13		
DRIVE:				
Type: CA	Gain: 80	Tone: 5	Level: 80	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	12	5	6	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 25	Reso/Mix: 18	
DELAY:				
Type: dL	Time: 5	Feedback: 40	Mix: 10	
REVERB:				
Type:	Decay:	Tone:	Mix: 4	

Purple Haze

Patch settings for ZOOM G2 and G2.1u

for your own amp. The	e pedal is assigned to the	h has built in effects so yo e pitch changer to simulat are all hardware based and	e the octaver Jimi Henc	Irix uses for the
Contributor: -wijwij-				
Date uploaded: 2007-11-13		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 3	Attack: FS	Level: 64	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: FF	Gain: 84	Tone: 9	Level: 1.0	
EQ:				
State: ON	Bass: 5	Middle: -2	Treble: -7	
Extra EQ/Cabinet & Mic:	:			
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos: 1	Harmonics:	
MOD/SFX:				
Type: MP	Depth/Time: -12	Rate/Feedback: 10	Reso/Mix: 26	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: SP	Decay:	Tone: 5	Mix: 1.0	

Artist:

Jimi Hendrix

Preset-/Songname: Flanger		Artist: Anyone		
Description: general flanger eq and	l reverb can be edited t	to suit your taste		
Contributor: Anon.				
Date uploaded: 2007-11-23		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 4	Attack: FS	Level: 100	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type:	Gain: 100	Tone:	Level: 50	
EQ:				
State: ON	Bass:		Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 5	
MOD/SFX:				
Type: dF	Depth/Time: 50	Rate/Feedback: 7	Reso/Mix: -7	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix: 70	

Preset-/Songname: First impression of earth		Artist: THE STROKE	S!!!!!!!!!!!!!!!!!1111	
Description: Finally i get the sounf of t	he strokes especialli	y for you only live once!!!!	!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	1
Contributor: cocdsff				
Date uploaded: 2007-12-03		Rating: 4.00		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 3	Attack: FS	Level: 21	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type:		Threshold:		
DRIVE: Type: OFF	Gain:		Level:	
EQ: State: ON	Bass:	 Middle: 4	Treble:	
Extra EQ/Cabinet & Mic: Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 5	
MOD/SFX: Type: St			 Reso/Mix: 13	
DELAY: Type: Pd		– – – – – – – – – – – Feedback: 22	 Mix: 10	
REVERB: Type: OFF	Decay:			

Patch settings for ZOOM G2 and G2.1u

Sorrow (intro)	David Gilmour			
Description: Played on an Epi Las	Paul (sorry i haven't a st	rato)		
Contributor: slamdog				
Date uploaded: 2007-12-05		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 16	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 90	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: PV	Gain: 86	Tone: 2	Level: 80	
EQ:				
State: ON	Bass:	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic	>			
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: FL	Depth/Time:	Rate/Feedback:	Reso/Mix: 2	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 26	Tone: 6	Mix: 84	

Artist:

Grungy distortion

Patch settings for ZOOM G2 and G2.1u

Description: I planed and use this disturbed, nickleback amp settings: bass-3,	, nirvana) I'm playing w	v stuff, such as grunge, po vith an epiphone les paul s	st-grunge and alternativ standard plus, and fende	e metal (like er frontman amp.
Contributor: Aiwa				
Date uploaded: 2007-12-10		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 32	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 10	Level/Mix: 60	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: PV	Gain: 84	Tone: 6	Level: 84	
EQ:				
State: ON	Bass:	Middle: -3	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 0	Harmonics: 2	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay: 15	Tone: 5	Mix: 16	

Artist:

my own patch

Patch settings for ZOOM G2 and G2.1u

Great lead sound		my own patc	h			
Description: Great for slow and/or emotional solos, but you can also shred when using it. Very rich sound in my opinion. amp settings: bass-3, mid-6, treble-6.						
Contributor: Aiwa						
Date uploaded: 2007-12-10		Rating: 4.00				
Preset parameters: COMPRESSOR:						
Type: OFF	Sense:	Attack:	Level:			
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:			
ZNR - Noise reduction:						
Type: nr		Threshold: 12				
DRIVE:						
Type: bG	Gain: 84	Tone: 5	Level: 80			
EQ:						
State: ON	Bass: 0	Middle: 5	Treble:			
Extra EQ/Cabinet & Mic:						
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 5			
MOD/SFX:						
Type: CH	Depth/Time:	Rate/Feedback: 50	Reso/Mix: 14			
DELAY:						
Type: dL	Time: 20	Feedback: 50	Mix: 12	-		
REVERB:						
Type: SP	Decay:	Tone: 5		·		

Artist:

Stereo chorus

Patch settings for ZOOM G2 and G2.1u

		my band's songs. I'm usin ones or direct recording.	g it through an amp, so	you might need to
Contributor: Aiwa				
Date uploaded: 2007-12-10		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF		Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time: 80	Rate/Feedback: 50	Reso/Mix: 60	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix: 60	

Artist:

my own patch

Patch settings for ZOOM G2 and G2.1u

Distortion	Self-maded patch			
Description: use this patch when i play metal or rock. Amp settings: Treble -5, Middle -5, Bass -5				
Contributor: Timo				
Date uploaded: 2007-12-23		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 2	Rate/Freq: 7	Level/Mix: 80	
ZNR - Noise reduction:				
Type: dG		Threshold: 5		
DRIVE:				
Type: Hb	Gain: 60	Tone: 6	Level: 78	
EQ:				
State: ON	Bass: 10	Middle: -12	Treble: 12	
Extra EQ/Cabinet & Mic:	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 5	Harmonics: 10	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Preset-/Songname: keep your self alive	Artist: brian may/ queen			
Description: try this for the intro to ke	eep your self alive.			
Contributor: brumi				
Date uploaded: 2007-12-25		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: PH	Position/Depth: bf	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		1		
DRIVE:				
Type:	Gain:		Level:	
bC	92	6	70	
EQ:				
State:	Bass:	 Middle:	Treble:	
ON	2	12	12	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic nos:	Harmonics:	
Et	12	6	12	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
CH	26	14	32	
DELAY:				
	Time:		Mix:	
OFF				
REVERB:				
Type:	Decay:	Tone:	Mix:	
rM	24	6	40	

bohemian rapsody solo

Patch settings for ZOOM G2 and G2.1u

Description: same as the keep your s	self alive with out the f	x. both played on a strat s	tyle guitar with a coin fo	r a pick.
Contributor: brumi7				
Date uploaded: 2007-12-25		Rating: 4.00		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX: Type: OFF	Position/Depth:	– – – – – – – – Rate/Freq:		
ZNR - Noise reduction:		Threshold:		
DRIVE:	Gain:	 Tone:		
bĊ	92	7	70	
EQ:				
State: ON	Bass: 4	Middle: 10	Treble: 12	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 14	Reso/Mix: 32	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone: 6		

Artist:

queen/brian may

Patch settings for ZOOM G2 and G2.1u

distortion that sounds great on a p bass

		ng breath and i didn't shov juier affinity pbass. haven		
Contributor: me (ira james)				
Date uploaded: 2007-12-27		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type: bG	Gain: 76	Tone: 9	Level: 50	
EQ:				
State: ON	Bass: 6	Middle: 7	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 26	Reso/Mix:	
DELAY:				
Type: dL	Time:	Feedback: 0	Mix: 12	
REVERB:				
Type: rM	Decay: 16	Tone: 10	Mix: 8	-

Artist:

me (ira james)

Preset-/Songname: don't cry - clean		Artist: guns n' roses	S	
Description: don't cry - clean				
Contributor: dereck58				
Date uploaded: 2008-01-03		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: Pb	Position/Depth: AF	Rate/Freq: 50	Level/Mix: 84	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: JC	Gain:		Level: 58	
EQ:				
State: ON	Bass: 12		Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay:	Tone:	Mix: 82	

Patch settings for ZOOM G2 and G2.1u

Always With Me, Always With You

	t multieffect since xmas s itthanks joe for this	sI think this is a very goo beatiful song	d sound that goes really	near the original if
Contributor: federik89				
Date uploaded: 2008-01-03		Rating: 4.00		
Preset parameters: COMPRESSOR:				
Type: ON	Sense:	Attack: SL	Level: 2	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: OFF		 Threshold:		
DRIVE:				
Type: Ed	Gain: 1.00	Tone: 7	Level: 78	
EQ:				
State:	Bass: 6	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 5	Presence/Mic pos:	Harmonics: 7	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time: 20	Feedback: 20	Mix: 12	
REVERB:				
Туре: ы	Decay:	Tone:	Mix:	

Artist:

Joe Satriani

Patch settings for ZOOM G2 and G2.1u

Intro of "Bliss"		Muse		
Description: This is the intro riff pre	esets of the song bliss v	when matthew bellamy use	e his guitar in live. It's b	etter on JC CLEAN.
Contributor: Damniosis				
Date uploaded: 2008-01-03		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: OFF		Threshold:		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF		Presence/Mic pos:		
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: EC	Time: 38	Feedback: 1.0	Mix: 90	
REVERB:				
Type:	Decay: 21	Tone: 10	Mix: 90	

Artist:

Preset-/Songname: Galloping delay	Artist: Ira James (me)			
Description: This is somewhat close	to Hillsong's galloping	g delay.		
Contributor: Ira James (me)				
Date uploaded: 2008-01-04		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type:	Position/Depth:	Rate/Freq:	Level/Mix:	
tr	24	40	d2	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type:	Gain:		Level:	
FC	1.0	10	1.0	
EQ:				
State:	Bass:	 Middle:	Treble:	
OFF	24001	inidato:		
Extra EQ/Cabinet & Mic:				
Туре:		Presence/Mic pos:		
OFF				
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
dL	60	30	50	
DELAY:				
Type:	Time:	Feedback:	Mix:	
EC	80	40	50	
REVERB:				
Type:	Decay:	Tone:	Mix:	
HL	20	10	70	

Patch settings for ZOOM G2 and G2.1u

metallica songs		metallica		
		ica, para temas viejos co ciones, para ir mejorando,		oand justice for
Contributor: yo				
Date uploaded: 2008-01-11		Rating: 4.00		
Preset parameters: COMPRESSOR:				
Type: ON	Sense:	Attack: SL	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq:	Level/Mix: 70	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type: bG	Gain: 80	Tone: 7	Level: 50	
EQ:				
State: ON	Bass: 7	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos: 0	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Preset-/Songname: Time is Running Out		Artist: Muse		
Description: "You will be the death o	f me~"			
Contributor: [JG¡i]				
Date uploaded: 2008-01-28		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: SL	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold: 5		
nr		5		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	-3	-4	-12	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: Pt	Depth/Time:	Rate/Feedback: 10	Reso/Mix: 100	
DELAY:				
Type: EC	Time: 25	Feedback: 52	Mix: 100	
REVERB:				
Type: HL	Decay: 26	Tone: 10	Mix: 42	

Patch settings for ZOOM G2 and G2.1u

Paradise City clean intro		Guns N' Rose	S		
Description: check it out!!! I have made this with a strat on the neck pickup, so I don't know how it will sound on a Les Paul model I think this patch is quite good					
Contributor: Ste					
Date uploaded: 2008-02-25		Rating: 4.00			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type: nr - ZNR		Threshold: 7			
DRIVE:					
Type: FC - FD Clean	Gain: 42	Tone: 4	Level: 72		
EQ:					
State: ON	Bass:	Middle: 3	Treble: -1		
Extra EQ/Cabinet & Mic:					
Type: Et - Extra EQ	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0		
MOD/SFX:					
Type: MP - Mono Pitch shift	Depth/Time:	Rate/Feedback:	Reso/Mix: 40		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:	-	
REVERB:					
Type: Er - Early reflection	Decay: 7	Tone: 10	Mix: 52		

Artist:

Preset-/Songname: Seek And Destroy		Artist: Metallica		
Description: Sound Metallica in Seek	and destroid.			
Contributor: Tr@sgu				
Date uploaded: 2008-02-25		Rating: 4.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: tr - Tremolo	Position/Depth:	Rate/Freq: 12	Level/Mix: u9	
ZNR - Noise reduction:				
Type: nr - ZNR		Threshold:		
DRIVE:				
Type: Ed - Extreme Distors	Gain: 62	Tone:	Level: 1.0	
EQ:				
State: ON	Bass: 0	Middle: -5	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:		
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Metallica (remastered)

Patch settings for ZOOM G2 and G2.1u

		I uploaded. In my opinion ny need to tweak some, su		
Contributor: pantellica5150				
Date uploaded: 2007-03-04		Rating: 3.95		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: SL	Level: 80	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction	:			
Type: Gt		Threshold:		
DRIVE:				
Type: bG	Gain: 100	Tone:	Level: 74	
EQ:				
State:	Bass: 11	Middle: -10	Treble:	
Extra EQ/Cabinet & Mi	ic:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 9	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 10	Tone:		

Artist:

Metallica

Preset-/Songname: Full Metal Distortion		Artist: Satriani/Vai		
Description: Chunky with chorus delay				
Contributor: Lattissimus				
Date uploaded: 2007-02-11		Rating: 3.93		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		16		
DRIVE:				
Type: Ed	Gain: 60	Tone: 5	Level: 72	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	9	6	0	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Et	-3	-2	2	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
СН	64	19	80	
DELAY:				
Туре:	Time:	Feedback:	Mix:	
EC	25	40	30	
REVERB:				
Type:	Decay:	Tone:	Mix: 40	
	117	5	40	

Patch settings for ZOOM G2 and G2.1u

RHCP Blood Sugar Sex Magik Tone		Red Hot Chili Peppers		
Description: Frusciante`s clean ton	e from BSSM album			
Contributor: Rewers				
Date uploaded: 2007-10-14		Rating: 3.89		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 15		
DRIVE:				
Type: FC	Gain: 60	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: -2	Middle: 11	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 10	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Preset-/Songname: BEST DISTORTION!		Artist:		
Description: After 1 year of using enjoy it. ;)	my G2 , at last I Came up	with somthing that really	suits to play Hard Rock	ς & Metal . Hope
Contributor: M.Pirali				
Date uploaded: 2007-12-03		Rating: 3.89		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 5	Attack: FS	Level: 40	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 50	
ZNR - Noise reduction:				
Type: dG		Threshold: 4		
DRIVE:				
Type: Md	Gain: 84	Tone:	Level: 80	
EQ:				
State: ON	Bass: 6	Middle:	Treble:	
Extra EQ/Cabinet & Mi	c:			
Type: Et	Lo mid/Mic type: 4	Presence/Mic pos: 5	Harmonics: 12	
MOD/SFX:				
Type: CH	Depth/Time: 100	Rate/Feedback: 6	Reso/Mix: 18	
DELAY:				
Type: dL	Time: 20	Feedback:	Mix: 30	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

U

Patch settings for ZOOM G2 and G2.1u

Megadeath		Megadeath		
Description: Heavy rythmsound used to play some Megadath songs. Use with headphones otherwise change the Extra E				
Contributor: Mats				
Date uploaded: 2006-12-31		Rating: 3.88		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: Ed	Gain: 16	Tone: 8	Level: 70	
EQ:				
State: ON	Bass: 8	Middle: 2	Treble: 9	
Extra EQ/Cabinet & Mic	:			
Type: Cb	Lo mid/Mic type: dY	Presence/Mic pos: 0	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: rM	Decay:	Tone:	Mix: 20	

Artist:

Patch settings for ZOOM G2 and G2.1u

Another Brick in the Wall - Solo **Pink Floyd Description:** Pink Floyd's song using the middle pickups on a fender fat strat and a line 6 spider III 75 amp on green clean and 12 o'clock on all equalizer setting. The pedal assigned to the WAH/EFX to control the booster. Sound adjusted to the cd version not the live one. Its the closest I've gotten to the actual sound, works really well with sustained sounds. Comment with any suggestions and improvements. Contributor: -wijwij-Date uploaded: Rating: 2007-11-01 3.88 Preset parameters: **COMPRESSOR:** Type: Sense: Attack: Level: ON 10 SL 90 WAH/EFX: Type: Position/Depth: Rate/Freq: Level/Mix: 2 4 bS 50 **ZNR - Noise reduction:** Type: Threshold: 7 nr Type: Tone: Gain: Level: bC 12 5 80 State: Bass: Middle: Treble: 5 5 ON -1 Extra EQ/Cabinet & Mic: Type: Lo mid/Mic type: Presence/Mic pos: Harmonics: Et -2 10 4 MOD/SFX: Depth/Time: Rate/Feedback: Reso/Mix: Type: **OFF DELAY:** Time: Type: Feedback: Mix: dL 31 24 18

Tone:

Mix:

Artist:

Printed from www.haax.se

REVERB: Type:

OFF

Decay:

Patch settings for ZOOM G2 and G2.1u

Big Time Solo		Steve Vai				
Description: I know I might get axed for this if I don't fet this right but I really like this sound (and Steve Vai of course!) that I thought I should share it. I've heard this used in most of his songs and I think this is pretty close to how he sounds. If this doesn't work for, at least you have an idea where to start. Set the ZNR to your liking but too much of it will reduce sustain. If Tell me your comments						
Contributor: REV						
Date uploaded: 2007-01-24		Rating: 3.85				
Preset parameters:						
COMPRESSOR: Type: OFF	Sense:		 Level:			
WAH/EFX:						
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:			
ZNR - Noise reduction:						
Type: OFF		Threshold:				
DRIVE:						
Type: bC	Gain: 10	Tone: 10	Level: 60			
EQ:						
State: ON	Bass:	Middle:	Treble:			
Extra EQ/Cabinet & Mic	:					
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0			
MOD/SFX:						
Type: CH	Depth/Time:	Rate/Feedback: 15	Reso/Mix: 50			
DELAY:						
Type: OFF	Time:	Feedback:	Mix:			
REVERB:						
	Decay:	Tone:	Mix:			

10

40

Artist:

Printed from www.haax.se

HL

30

Preset-/Songname: COMFORTABLY GILMOURISH		Artist: jozef slovakia		
Description:				
Contributor: akibono				
Date uploaded: 2007-01-04		Rating: 3.83		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 6	Attack: SL	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 14		
DRIVE:				
Type: PV	Gain: 70	Tone: 7	Level: 20	
EQ:				
State: ON	Bass: 9	Middle: 8	Treble: 5	
Extra EQ/Cabinet & Mic	**			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type:	Time: 1,1	Feedback: 42	Mix: 72	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Creamy Overdriven Marshall Combo		Early Marshall Player		
Description: Heavy full sound of t	ully driven pre-amp tubes	;		
Contributor: Gerrymc				
Date uploaded: 2007-01-06		Rating: 3.83		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 3	Rate/Freq: 5	Level/Mix: 10	
ZNR - Noise reduction	:			
Type: OFF		Threshold:		
DRIVE:				
Type: MC	Gain: 94	Tone: 7	Level: 98	
EQ:				
State: ON	Bass: 5	Middle: 7	Treble: 7	
Extra EQ/Cabinet & Mi	ic:			
Type: Et	Lo mid/Mic type: 0	Presence/Mic pos:	Harmonics: 6	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay: 10	Tone: 4	Mix: 10	

Artist:

Are you dead yet?

Patch settings for ZOOM G2 and G2.1u

		Contour and Bass to zero		
Contributor:				
Date uploaded: 2007-01-19		Rating: 3.83		
Preset parameters:				
COMPRESSOR: Type:	 Sense:	 Attack:		
ON	0	FS	80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: Ed	Gain: 66	Tone: 10	Level: 100	
EQ:				
State: ON	Bass: 4	Middle:	Treble:	
Extra EQ/Cabinet & Mic:	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Artist:

Alexi Laiho - Children of Bodom

Preset-/Songname: Metal Distortion		Artist:		
Description: Metal Distortion				
Contributor:				
Date uploaded: 2007-06-23		Rating: 3.83		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 7	Level/Mix: 70	
ZNR - Noise reduction:				
Type: nr		Threshold: 16		
DRIVE:				
Type: Ed	Gain: 60	Tone: 6	Level:	
EQ:				
State: ON	Bass: 5	Middle: 6	Treble:	
Extra EQ/Cabinet & Mic	::			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 2	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

sweet child o mine wah solo		Guns n roses				
Description: humbuckers straight	Description: numbuckers straight to headphones, no amp. May not be that accurate but sounds really good in my ears					
Contributor: klykan						
Date uploaded: 2007-10-22		Rating: 3.83				
Preset parameters:						
COMPRESSOR:						
Type: ON	Sense:	Attack: SL	Level: 42			
WAH/EFX:						
Type: Pb	Position/Depth: bf	Rate/Freq: 10	Level/Mix: 52			
ZNR - Noise reduction	:					
Type: nr		Threshold: 14				
DRIVE:						
Type:	Gain: 58	Tone:	Level: 80			
EQ:						
State:	Bass: 5	Middle: 1	Treble: -2			
Extra EQ/Cabinet & Mi	c:					
Type: Cb	Lo mid/Mic type: dY	Presence/Mic pos:	Harmonics: 0			
MOD/SFX:						
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:			
DELAY:						
Type: OFF	Time:	Feedback:				
REVERB:						
Type:	Decay: 27	Tone: 2				

Artist:

Preset-/Songname: canon rock		Artist: jerry c		
Description: Good sound				
Contributor: shiki				
Date uploaded: 2007-06-01		Rating: 3.82		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth: 2	Rate/Freq: 1	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: bG	Gain: 76	Tone:	Level: 50	
EQ:				
State: ON	Bass: 6	Middle: 7	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time: 68	Rate/Feedback: 30	Reso/Mix:	
DELAY:				
Type: Pd	Time: 2	Feedback: 8	Mix: 36	
REVERB:				
Type:	Decay: 16	Tone: 10	Mix: 8	

Preset-/Songname: sweet child o mine		Artist: guns n roses	3	
Description: distorcion				
Contributor: cocodrilo_ch				
Date uploaded: 2007-09-26		Rating: 3.81		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: SL	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		13		
DRIVE:				
Type: Md	Gain: 60	Tone: 10	Level:	
EQ:				
State: ON	Bass: 7	Middle:	Treble: 10	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time: 10	Feedback: 20	Mix: 20	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: CLEAN , PLUNKY JA	reset-/Songname: Artist: CLEAN , PLUNKY JAZZY PATCH jozef slovakia		a	
Description:				
Contributor: akibono				
Date uploaded: 2007-01-04		Rating: 3.80		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:	:			
Type: OFF		Threshold:		
DRIVE:				
Type:	Gain:	Tone:	Level:	
JC	1,0	7	78	
EQ:				
State:	Bass:	Middle:	Treble:	
OFF	12	7	12	
Extra EQ/Cabinet & Mi	c:			
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type:	Time:	Feedback:	Mix:	
Pd	17	56	12	
REVERB:				
Type: rM	Decay: 16	Tone: 5	Mix: 16	

Wonderful Land

Patch settings for ZOOM G2 and G2.1u

	Stratocaster (Mexican) I ha WSPATCHES and look at o	ave quite a few more if req documents	juired, follow link http://	groups.msn.com/
Contributor: Tony Bason (UK)				
Date uploaded: 2007-04-02		Rating: 3.80		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 4	Attack: SL	Level: 54	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction	:			
Type: nr		Threshold: 5		
DRIVE:				
Type: CA	Gain: 14	Tone: 5	Level: 78	
EQ:				
State: ON	Bass: 3	Middle: 2	Treble: -2	
Extra EQ/Cabinet & Mi	ic:			
Type: Et	Lo mid/Mic type: -4	Presence/Mic pos: 6	Harmonics:	
MOD/SFX:				
Type: tE	Depth/Time: 24	Rate/Feedback: 38	Reso/Mix: 28	
DELAY:				
Type: dL	Time: 34	Feedback: 24	Mix: 30	
REVERB:				
Type: Md	Decay: 23	Tone: 5	Mix: 10	

Artist:

The Shadows

Extreme Rhythm Distortion

Patch settings for ZOOM G2 and G2.1u

		th bridge pickup. I use Jac s setup. Equalizer on amp		Hellfire pickup and
Contributor: Volv				
Date uploaded: 2007-05-31		Rating: 3.80		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: dG		Threshold:		
DRIVE:				
Type: Ed	Gain: 50	Tone: 2	Level: 60	
EQ:				
State: ON	Bass: 5	Middle: -7	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Artist:

Patch settings for ZOOM G2 and G2.1u

Aroun The World (Clean Sound)		Red Hot Chili Peppers			
Description: Clean sound after the intro ends and throughout out the song Try start from A5-D3-D5 and you'll see So bloody close it's hurting me hehe (Bridge hambucker on my Ibanez RG)					
Contributor: Fa11eN					
Date uploaded: 2007-07-27		Rating: 3.80			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 7	Attack: SL	Level: 90		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix: 0		
ZNR - Noise reduction:					
Type: nr		Threshold: 16			
DRIVE:					
Type: FC	Gain: 90	Tone: 9	Level: 90		
EQ:					
State: ON	Bass: -12	Middle: 12	Treble:		
Extra EQ/Cabinet & Mic:	:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 12	Harmonics:		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback: 0	Reso/Mix:		
DELAY:					
Type: OFF	Time: 0	Feedback: 0	Mix: 0		
REVERB:					
Type: OFF	Decay:	Tone:	Mix: 0		

Artist:

Patch settings for ZOOM G2 and G2.1u

ROCK/METAL DRIVE - for recording

	1u connected direct to the turned it off and set my so			
Contributor: jaha				
Date uploaded: 2007-09-27		Rating: 3.80		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 94	
ZNR - Noise reduction	n:			
Type: nr		Threshold:		
DRIVE:				
Type: bC	Gain: 54	Tone:	Level: 88	
EQ:				
State: ON	Bass: 9	Middle: -4	Treble:	
Extra EQ/Cabinet & M	lic:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback:	Reso/Mix: 18	
DELAY: Type: OFF		Feedback:	——————————————————————————————————————	
REVERB: Type: HL		Tone:		

Artist:

???

Patch settings for ZOOM G2 and G2.1u

Metal Distortion (rythm)		Carlos Torres (this is my custom patch)				
Description: This is patch is only for I Progressive stuff.	his is patch is only for recording. I used this patch when I record with the band. We play Power Metal and					
Contributor: alchemyguitar						
Date uploaded: 2007-01-18		Rating: 3.78				
Preset parameters: COMPRESSOR:						
Type: ON	Sense: 2	Attack: FS	Level: 50			
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:			
ZNR - Noise reduction:		 Threshold:				
nr		10				
DRIVE:						
Type: bG	Gain: 82	Tone: 8	Level: 84			
EQ:						
State: ON	Bass: 0	Middle: -2	Treble:			
Extra EQ/Cabinet & Mic:						
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics:			
MOD/SFX:						
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:			
DELAY:						
Type: OFF	Time:	Feedback:	Mix:			
REVERB:						
Type: OFF	Decay:	Tone:	Mix:			

Artist:

Preset-/Songname: Shadows classic sound		Artist: Hank Marwin		
Description: The Shadows classic sou	und, for strat			
Contributor: Helid Slovakia				
Date uploaded: 2007-02-13		Rating: 3.75		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: FC	Gain:	Tone: 8	Level: 80	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: tE	Depth/Time: 25	Rate/Feedback: 50	Reso/Mix: 50	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay: 17			

Lamb of God - metal

Patch settings for ZOOM G2 and G2.1u

	like Lamb of God, but it decording set instead of Ex	lepends on aparature. I se ktra EQ Cabi and Mic.	t this patch on Peavey. I	f you will play on
Contributor: Smash				
Date uploaded: 2007-05-15		Rating: 3.75		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: FS	Level: 30	
WAH/EFX:				
Type: bS	Position/Depth: 4	Rate/Freq: 2	Level/Mix: 76	
ZNR - Noise reduction				
Type: nr		Threshold: 13		
DRIVE:				
Type: Ed	Gain: 94	Tone: 9	Level: 78	
EQ:				
State: ON	Bass: 5	Middle: 12	Treble: -1	
Extra EQ/Cabinet & Mi	c:			
Type:	Lo mid/Mic type:	Presence/Mic pos: -5	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Lamb of God - Mark Morton

Bring Me To Life

Patch settings for ZOOM G2 and G2.1u

the original as I can (e Terry Balsamo uses th ant closer, buy better unit so dark :))		
Contributor: Fa11eN				
Date uploaded: 2007-06-06		Rating: 3.75		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: FS	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction	:			
Type: nr		Threshold: 15		
DRIVE:				
Type: MC	Gain: 80	Tone:	Level: 80	
EQ:				
State: ON	Bass: 6	Middle: 0	Treble: -2	
Extra EQ/Cabinet & Mi	c:			
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: FL	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time: 5	Feedback: 10	Mix: 20	
REVERB:				
Type:	Decay: 10	Tone: 5	Mix: 20	

Artist:

Evanescence

Preset-/Songname: Vintage "KISS"		Artist: "KISS" circa 1975			
Description: the classic "KISS" sou "on")	und of the mid-70's (Aliv	e! era). I run through a PA	or direct for recording	(so,cab. sim. is	
Contributor: Neilio					
Date uploaded: 2007-08-25		Rating: 3.75			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 76		
ZNR - Noise reduction:					
Type: nr		Threshold: 13			
DRIVE:					
Type: Md	Gain: 60	Tone: 10	Level: 80		
EQ:					
State: ON	Bass: 6	Middle: 6	Treble:		
Extra EQ/Cabinet & Mic	:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type:	Decay:	Tone:	Mix:		

Preset-/Songname: Always With Me, Always	With You	Artist: Joe Satriani		
Description: I Think that a Nice 1 =]	. Neck pick-up.			
Contributor: Yoni				
Date uploaded: 2007-12-09		Rating: 3.75		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Туре:		Threshold:		
nr		12		
DRIVE:				
Type: Mt	Gain: 90	Tone: 7	Level: 80	
EQ:				
State:	Bass:	 Middle:	Treble:	
ON	6	5	4	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Et	5	3	7	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF	·			
DELAY:				
Type:	Time:	Feedback:	Mix:	
OFF				
REVERB:				
Туре:	Decay:	Tone:	Mix:	
OFF				

Patch settings for ZOOM G2 and G2.1u

6-to-4 bass patch		Me		
	pitch drop an octave do ttle funk to the sound al	wn so one can record a ba so.	ass line if they can't get	there hands on
Contributor: Mike Lowery				
Date uploaded: 2007-10-13		Rating: 3.75		
Preset parameters: COMPRESSOR:				
Type: ON	Sense:	Attack: SL	Level:	
WAH/EFX:				
Type: Ar	Position/Depth: AF	Rate/Freq: -5	Level/Mix: 5	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: AC	Gain: 6	Tone: 3	Level: 70	
EQ:				
State: ON	Bass: 6	Middle: -5	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 10	Harmonics: 0	
MOD/SFX:				
Type: Pt	Depth/Time: -12	Rate/Feedback: 6	Reso/Mix: 86	
DELAY:				
Type: EC	Time: 34	Feedback: 40	Mix: 30	
REVERB:				
Type: Er	Decay: 24	Tone:	Mix: 30	

Artist:

an

Preset-/Songname: Money	Artist: Pink Floyd/David Gilmour			
Description: I think is very good patch!				
Contributor: Blackmore95				
Date uploaded: 2007-10-23		Rating: 3.75		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 4	Attack: FS	Level: 50	
WAH/EFX:				
Type: tr	Position/Depth: 50	Rate/Freq: 0	Level/Mix: t3	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		7		
DRIVE:				
Type: FC	Gain:	Tone: 10	Level: 72	
EQ:				
State: ON	Bass:	Middle:	Treble: -2	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:		Mix: 52	

Preset-/Songname: Metal Bliss		Artist: Mysel f		
Description: Good tight all around di	stortion works well for	r soloing\riffing		
Contributor: Corddog				
Date uploaded: 2007-11-14		Rating: 3.75		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: Ed	Gain: 100	Tone: 5	Level: 80	
EQ:				
State: ON	Bass:	Middle: 4	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 26	Reso/Mix:	
DELAY:				
Type: dL	Time:	Feedback: 0	Mix: 12	
REVERB:				
Type:	Decay:	Tone: 10	Mix: 8	

Preset-/Songname: dime grind	Artist: dimebag darrell			
Description: nice dime grind use hum	bucker			
Contributor: group member				
Date uploaded: 2007-01-22		Rating: 3.70		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 3	Rate/Freq: 5	Level/Mix: 70	
ZNR - Noise reduction:				
Type: Gt		Threshold: 01		
DRIVE:				
Type: Ed	Gain: 90	Tone: 04	Level: 90	
EQ:				
State: ON	Bass: 12	Middle: 5	Treble: 12	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 7	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: Metallica		Artist: Metallica		
Description: cuidado con el volumen disfrutarlo.	y a disfrutarlo yo no s	soy el autor de este patch,	una aportacion para est	a pagina a
Contributor: metal				
Date uploaded: 2007-07-21		Rating: 3.68		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 3	Rate/Freq: 5	Level/Mix: 60	
ZNR - Noise reduction: Type: nr		Threshold:		
DRIVE: Type: OFF	Gain:		Level:	
EQ: State: OFF	Bass:		Treble:	
Extra EQ/Cabinet & Mic: Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX: Type: OFF	Depth/Time:	– – – – – – – – – Rate/Feedback:	Reso/Mix:	
DELAY: Type: OFF	 Time:	Feedback:	Mix:	
REVERB: Type: OFF	Decay:		Mix:	

Patch settings for ZOOM G2 and G2.1u

Bluesy Lead Patch		Artist:		
Description: A sweet blues patch t	hat can be used to play t	the likes of "Wonderful To	night" from Eric Clapton	ı .
Contributor: DNZ				
Date uploaded: 2007-01-01		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: SL	Level: 44	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type:	Gain: 60	Tone: 5	Level: 80	
EQ:				
State: ON	Bass:	Middle: 6	Treble: -1	
Extra EQ/Cabinet & Mic	:			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 25	Reso/Mix: 50	
DELAY:				
Type: dL	Time: 26	Feedback: 20	Mix: 36	
REVERB:				
Type:	Decay:			

Artist:

Preset-/Songname: Like a Stone		Artist: Audioslave		
(from my reading was a	used to get that outta sp full raised position so tl	ight to use pedal pitch (PF pace sound for solo). Befo hat you get the original to	ore and after solo, make	sure the
Contributor: azri - credit to rlowe (de	erived from his patch)			
Date uploaded: 2007-02-24		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: SL	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: GV	Gain: 86	Tone: 5	Level: 44	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback: UP	Reso/Mix: 10	
DELAY:				
Type: dL	Time: 52	Feedback: 0	Mix: 18	
REVERB:				
	Decay:	Tone:	Mix:	

Printed from www.haax.se

OFF

Control Denied

Patch settings for ZOOM G2 and G2.1u

	ged to put together to give s. *Keep it metal \m/*	a Control Denied kinda s	ound good for solos, fa	st crunchy riffing
Contributor: Awakened Rune				
Date uploaded: 2007-04-11		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: FS	Level: 46	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction	:			
Type: nr		Threshold:		
DRIVE:				
Type: Ed	Gain: 70	Tone: 6	Level: 86	
EQ:				
State: ON	Bass: 0	Middle: -6	Treble:	
Extra EQ/Cabinet & Mi	ic:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: tE	Depth/Time: 25	Rate/Feedback: 50	Reso/Mix: 50	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Chuck Schuldiner

Metal Zone (Boss)

Patch settings for ZOOM G2 and G2.1u

escription: his is my favorite patch to play Dream Theater. I use the "Ed-ExtremeDistorsion" to simulate the MetalZoneBoss", because, I dont like me the "MT-MetalZone" of G2.1u :P. You can correct this mmm, you must orrect this patch, if you have a better idea, good luck.					
Contributor: Me again					
Date uploaded: 2007-04-22		Rating: 3.67			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 0	Attack: FS	Level: 50		
WAH/EFX:					
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 76		
ZNR - Noise reduction:					
Type: nr		Threshold: 13			
DRIVE:					
Type: Ed	Gain: 70	Tone: 6	Level:		
EQ:					
State: ON	Bass:	Middle: -4	Treble:		
Extra EQ/Cabinet & Mic	::				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: CH	Depth/Time:	Rate/Feedback: 26	Reso/Mix: 4		
DELAY:					
Type: dL	Time: 50	Feedback: 0	Mix: 4		
REVERB:					
Type: HL	Decay:	Tone: 3	Mix: 4		

Artist:

John Petrucci

Patch settings for ZOOM G2 and G2.1u

Canon Rock		JerryC			
Description: This is a patch for the	escription: his is a patch for the famous Canon Rock of JerryC. I hope you like it.				
Contributor: Danielku15					
Date uploaded: 2007-05-26		Rating: 3.67			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type: nr		Threshold: 13			
DRIVE:					
Type: Md	Gain: 66	Tone: 9	Level: 80		
EQ:					
State: ON	Bass: 7	Middle: 7	Treble: 10		
Extra EQ/Cabinet & Mic	c:				
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: dL	Depth/Time: 31	Rate/Feedback: 18	Reso/Mix: 12		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type: HL	Decay: 10	Tone: 8	Mix: 30		

Artist:

Inferno

Patch settings for ZOOM G2 and G2.1u

		. I based it off of what I ha e he turns his Mid levels u		
Contributor: CowboyFromHell				
Date uploaded: 2007-06-04		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 70	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 60	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: bG	Gain: 96	Tone: 7	Level:	
EQ:				
State: ON	Bass:	Middle: 9	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 21	Tone: 5	Mix: 34	

Artist:

Michael Romeo (Symphony X)

Patch settings for ZOOM G2 and G2.1u

Dani California - Distorsion		Red Hot Chili Peppers		
Description: This is almost original acc to your setup	sound of Dani Californi	ia's distorsion Enjoy A	s before, some fine tun	ing should be done
Contributor: Fa11eN				
Date uploaded: 2007-06-06		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 0	
WAH/EFX:				
Type: Pb	Position/Depth: bF	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 14		
DRIVE:				
Type: Md	Gain: 18	Tone: 5	Level:	
EQ:				
State: ON	Bass: -3	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time: 0	Feedback: 0	Mix: O	
REVERB:				
Type: OFF	Decay: 0	Tone: 0	Mix: 0	

Artist:

Preset-/Songname: Wonderfull Land	Artist: The Shadows			
Description: Authentic sound for Fer	nder Strat			
Contributor: ARB				
Date uploaded: 2007-06-21		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		2		
DRIVE:				
Type:	Gain:	Tone:	Level:	
CA	70	3	74	
FO:				
EQ: State:	Bass:	 Middle:		
ON	0	6	0	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: -5	Harmonics: -10	
	_	•	.•	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
tE	28	24	40	
DELAY:				
Type:	Time:	Feedback:	Mix:	
EC	36	38	60	
REVERB:				
Type:	Decay:	 Tone:		
Md	37	8	26	

Patch settings for ZOOM G2 and G2.1u

Patterns In The Ivy		Opeth		
		nly real bit of grit in the son ansparent amp, it might be		amic playing. If
Contributor: Ar-Pharazon				
Date uploaded: 2007-07-23		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: MC	Gain: 1.0	Tone: 5	Level: 96	
EQ:				
State: ON	Bass:	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time: 13	Feedback: 6	Mix: 16	
REVERB:				
Type:	Decay: 18	Tone: 7	Mix: 30	

Artist:

Extreme/Pornograffitti

Patch settings for ZOOM G2 and G2.1u

	rly reverb is to simulate th	s albumI have pretty brighe short room reverb of the		
Contributor: Ar-Pharazon				
Date uploaded: 2007-08-06		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 80	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 10	Level/Mix: 1.0	
ZNR - Noise reduction	:			
Type:		Threshold:		
DRIVE:				
Type: MC	Gain: 1.0	Tone: 5	Level: 80	
EQ:				
State:	Bass: 7	Middle: 7	Treble:	
Extra EQ/Cabinet & Mi	ic:			
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: Er	Decay:	Tone: -3	Mix: 80	

Artist:

Nuno Bettencourt

Preset-/Songname: Canon Rock		Artist: JerryC		
	Cut off amp reverb and	ljust. Sweet and sticky. Fo I other effects on the amp		
Contributor: Xilence				
Date uploaded: 2007-08-06		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 10	Level/Mix: 64	
ZNR - Noise reduction:				
Type: dG		Threshold: 510		
DRIVE:				
Type: PV	Gain: 60	Tone:	Level:	
EQ:				
State: ON	Bass: 6	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 5	Presence/Mic pos:	Harmonics: 4	
MOD/SFX: Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY: Type: OFF		Feedback:		
REVERB: Type: HL	 Decay: 10	Tone: 5	 Mix: 60	

Preset-/Songname: David Gilmour sound Shine	•	Artist: Pink Floyd		
Description: el mejor sonido shine				
Contributor: Juanmaral				
Date uploaded: 2007-08-25		Rating: 3.67		
Preset parameters: COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 20	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:		
ZNR - Noise reduction: Type: nr				
DRIVE:				
Type: GV	Gain: 30	Tone: 5	Level: 70	
EQ:				
State:	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 12	Presence/Mic pos: 2	Harmonics: 0	
MOD/SFX: Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time:	Feedback:	Mix: 30	
REVERB:				
Type: HL	Decay: 20	Tone: 10	Mix: 30	

Preset-/Songname: REPTILIA!!	Artist: THE STROKES			
Description: the best sound i get for	reptilia!!!			
Contributor: topicrass				
Date uploaded: 2008-01-08		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: Gt		Threshold: 13		
DRIVE:				
Type: Od	Gain: 34	Tone: 10	Level: 76	
EQ:				
State: ON	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: Vb	Depth/Time:	Rate/Feedback: 42	Reso/Mix: 12	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 14	Tone: 13	Mix: 15	

Are You Dead Yet? album

Patch settings for ZOOM G2 and G2.1u

	ith some delay, too. I use	his perfect album. The so e it with an Epiphone LP S		
Contributor: Aiwa				
Date uploaded: 2008-01-14		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 8	Level/Mix: 64	
ZNR - Noise reduction:				
Type: nr		Threshold: 11		
DRIVE:				
Type: Ed	Gain: 70	Tone: 0	Level: 1.0	
EQ:				
State: ON	Bass:	Middle: 2	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: Er	Decay:	Tone:	Mix: 14	

Artist:

Children Of Bodom

Preset-/Songname: muddy-drive	Artist: muddygiorgos			
Description: that's a great od sound for	or meplease vote ar	nd note your opinionenjo	y!	
Contributor: muddygiorgos				
Date uploaded: 2008-01-16		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type:	Position/Depth:	Rate/Freq:	Level/Mix:	
bS	2	8	64	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		10		
DRIVE:				
Type:	Gain:		Level:	
bG	100	5	90	
FO:				
EQ:	Bass:	 Middle:		
ON	5	6	7	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:	
	,	•		
MOD/SFX:				
Туре:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF				
DELAY:				
Type:	Time:	Feedback:	Mix:	
Pd	3	0	8	
REVERB:				
Type:	Decay:	 Tone:		
Er	5	5	50	

Patch settings for ZOOM G2 and G2.1u

Metalcore preset (corrected)		metalcore ar	metalcore artists		
Description: noticed that the one I uploaded before needed a bit more treble, so I added a bit. This is a basic metalcore sound. nough said. For recording or through headphones. If you want a bit more crunch, adjust the Booster tone.					
Contributor: Aiwa					
Date uploaded: 2008-01-28		Rating: 3.67			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 7	Attack: FS	Level: 50		
WAH/EFX:					
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 90		
ZNR - Noise reduction	:				
Type: nr		Threshold: 10			
DRIVE:					
Type: bG	Gain: 1.0	Tone: 2	Level:		
EQ:					
State:	Bass: 0	Middle: 0	Treble:		
Extra EQ/Cabinet & Mi	c:				
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type:	Decay:	Tone:	Mix:		

Artist:

Preset-/Songname: It's My Life		Artist: Bon Jovi		
Description: This is my first patch	:)			
Contributor: PhoeniX (abhijitx3@gm	nail.com)			
Date uploaded: 2008-02-04		Rating: 3.67		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: SL	Level: 84	
WAH/EFX:				
Type: PV	Position/Depth: BF	Rate/Freq: 1	Level/Mix: 92	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: Od	Gain: 68	Tone: 10	Level: 96	
EQ:				
State:	Bass: 12	Middle: 0	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 4	
MOD/SFX:				
Type:	Depth/Time: dt	Rate/Feedback: 6	Reso/Mix: 48	
DELAY:				
Type:	Time:	Feedback: 2	Mix: 6	
REVERB:				.
Type:	Decay:	Tone: 0	Mix: 60	

Preset-/Songname: Streets have no name		Artist: U2		
Description: That U2 sound				
Contributor: Tele Custom				
Date uploaded: 2007-03-28		Rating: 3.63		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: FS	Level: 86	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		12		
DRIVE:				
Type: MC	Gain:	Tone: 6	Level: 80	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	2	3	8	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: dL	Depth/Time:	Rate/Feedback: 50	Reso/Mix:	
DELAY:				
Type: dL	Time:	Feedback: 70	Mix: 70	
REVERB:				
Type:	Decay:	Tone:	Mix: 26	

Preset-/Songname: Jimmy Hendrix!!!!!!!	Artist: Jimmy Hendrix			
Description: Very goood patch I think"				
Contributor: Srnac				
Date uploaded: 2007-07-07		Rating: 3.63		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 6	Attack: FS	Level: 80	
WAH/EFX:				
Type:	Position/Depth: BF	Rate/Freq:	Level/Mix: 8	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: FF	Gain: 60	Tone: 5	Level:	
EQ:				
State:	Bass: 12	Middle: 0	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback:	Reso/Mix: 60	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix: 60	

Preset-/Songname: Your Guitar		Artist: You		
Description: What your guitar sounds	s like			
Contributor: Anon.				
Date uploaded: 2007-11-23		Rating: 3.63		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX: Type: OFF			Level/Mix:	
ZNR - Noise reduction: Type: OFF		-		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ: State: OFF	Bass:			
Extra EQ/Cabinet & Mic: Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX: Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY: Type: OFF		-	Mix:	
REVERB: Type: OFF	Decay:		 Mix:	

Preset-/Songname: Great Tapping/Lead sou	ınd	Artist: general		
Description: Very powerfull lead sou	nd-perfect for tapping			
Contributor: Mike D				
Date uploaded: 2007-07-26		Rating: 3.57		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 1	Attack: FS	Level: 80	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		12		
DRIVE:				
Type:	Gain: 20	Tone: 10	Level: 100	
EQ:				
State:	Bass:	 Middle:		
ON	4	4	10	
Extra EQ/Cabinet & Mic:				
Type:	Lo mid/Mic type:		Harmonics:	
Et	-2	10	2	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time: 6	Feedback: 18	Mix: 98	
REVERB:				
Type:	Decay:	Tone:	Mix:	
HL	10	5	60	

Preset-/Songname: extra boss		Artist: arcguitar		
Description: extra boss symulation				
Contributor:				
Date uploaded: 2007-02-01		Rating: 3.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: FS	Level: 70	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 5	Level/Mix: 70	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type: Mt	Gain: 90	Tone:	Level: 58	
EQ:				
State: ON	Bass: - 5	Middle: -8	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 6	Reso/Mix: 74	
DELAY:				
Type: EC	Time:	Feedback: 12	Mix: 20	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

No More Tears		Zakk Wylde			
Description: This is my first patch	Description: This is my first patch. Tune down dropped D, 1/2 step: Db Ab Db Gb Bb Eb and let it rip!				
Contributor: Godin					
Date uploaded: 2007-03-13		Rating: 3.50			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type: nr		Threshold: 16			
DRIVE:					
Type: Mt	Gain: 74	Tone: 5	Level: 50		
EQ:					
State: ON	Bass:	Middle: 5	Treble:		
Extra EQ/Cabinet & Mic	c:				
Type: Cb	Lo mid/Mic type: Cb	Presence/Mic pos: Co	Harmonics:		
MOD/SFX:					
Type: SC	Depth/Time:	Rate/Feedback: 40	Reso/Mix: 1.0		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type: rM	Decay:	Tone:	Mix: 40		

Artist:

Patch settings for ZOOM G2 and G2.1u

Apache		The Shadows	s Hank Marvin		
Description: very nice Très bon a	cription: y nice Très bon avec Ampli Vox class A. ECHOMATIC of apache				
Contributor: Private Mick					
Date uploaded: 2007-05-05		Rating: 3.50			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction: Type: nr		Threshold:			
DRIVE:					
Type: CA	Gain: 70	Tone: 3	Level: 62		
EQ:					
State: ON	Bass: 0	Middle:	Treble:		
Extra EQ/Cabinet & Mic	:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: tE	Depth/Time:	Rate/Feedback: 30	Reso/Mix:		
DELAY:					
Type: EC	Time: 48	Feedback: 0	Mix: 45		
REVERB:					
Type: OFF	Decay:	Tone:	Mix:		

Artist:

Preset-/Songname: solo		Artist: jozef slovakia	a	
Description: examine				
Contributor: akibono				
Date uploaded: 2007-05-29		Rating: 3.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 66	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type: Mt	Gain: 98	Tone: 10	Level: 1.0	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	0	12	12	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: -4	
MOD/SFX:				
Type: dL	Depth/Time:	Rate/Feedback: 22	Reso/Mix: 18	
DELAY:				
Type: dL	Time: 46	Feedback: 38	Mix: 40	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Dead Batteries		?		
		nes are messed up or if it's dead battery effect but I p		e w/ computer.
Contributor: JBW				
Date uploaded: 2007-06-20		Rating: 3.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 9	Attack: FS	Level: 48	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 88	
ZNR - Noise reduction:				
Type: dG		Threshold: 15		
DRIVE:				
Type: bC	Gain: 88	Tone: 9	Level: 36	
EQ:				
State:	Bass:	 Middle: 10	Treble:	
O.V	· ·	10	••	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 6	Presence/Mic pos: 11	Harmonics: 9	
MOD/SFX:				
Type: Pt	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: Pd	Time: 49	Feedback:	Mix: 24	
REVERB:				
Type:	Decay: 17	Tone:	 Mix: 58	

Artist:

Preset-/Songname: Eruption		Artist: Van Halen		
Description: I thingh it is good for tap	ping ERUPTION !!! I h	nope I've a done a good se	tting for you.	
Contributor: Adry 63				
Date uploaded: 2007-07-29		Rating: 3.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 8	Attack: SL	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 70	
ZNR - Noise reduction:				
Type:		Threshold:		
Gt		4		
DRIVE:				
Type: bG	Gain: 80	Tone: 7	Level: 50	
EQ:				
State: ON	Bass: 6	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: PP	Depth/Time:	Rate/Feedback: up	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: Blues 3		Artist: Larsen		
Description: Pour le Blues Encore				
Contributor: Larsen				
Date uploaded: 2007-06-23		Rating: 3.50		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		12		
DRIVE:				
Type: bC	Gain: 60	Tone: 5	Level: 80	
EQ:				
State:	Bass:		Treble:	
ON	11	4	2	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Cb	Dy	0	0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: Pd	Time: 10	Feedback: 20	Mix: 30	
REVERB:				
Type:	Decay:	Tone: 10		

Preset-/Songname: A Forest		Artist: The Cure		
Description: Love this sound, wish the	ne pedal had better ch	orus, delay and reverb		
Contributor: JBW				
Date uploaded: 2007-06-24		Rating: 3.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: SL	Level: 8	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 1.0	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: JC	Gain: 28	Tone: 9	Level: 78	
EQ:				
State: ON	Bass: 10	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: -12	
MOD/SFX:				
Type: Vb	Depth/Time:	Rate/Feedback:	Reso/Mix: 46	
DELAY:				
Type: dL	Time: 37	Feedback: 74	Mix: 46	
REVERB:				
Type:	Decay:	Tone: 6		

Preset-/Songname: For The Love Of God		Artist: Steve Vai		
Description: This Is Similar To Vai's Fo	or The Love Of God V	Vithout Wah		
Contributor: j3yps				
Date uploaded: 2007-11-27		Rating: 3.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 64	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		16		
DDIVE.				
DRIVE: Type:	-			
b G	90	5	80	
EQ:				
State:	Bass:	 Middle:		
ON	1	4	12	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:		
Et	4	5	10	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF				
DELAY:				
Type:	Time:	Feedback:	Mix:	
dL	33	32	40	
REVERB:				
Type:	Decay:	Tone:	Mix:	
OFF				

Preset-/Songname: Hard rock distortion

Description:

Patch settings for ZOOM G2 and G2.1u

This distortion was planned, at the beginning, to be used for For The Love Of God, but it turns out to fit also hard rock and heavy metal sound. Great for lead with all pickups. If you want to use it for riffing, you might want to adjust the EQ a bit and remove or reduce the delay. And if you'd like to use it for recording or through headphones, tweak a bit the EQ. amp settings: bass-3, mid-6, treble-6. Contributor: Aiwa Date uploaded: Rating: 2007-12-15 3.50 Preset parameters: **COMPRESSOR:** Type: Sense: Attack: Level: ON 7 SL 60 WAH/EFX: Type: Position/Depth: Rate/Freq: Level/Mix: 4 82 bS 6 **ZNR - Noise reduction:** Type: Threshold: 7 nr Type: Tone: Gain: Level: Md 48 3 70 State: Bass: Middle: Treble: 1 ON 1 3 Extra EQ/Cabinet & Mic: Type: Lo mid/Mic type: Presence/Mic pos: Harmonics: 2 Et 2 4 MOD/SFX: Depth/Time: Rate/Feedback: Reso/Mix: Type: 20 20 CH 2 **DELAY:** Time: Type: Feedback: Mix: dL 21 20 22 **REVERB:** Decay: Type: Tone: Mix. HL 20 8 40

Artist:

my own patch

Simple clean patch

Patch settings for ZOOM G2 and G2.1u

		nn patch I use. I like clean ttings: bass-3, mid-6, trebl		f bass, so if you like
Contributor: Aiwa				
Date uploaded: 2007-12-15		Rating: 3.50		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: OFF		Threshold:		
DRIVE:				
Type: JC	Gain: 52	Tone: 7	Level: 78	
EQ:				
State: ON	Bass:	Middle: 11	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: ⊔I	Decay:	Tone:	Mix:	

Artist:

my own patch

Patch settings for ZOOM G2 and G2.1u

Weird Alien Noises		?		
Description: Makes weird feedbac	ky alien noises, works w	ell with 3rd and 5th fret ha	rmonics.	
Contributor: JustBoy				
Date uploaded: 2008-01-06		Rating: 3.50		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: rG	Position/Depth: bF	Rate/Freq: 40	Level/Mix: 50	
ZNR - Noise reduction:				
Type: nr		Threshold: 13		
DRIVE:				
Type:	Gain: 70	Tone: 8	Level: 76	
EQ:				
State: ON	Bass: -4	Middle: 2	Treble:	
Extra EQ/Cabinet & Mic	c:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time: 5	Feedback: 94	Mix: 50	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Preset-/Songname: Heavy /Thrash Metal D	istortion	Artist: my patch		
Description: i use a fender dsp 15 w	vatts as an amp and i us	se it in clean with bass-10,	middle-3,5 and treble-3	,5. i hope u enjoy it
Contributor: Fizens				
Date uploaded: 2008-01-06		Rating: 3.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 8	Attack: FS	Level: 80	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 10	Level/Mix: 100	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type: bG	Gain: 100	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 12	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Printed from www.haax.se

OFF

Preset-/Songname: Introduction/The Time Ha	as Come	Artist: Hillsong Unit	ed	
Description: This preset is made for the	nese songs. I used si	ngle coil pickups.		
Contributor: Ira James				
Date uploaded: 2008-01-22		Rating: 3.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 1	Attack: SL	Level: 90	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 7	Level/Mix: 86	
ZNR - Noise reduction:				
Type:		Threshold:		
Gt		9		
DRIVE:				
Type: Md	Gain: 60	Tone: 5	Level:	
EQ:				
State:	Bass:		 Treble:	
ON	7	6	7	
Extra EQ/Cabinet & Mic:				
Туре:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Cb	Dy	0		
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF				
DELAY:				
Type:	Time:	Feedback:	Mix:	
dL	17	62	50	
REVERB:				
Type:	Decay:	Tone:	Mix:	
OFF				

Preset-/Songname: My live lead patch		Artist: Mike Lowery		
Description: This is the patch I am cu	rrently using at gigs f	or the majority of my solo	s.	
Contributor: Mike Lowery				
Date uploaded: 2008-02-04		Rating: 3.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: SL	Level: 90	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 6	Level/Mix: 94	
ZNR - Noise reduction:				
Туре:		Threshold:		
nr		16		
DRIVE:				
Type: bG	Gain: 82	Tone: 9	Level: 94	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	10	12	11	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 10	Harmonics:	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback: 7	Reso/Mix:	
DELAY:				
Type: EC	Time: 30	Feedback: 20	Mix: 18	
REVERB:				
Type: HL	Decay: 21	Tone: 10		

Erotomania / Speed

Patch settings for ZOOM G2 and G2.1u

delay ajustado a: 50)-0-10. Espero les sirva, yo	ngra con mi banda usando uso una Ibanez RGT42DX de la equalizacion del mis	y un Marshall MG30DF	
Contributor: un vago				
Date uploaded: 2007-03-27		Rating: 3.43		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 76	
ZNR - Noise reduction	n:			
Type:		Threshold:		
DRIVE:				
Type: bG	Gain: 62	Tone:	Level: 60	
EQ:				
State: ON	Bass: 4		Treble: 1	
Extra EQ/Cabinet & N	lic:			
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 26	Reso/Mix: 4	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:		Mix: 4	

Artist:

Petrucci / Loureiro

Patch settings for ZOOM G2 and G2.1u

Canon - Pachelbel		JerryC		
Description: Here's a patch with a c	double-lead effect in D N	lajor. Try it on JerryC's Ca	inon by Pachelbel.	
Contributor: Garret2007				
Date uploaded: 2007-06-19		Rating: 3.40		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: Gt		Threshold: 4		
DRIVE:				
Type: PV	Gain: 60	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 10	Middle: 2	Treble: 0	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos: 0	Harmonics: 0	
MOD/SFX:				
Type: HP	Depth/Time: -3	Rate/Feedback: d	Reso/Mix: 70	
DELAY:				
Type: dL	Time: 37	Feedback: 20	Mix: 44	
REVERB:				
Type: HL	Decay: 10	Tone: 5	Mix: 60	

Artist:

Patch settings for ZOOM G2 and G2.1u

The saints are coming	(delay Intro)	U2 & Green I	Day	
Description: this is the intro of "the	saints are coming" , de	elay time is sincronized to	the rigth song time	
Contributor: Peppe Palermo				
Date uploaded: 2007-04-02		Rating: 3.38		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: FS	Level: 42	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 76	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: MC	Gain: 24	Tone: 3	Level: 90	
EQ:				
State: ON	Bass: 0	Middle: 8	Treble: 5	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type:	Time: 42	Feedback: 80	Mix: 60	
REVERB:				
Туре:	Decay:	Tone:	Mix:	

Artist:

Printed from www.haax.se

OFF

Preset-/Songname: Shadows modern sound		Artist: Hank Marwin		
Description: The Shadows clean soun	d, for strat.			
Contributor: Helid Slovakia				
Date uploaded: 2007-02-13		Rating: 3.33		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: JC	Gain: 84	Tone: 7	Level: 68	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF		Presence/Mic pos:		
MOD/SFX:				
Type: tE	Depth/Time:	Rate/Feedback: 0	Reso/Mix: 14	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix: 60	

Patch settings for ZOOM G2 and G2.1u

Squeal & Pitch Harmonic		None		
		and perform Sqeual Thec Jse the pedal pitch only w		
Contributor: Anthony				
Date uploaded: 2007-02-26		Rating: 3.33		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 4	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 5	Level/Mix: 60	
ZNR - Noise reduction:				
Туре: nr		Threshold: 13		
DRIVE:				
Type: M t	Gain: 90	Tone: 6	Level: 92	
EQ:				
State: ON	Bass:	Middle: 5	Treble: 12	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 12	
MOD/SFX:				
Type: PP	Depth/Time:	Rate/Feedback: Up	Reso/Mix: 10	
DELAY:				
Type: dL	Time:	Feedback: 28	Mix: 70	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Preset-/Songname: Where The Streets Have	No Name 2	Artist: U2		
Description: Ora dovrebbe essere qu	asi simile all'originale	:)		
Contributor: Marco				
Date uploaded: 2008-02-02		Rating: 3.33		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: SL	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		8		
DRIVE:				
Type: FC	Gain: 20	Tone: 6	Level: 80	
EQ:				
State: ON	Bass: -1	Middle: 0	Treble: 12	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type:	Time: 37	Feedback: 30	Mix: 1.0	
REVERB:				
Type:	Decay: 20	Tone: -3		

Bright PowerFull Solo

Patch settings for ZOOM G2 and G2.1u

Description: This is a patch for a po it was briliant. Hope yo		e balad. I heard this one o	n a guy that improvisເ	ed on some track
Contributor: marius tabac				
Date uploaded: 2007-02-01		Rating: 3.25		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: Md	Gain: 60	Tone: 10	Level: 70	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: CH	Depth/Time: 4	Rate/Feedback: 10	Reso/Mix: 4	
DELAY:				
Type: dL	Time: 50	Feedback: 20	Mix: 10	
REVERB:				
Туре: ы	Decay:	Tone:	Mix:	

Artist:

art vandalay

and

Something For Nothing

Patch settings for ZOOM G2 and G2.1u

Description: This is a patch for Mone doesn't suit your needs		my first attempt at submit er some more	ting a patch. Please be g	entle with me. If it
Contributor: Jedijohnboy				
Date uploaded: 2007-03-21		Rating: 3.25		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 4	Rate/Freq: 9	Level/Mix: 56	
ZNR - Noise reduction: Type: OFF		Threshold:		
DRIVE:				
Type: Od	Gain: 98	Tone: 9	Level: 98	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Artist:

Dire Straits

Preset-/Songname: Cemetary Gates		Artist: Pantera		
Description: Cemetary Gates main riff				
Contributor: Progmushroom				
Date uploaded: 2007-04-12		Rating: 3.25		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		14		
DRIVE:				
Type:	Gain:		Level:	
Ed	100	5	98	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	5	-7	3	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Et	-12	2	7	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF				
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Preset-/Songname: Artist: Distortion (Death metal and others) (my custom pa			eatch)	
Description: I use this to play some headphones and to re		not like them but it's pretty	good I use this patch to	o play with
Contributor: Alexkill76				
Date uploaded: 2007-07-13		Rating: 3.25		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 1	Rate/Freq: 10	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: Ed	Gain: 40	Tone: 6	Level: 80	
EQ:				
State: ON	Bass: 9	Middle: 12	Treble: 5	
Extra EQ/Cabinet & Mic	<u> </u>			
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos: 0	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	-

Preset-/Songname: Metal Distortion		Artist:		
Description:				
a patch i been using f	or all heavy stuff			
Contributor: Dennis				
Date uploaded: 2007-11-25		Rating: 3.25		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: FS	Level: 100	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: dG		Threshold:		
DRIVE:				
Type: Ed	Gain:	Tone: 10	Level: 100	
EQ:				
State: ON	Bass: 12	Middle: -5	Treble: 12	
Extra EQ/Cabinet & Mid	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 30	Tone: 10	Mix: 20	

Soundchild Md (Lead/Solo)

Patch settings for ZOOM G2 and G2.1u

	use along with my Sound patches-help here pls (s	dchild Hotbox drive. Altho suggestions). Thanks!	ugh I think I'm having s	ome troubles with
Contributor: johnpat28				
Date uploaded: 2007-02-27		Rating: 3.20		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 14		
DRIVE:				
Type: Md	Gain: 60	Tone: 6	Level: 80	
EQ:				
State: OFF	Bass:	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time: 30	Rate/Feedback: 21	Reso/Mix: 30	
DELAY:				
Type: dL	Time: 30	Feedback: 14	Mix: 24	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Misc (alt-rock songs)

Preset-/Songname: Artist:
Scenes From a Memory Onwards Dream Theater - John Petrucci

Description:

This is an exact replica of Johns sound with MY equipment... obviously the resultant sound will vary depending on your kit. My kit is as follows: BC Rich NJ Bich Tuno-matic with EMG 80 in the bridge and EMG 60 in the neck... into the Zoom G2, into an Atomic Reactor 212 - 50 Watt ...please don't rate this badly because it doesn't sound right on your gear... of course it doesn't if its not exactly what I am using...everything you use adds EQs the sound. I did use the delay and reverb settings from the others on this site but that's only to replicate the mastering reverb on the CD which doesn't exist while recording. Also the stereo chorus you hear on some of the tracks is actually just guitar parts being doubled. Also bear in mind the amount of riff matching that John Myung does; if you think my patch is missing bass, that might be what you are really hearing.

Contributor: Ar-Pharazon				
Date uploaded: 2007-06-25		Rating: 3.20		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: bG	Gain: 80	Tone: 9	Level: 20	
EQ:				
State: ON	Bass: 2	Middle:	Treble: 9	
Extra EQ/Cabinet & Mic	:			
Type: Cb	Lo mid/Mic type: dyn	Presence/Mic pos: 0	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time: 1.0	Rate/Feedback: 26	Reso/Mix: 4	
DELAY:				
Type: dL	Time: 50	Feedback: 0	Mix: 4	_
REVERB:				
Type:	Decay:	Tone:	Mix: 4	

Preset-/Songname: Shine on you crazy diamond		Artist: David Gilmo	ur	
Description: Muy bueno.				
Contributor: Valverd				
Date uploaded: 2007-07-07		Rating: 3.20		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 1.0	
WAH/EFX:				
Type: PH	Position/Depth: bf	Rate/Freq: 5	Level/Mix: 1	
ZNR - Noise reduction:				
Type: dG		Threshold:		
DRIVE:				
Type: CA	Gain: 70	Tone: 10	Level: 92	
EQ:				
State: ON	Bass:	Middle:	Treble: -2	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay: 20	Tone: 2		

Preset-/Songname: 2 Minutes to Midnight		Artist: Iron Maiden		
Description: From Powerslave				
Contributor: Jaz				
Date uploaded: 2007-06-26		Rating: 3.11		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type:		Rate/Freq:	Level/Mix:	
bS	3	5	60	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		14		
DRIVE:				
Type:	Gain:	Tone:	Level:	
PV	70	7	20	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	10	8	5	
Extra EQ/Cabinet & Mic:				
		Presence/Mic pos:		
Cb	dy	0	0	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF				
DELAY:				
Type:	Time:	Feedback:	Mix:	
Pd	10	4	16	
REVERB:				
Type:	Decay:	Tone:	Mix:	
rM	13	4	32	

Preset-/Songname: CLASSIC ROCK		Artist: jozef slovakia	1	
Description:				
Contributor: akibono				
Date uploaded: 2007-01-04		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: bC	Gain: 60	Tone: 04	Level: 80	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Early Peter Green	Peter Green			
Description: Sharp biting lead soul	nd without bmuddy disto	rtionfor Peters more agre	ssive numbersplay thi	ru amp
Contributor: Gerrymc				
Date uploaded: 2007-01-07		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 10	Level/Mix: 10	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: GV	Gain: 2	Tone: 7	Level: 10	
EQ:				
State: ON	Bass: 4	Middle: 4	Treble: 4	
Extra EQ/Cabinet & Mic				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: EC	Time: 30	Feedback: 12	Mix: 20	-
REVERB:				
Type: HL	Decay:	Tone: 6	Mix: 10	

Artist:

Preset-/Songname: Peter Gunn "twang"		Artist: Duane Eddy		
Description: Tried to get close to the I	Ouane Eddy "twang" :	sound to his version of Th	e Peter Gunn Theme	
Contributor: Boogie				
Date uploaded: 2007-01-19		Rating: 3.00		
Preset parameters:				
COMPRESSOR: Type: OFF	Sense:	Attack:	Level:	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: nr		Threshold:		
DRIVE:Type: FC		Tone:	Level:	
EQ: State: ON	Bass: 12		Treble:	
Extra EQ/Cabinet & Mic: Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX: Type: CH	Depth/Time:		Reso/Mix: 50	
DELAY: Type: OFF	Time:	Feedback:	Mix:	
REVERB: Type:	Decay:			

Preset-/Songname: PowerFuzz		Artist:		
Description: Powerful sound for pale	m mute rythm with grea	at sustain for lead		
Contributor: combar				
Date uploaded: 2007-01-19		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: Md	Gain: 60	Tone: 5	Level:	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	-6	-3	8	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: -1	Presence/Mic pos:	Harmonics: 5	
MOD/SFX:				
Type: SC	Depth/Time: 40	Rate/Feedback: 25	Reso/Mix: 80	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone: 6	Mix: 40	

Preset-/Songname: "bottom heavy tone"		Artist: Kyuss		
Description: This is my first try. It's s	imilar to Kyuss sound	l but not the same I'm us	ing Eastwood GP and it s	ounds quite good.
Contributor: FS789				
Date uploaded: 2007-02-20		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: FS	Level: 70	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq: 0	Level/Mix:	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type:	Gain: 80	Tone: 0	Level: 1.0	
EQ:				
State: ON	Bass: -12	Middle: -10	Treble: -2	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: -4	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time: 0	Feedback: 0	Mix: O	
REVERB:				
Type: OFF	Decay:	Tone: 0	Mix: 0	

Preset-/Songname: Always With Me Always	With You	Artist: Joe Satriani		
Description: Just my version of the s	ong. Actually did a red	cording using Guitar Tracl	ks Pro 3 and it sounded	quite good.
Contributor: Garret2007				
Date uploaded: 2007-03-05		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type: Md	Gain: 0	Tone: 5	Level: 80	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	1	-12	6	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: -10	Presence/Mic pos: -10	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback:	Reso/Mix: 80	
DELAY:				
Type: dL	Time:	Feedback: 34	Mix: 30	
REVERB:				
Type:	Decay: 24	Tone:	Mix: 40	

Preset-/Songname: Morak's Solo		Artist: Morak		
Description: Normal solo sound fro	om me			
Contributor:				
Date uploaded: 2007-04-02		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: FS	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type:	Gain:	Tone:	Level:	
Md	1.0	8	64	
EQ:				
State:	Bass:	 Middle:	Treble:	
ON	0	2	4	
Extra EQ/Cabinet & Mic				
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Et	1	7	4	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
CH	10	10	0	
DELAY:				
Type:	Time:	Feedback:	Mix:	
dL	45	20	16	
REVERB:				
Туре:	Decay:	Tone:	Mix:	
HL	20	10	10	

Patch settings for ZOOM G2 and G2.1u

Still Got The Blues		Gary Moore		
Description: Still Got The Blues by G	ary Moore or other lea	nd solo		
Contributor: Progmushroom				
Date uploaded: 2007-04-12		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 15		
DRIVE:				
Type: PV	Gain: 90	Tone: 5	Level: 80	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time: 44	Feedback: 12	Mix: 8	
REVERB:				
Type: HI	Decay:	Tone:	Mix: 30	

Artist:

Preset-/Songname: Metal Progressive	Artist: John Petrucci			
Description: Guitar: Ibanez GRG170D	X. Amplifier: Marshall	MG15CD (FDD on). Pleas	e, correct me.	
Contributor: Me				
Date uploaded: 2007-04-18		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 76	
ZNR - Noise reduction:				
Type: nr		Threshold: 13		
DRIVE:				
Type: bG	Gain: 80	Tone:	Level:	
EQ:				
State: ON	Bass: 4	Middle: -4	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 26	Reso/Mix:	
DELAY:				
Type: dL	Time: 50	Feedback: 0	Mix: 4	
REVERB:				
Type:	Decay:	Tone:	Mix: 4	

Voice Recording

Patch settings for ZOOM G2 and G2.1u

microphone to the G2.1 guitar simulator (AC), o	u and record over the triple the booster (BS). You	h your soundcard? Try it w USB interface. This is awe I can also use the noise re om G2.1u. Is that cool? Th	some unnoise. Try to useduction. I don't need to	se the acoustic buy a ultra
Contributor: Dominator_GTI				
Date uploaded: 2007-05-12		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 4	Rate/Freq: 10	Level/Mix: 1.0.	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: AC	Gain: 10	Tone: 6	Level: 1.0.	
EQ:				
State: ON	Bass:	Middle: 1	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist: You

Preset-/Songname: What's My Age Again		Artist: Blink 182		
Description: This is for the distorted p	parts			
Contributor: Steve Haywood				
Date uploaded: 2007-06-01		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		10		
DRIVE:				
Type:	Gain:		Level:	
Md	16	6	10	
EQ:				
State: ON	Bass: 5	6	8	
Extra EQ/Cabinet & Mic:				
		Presence/Mic pos:	Harmonics:	
Et	4	8	6	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF				
DELAY:				
Type:	Time:	Feedback:	Mix:	
OFF				
REVERB:				
Type:	Decay:	Tone:	Mix:	
OFF				

Patch settings for ZOOM G2 and G2.1u

Summer of '69	Bryan Adams			
Description: The crunch tone from	the intro and verses			
Contributor: Steve Haywood				
Date uploaded: 2007-06-01		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: SL	Level: 44	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: bC	Gain: 90	Tone: 5	Level:	
EQ:				
State: ON	Bass: 5	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 2	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay:	Tone: 5	Mix: 18	-

Artist:

Preset-/Songname: Cliffs Of Dover	Artist: Eric Johnson			
Description: Here's my settings for cl	iffs of dover, rather a	djusted to sound good on	headphones.	
Contributor: Garret2007				
Date uploaded: 2007-06-19		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
Gt		4		
DRIVE:				
Type:	 Gain:	 Tone:		. – – – – –
PV	30	5	60	
EQ:				
State: OFF	Bass: 12	Middle: -7	Treble:	
•	- <u>-</u>	•	_	
Extra EQ/Cabinet & Mic:				
		Presence/Mic pos:	Harmonics:	
Cb	Со	0	0	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	. – – – – –
SC	8	10	18	
BELAY				
DELAY: Type:	 Time:	Feedback:		. – – – – –
dL	37	20	44	
DEVEDD.				
REVERB:	Decay:	 Tone:		. – – – – –
HL	10	5	60	

Patch settings for ZOOM G2 and G2.1u

Are You Exp'd?		Hendrix			
Description: good for the chords bu	Description: good for the chords but wish i could get the solo sound				
Contributor: JBW					
Date uploaded: 2007-07-02		Rating: 3.00			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 2	Attack: FS	Level: 42		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type: nr		Threshold:			
DRIVE:					
Type: MC	Gain: 1.0	Tone: 7	Level: 58		
EQ:					
State: ON	Bass:	Middle: 7	Treble:		
Extra EQ/Cabinet & Mic:	:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: FL	Depth/Time: 54	Rate/Feedback: 4	Reso/Mix:		
DELAY:					
Type: dL	Time: 36	Feedback: 36	Mix: 46		
REVERB:					
Type:	Decay: 22	Tone: 4	Mix: 8		

Artist:

Preset-/Songname: Color me blind / Rest in	peace	Artist: Extreme		
Description: Nuno's sound				
Contributor: Satanael				
Date uploaded: 2007-07-03		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF		Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: Od	Gain: 40	Tone: 5	Level: 100	
EQ:				
State: ON	Bass:	Middle: 0	Treble: -2	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 1	Reso/Mix: 50	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: Decadence Dance		Artist: Extreme		
Description: Nuno's Distortion				
Contributor: Satanael				
Date uploaded: 2007-07-03		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF		Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: Mt	Gain: 50	Tone: 5	Level: 100	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time: 50	Rate/Feedback:	Reso/Mix: 100	
DELAY:				
Type: EC	Time: 10	Feedback: 15	Mix: 10	
REVERB:				
Type:	Decay:	Tone:	Mix:	-

Preset-/Songname: Dirt / Them bones		Artist: Jerry Cantrel	I	
Description: Jerry's Dirt sound				
Contributor: Satanael				
Date uploaded: 2007-07-03		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: bC	Gain: 40	Tone: 5	Level: 100	
EQ:				
State: ON	Bass: 0		Treble:	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 1	Reso/Mix: 50	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Pretending

Patch settings for ZOOM G2 and G2.1u

	sound. It's not possible t bes for all my patches	o see wich field is the leve	el and wich is the gain f	field. So experiment
Contributor: Satanael				
Date uploaded: 2007-07-03		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction	:			
Type: OFF		Threshold:		
DRIVE:				
Type: Od	Gain: 50	Tone: 5	Level: 75	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	0	0	-6	
Extra EQ/Cabinet & Mi	c:			
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: dF	Depth/Time:	Rate/Feedback:	Reso/Mix: 60	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Eric Clapton

Preset-/Songname: Strange Tele-Twangy		Artist: Peppe		
Description: mosto rounded twang se	ound for tele mid-pick	up position		
Contributor:				
Date uploaded: 2007-07-11		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: Pb	Position/Depth: bF	Rate/Freq: 40	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: CA	Gain: 60	Tone: 5	Level: 80	
EQ: State:	Bass:	 Middle:		
OFF				
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 4	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay: 10	Tone: 5	Mix: 60	

Patch settings for ZOOM G2 and G2.1u

Brighton Rock	Brian May - Queen					
Description: Original preset b9 (19)-to bridge.	Original preset b9 (19)- Head long - without key effect Step - MOD/SFX: OFF. You can choose pick up - from neck					
Contributor: FYROMB						
Date uploaded: 2007-08-08		Rating: 3.00				
Preset parameters:						
COMPRESSOR:						
Type: ON	Sense: 6	Attack: SL	Level: 80			
WAH/EFX:						
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:			
ZNR - Noise reduction:						
Type:		Threshold:				
nr		10				
DRIVE:						
Type: bC	Gain: 92	Tone:	Level: 70			
EQ:						
State:	Bass:	Middle:	Treble:			
ON	4	2	0			
Extra EQ/Cabinet & Mic:						
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 5			
MOD/SFX:						
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:			
DELAY:						
Type: OFF	Time:	Feedback:	Mix:			
REVERB:						
Type:	Decay:	Tone: 6	 Mix: 40			

Artist:

Patch settings for ZOOM G2 and G2.1u

Every breath you tak	е	Police		
Description: Strat, middle and brid	dge pick up together. Ten	npo 94.		
Contributor: FYROMB				
Date uploaded: 2007-08-18		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: SL	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction	<u>:</u>			
Type: nr		Threshold: 9		
DRIVE:				
Type: JC	Gain: 50	Tone: 1	Level:	
EQ:				
State: ON	Bass: 0	Middle: -7	Treble:	
Extra EQ/Cabinet & Mi	c:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 5	
MOD/SFX:				
Type: SC	Depth/Time: 40	Rate/Feedback: 25	Reso/Mix: 80	
DELAY:				
Type:	Time:	Feedback: 60	Mix: 50	
REVERB:				
Type:	Decay:	Tone: 6		

Artist:

70's Progressive Jazz Synth?

Patch settings for ZOOM G2 and G2.1u

	p in a superstrat clone (isters then on lower not	(dual humbucker) will give es.	e you a pretty cool synth	ı like tone. Sounds
Contributor: Ryan P				
Date uploaded: 2007-09-02		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: Ar	Position/Depth: AF	Rate/Freq: 1	Level/Mix: 0	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State: ON	Bass: 7	Middle: -3	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback: 5	Reso/Mix: 20	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
	Decay:	Tone:	Mix:	

Artist:

70's Progressive Jazz Synth?

Preset-/Songname: Sweet Child O' Mine		Artist: Guns N' Rose	es	
Description: Slash guitar				
Contributor: Shark				
Date uploaded: 2007-09-20		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 3	Attack: SL	Level: 80	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 5	Level/Mix: 76	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type: Ed	Gain: 86	Tone: 5	Level:	
EQ:				
State: ON	Bass: 5	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: -4	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 26	Reso/Mix: 50	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: Er	Decay:	Tone: 0	Mix: 60	

Patch settings for ZOOM G2 and G2.1u

Fat, powerful metal sound		great metal rhythm (Peavey 5150)			
Description: This sound I use with a Laney TF 200, Clean Channel, Bright On, Vibe Off, B:3; M:6,5; T:5,5; the pedal i use like volume pot. I think it's very useful for metal rhythm, there are many bass & noise.					
Contributor: T0@					
Date uploaded: 2007-09-20		Rating: 3.00			
Preset parameters: COMPRESSOR:					
Type: ON	Sense:	Attack: FS	Level: 50		
WAH/EFX:					
Type: bS	Position/Depth: 4	Rate/Freq: 7	Level/Mix: 82		
ZNR - Noise reduction:					
Type: nr		Threshold: 14			
DRIVE:					
Type: PV	Gain: 84	Tone: 7	Level: 90		
EQ:					
State:	Bass:	Middle: 0	Treble: -4		
Extra EQ/Cabinet & Mic	:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 4		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type:	Decay:	Tone: 2	Mix: 30		

Artist:

Patch settings for ZOOM G2 and G2.1u

into the night	santana /chad kroeger			
escription: mooth blues patch. sounds good with my AKG K-44 headphones				
Contributor: stringz				
Date uploaded: 2007-10-15		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 60	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: bC	Gain: 30	Tone:	Level: 80	
EQ:				
State: ON	Bass:	Middle: 12	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type:	Time:	Feedback: 20	Mix: 80	
REVERB:				
Type:	Decay: 30	Tone: 10	Mix: 80	

Artist:

Patch settings for ZOOM G2 and G2.1u

Custom tape echo for h	i output pickup	Danny		
Description: Taped echo with just en	ough feedback for sor	ne slow soloing		
Contributor:				
Date uploaded: 2007-11-07		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: SL	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: Gt		Threshold: 3		
DRIVE:				
Type: bC	Gain: 92	Tone: 5	Level: 56	
EQ:				
State: ON	Bass:	Middle: 2	Treble: 5	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: DY	Presence/Mic pos: 0	Harmonics:	
MOD/SFX:				
Type: tE	Depth/Time:	Rate/Feedback: 1.0	Reso/Mix: 1.0	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone: 6	Mix: 40	

Artist:

Preset-/Songname: thrash metal	Artist: slayer,sepultura,napal death			
Description: sound standar metal				
Contributor: metal				
Date uploaded: 2007-11-16		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		10-12		
DRIVE:				
Type:	Gain:		Level:	
Ed	50	5	80	
EQ:				
State:	Bass:		Treble:	
ON	8	1	6	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos: 0	Harmonics:	
MOD/SFX:	Double Time	Rate/Feedback:	Reso/Mix:	
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/MIX:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:			
HL	15	5	30	

Rock distortion

Description:

Patch settings for ZOOM G2 and G2.1u

amp simulator. I use it with good crunch and	to play rock, hard rock, bottom-end when palm-	paded (Nice high-gain roch punk and every other ger muted. I use this distorior ttings: Bass - 3, Middle - 6	nre that demands a high-q n with my Epiphone Les F	gain distortion
Contributor: Aiwa				
Date uploaded: 2007-11-21		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 10	Level/Mix: 100	
ZNR - Noise reduction: Type:		Threshold:		
OFF				
DRIVE:				
Type: bC	Gain: 90	Tone: 5	Level: 90	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	11	2	0	
Extra EQ/Cabinet & Mic:	:			
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay: 10	Tone: 6	Mix:	

Artist:

my own patch

Preset-/Songname: Clean Sound		Artist: indie/alt rock		
Description: british indie sound				
Contributor: ben				
Date uploaded: 2007-11-28		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX: Type: OFF		Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type: CA	Gain: 40	Tone: 5	Level: 80	
EQ:				
State: ON	Bass:	Middle: -3	Treble: -6	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Туре:	Decay:	Tone:	Mix:	

Metal distortion

Patch settings for ZOOM G2 and G2.1u

		eone has something like t	histry it, got somethi	ng From Metallica
an Pantera, (use hum Contributor:	bukers only, its noisy)			
kaworu_kun				
Date uploaded: 2007-12-04		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 70	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: d G		Threshold: 7-10		
DRIVE:				
Type: Ed	Gain: 1.0.	Tone: 7	Level:	
EQ:				
State: ON	Bass:	Middle: 4	Treble:	
Extra EQ/Cabinet & Mic	.			
Type: Et	Lo mid/Mic type: -12	Presence/Mic pos:	Harmonics: 6	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
	Decay: 10	Tone:	Mix: 3	

Artist:

Metallica + Pantera ??? +/-

Innershade Distorsion

Patch settings for ZOOM G2 and G2.1u

elementos del metal		o de ?¿?metal alternativ , y lo combinamos con otr		
Contributor: Aaron R.				
Date uploaded: 2007-12-11		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction	:			
Type: OFF		Threshold:		
DRIVE:				
Type: Ed	Gain: 78	Tone: 8	Level: 70	
EQ:				
State: ON	Bass: 7	Middle: 3	Treble: -1	
Extra EQ/Cabinet & Mi	c:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay: 7	Tone: 1	Mix:	

Artist:

Aaron R.

Mesa Boogie/Rhythm&Solo

Patch settings for ZOOM G2 and G2.1u

Type: rM	Decay: 10	Tone: 3	Mix: 60	
REVERB:				
Type: OFF	Time:	Feedback:	Mix:	
DELAY:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
MOD/SFX:				
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos: 0	Harmonics:	
Extra EQ/Cabinet & Mic:				
ON	12	6	5	
EQ: State:	 Bass:	 Middle:	 Treble:	
bG	100	0	80	
Type: bG	Gain: 100		Level: 80	
DRIVE:				
nr		6		
ZNR - Noise reduction: Type:		Threshold:		
		•	•	
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
WAH/EFX:				
Type: ON	Sense: 4	Attack: SL	Level: 60	
COMPRESSOR:				
Preset parameters:				
Date uploaded: 2007-12-18		Rating: 3.00		
Contributor:				
		immilar to the Petrucci's I	Mesa, good to heavy bas	ses, and metal
Description:				

Artist:

MR. Felipe FG

Patch settings for ZOOM G2 and G2.1u

Jazzy		Larsen		
	nie-caisse comme l'Ibane cune fioriture et peu d'effe	z AF95 VLS. Le type de gu et.	iitare utilisée influencera	a énormement le
Contributor: Larsen				
Date uploaded: 2007-12-25		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: SL	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction	<u>:</u>			
Type: Gt		Threshold: 5		
DRIVE:				
Type: FC	Gain: 60	Tone: 10	Level: 80	
EQ:				
State: ON	Bass: 5	Middle: 2	Treble: 5	
Extra EQ/Cabinet & Mi	c:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time: 10	Rate/Feedback: 50	Reso/Mix: 30	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 30	Tone: 6	Mix: 42	

Artist:

Patch settings for ZOOM G2 and G2.1u

Cloud Connected Rythm		In Flames			
Description: I tried with the song and i think i came pretty near to the original sound.My Amp knobs are all at 12 o'clock.					
Contributor: MiCz					
Date uploaded: 2007-12-30		Rating: 3.00			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 60		
ZNR - Noise reduction:					
Type:		Threshold:			
DRIVE:					
Type:	Gain: 40	Tone: 10	Level:	. – – – –	
EQ:					
State: ON	Bass:	Middle: -3	Treble: 7		
Extra EQ/Cabinet & Mic:					
Type: Et	Lo mid/Mic type: -6	Presence/Mic pos:	Harmonics: 7		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type: OFF	Decay:	Tone:	Mix:		

Artist:

Patch settings for ZOOM G2 and G2.1u

Slash's lead sound		Slash		
Description: Slash's lead sound in Pasettings: bass-3, mid-6,		t Child O' Mine. Awesome	with my Epi LP Std Plus	neck pickup. Amp
Contributor: Aiwa				
Date uploaded: 2008-01-14		Rating: 3.00		
Preset parameters: COMPRESSOR:				
Type: ON	Sense:	Attack: SL	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth: 4	Rate/Freq: 6	Level/Mix: 82	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: Md	Gain: 26	Tone:	Level: 70	
EQ:				
State: ON	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 20	Reso/Mix: 2	
DELAY:				
Type: dL	Time:	Feedback: 20	Mix: 22	
REVERB:				
Type:	Decay:	Tone:		

Artist:

Preset-/Songname: muddy-clean/funky		Artist: muddygiorgo	os	
Description: this just what i want for o	clean.i think it's good	for funky.check it outenj	oy!	
Contributor: muddygiorgos				
Date uploaded: 2008-01-16		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State: ON	Bass: 6	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Through Struggle

Patch settings for ZOOM G2 and G2.1u

	setting. It's more of a boo still has the low end for	osted mid and high sound your breakdowns.	, I find it great for bands	like as i lay dying
Contributor: justin				
Date uploaded: 2008-01-19		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: Ed	Gain: 74	Tone: 10	Level: 80	
EQ:				
State: ON	Bass: 4	Middle: 9	Treble: 7	
Extra EQ/Cabinet & Mic	:			
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

As I Lay Dying, God Forbid

Patch settings for ZOOM G2 and G2.1u

Power/melodic metal		my own patc	h	
Description: This is a patch I made for treble-6.	or playing power metal	I and melodic metal (like H	lammerFall). Amp setti	ngs: bass-3, mid-6.
Contributor: Aiwa				
Date uploaded: 2008-01-25		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 5	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: PV	Gain: 90	Tone: 5	Level: 70	
EQ:				
State: ON	Bass: 5	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 7	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 19	Reso/Mix: 0	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	 Mix:	

Artist:

Patch settings for ZOOM G2 and G2.1u

Solo and Rhythm Disto	rtion	the Jack		
Description: Distortion for rhythm a	nd soloTurn off delay	when playing rhythm part	stnx	
Contributor: XVIII				
Date uploaded: 2008-01-27		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 1.0	
ZNR - Noise reduction:				
Type: dG	Threshold: 10 (depends on what you like)			
DRIVE:				
Type:	Gain: 100	Tone: 4	Level: 80	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	8	6	5	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: Dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type:	Depth/Time: 1.0	Rate/Feedback: 26	Reso/Mix:	
DELAY:				
Type: dL	Time: 36(delay is option	Feedback:	Mix: 18	
REVERB:				
Type:	Decay: 10	Tone:	Mix: 28	

Artist:

Preset-/Songname: Where The Streets Have	No Name	Artist: U2		
Description: ???????????				
Contributor: Marco				
Date uploaded: 2008-02-01		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: FS	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 8		
DRIVE:				
Type: MC	Gain: 0	Tone: 6	Level:	
EQ:				
State: ON	Bass: -1	Middle: 0	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: Pd	Time:	Feedback: 40	Mix: 80	
REVERB:				
Type: Er	Decay:	Tone: -3	Mix: 70	

Patch settings for ZOOM G2 and G2.1u

ambiente		yo		
Description: t's useful to create an atm	osphire.It doesn't wo	rk with bends and slides	.great for arpegios .Enjo	ру
Contributor: elmomias@gmail.com				
Date uploaded: 2008-03-13		Rating: 3.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: FS	Level: 80	
WAH/EFX:				
Type: tr - Tremolo		Rate/Freq: 50	Level/Mix: d5	
ZNR - Noise reduction:				
Type: nr - ZNR		Threshold:		
DRIVE:				
Type: CA - Class A Clean	Gain: 22	Tone: 5	Level: 56	
EQ:				
State: ON	Bass:	Middle: 6	Treble: 5	
Extra EQ/Cabinet & Mic:				
Type: Et - Extra EQ	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: Pt - Pitch shifter	Depth/Time:	Rate/Feedback: 2	Reso/Mix: 52	
DELAY:				
Type: Pd - PingPong delay	Time: 33	Feedback: 24	Mix: 36	
REVERB:				
Type: HL - Hall	Decay: 5	Tone: 6	Mix: 22	

Artist:

Preset-/Songname: 1984		Artist: jozef slovakia	a	
Description:				
Contributor:				
Date uploaded: 2007-01-04		Rating: 2.80		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		12		
DRIVE:				
Type: Md	Gain: 52	Tone: 07	Level: 76	
EQ:				
State:	Bass: 00	Middle: 06	Treble: 05	
Extra EQ/Cabinet & Mic:				
Type:	Lo mid/Mic type: 03	Presence/Mic pos:	Harmonics: 05	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
СН	84	18	08	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 10	Tone: 03	Mix: 20	

Patch settings for ZOOM G2 and G2.1u

Gloomy	Background Sound				
Description: This patch is not for every day use. Don't set the output level to high. You can use it for Background Sounds. Try to set the pedal to WAH/EFX second knob.					
Contributor: Dominator_GTI					
Date uploaded: 2007-01-08		Rating: 2.75			
Preset parameters: COMPRESSOR:					
Type: ON	Sense: 8	Attack: FS	Level: 80		
WAH/EFX:					
Type: PH	Position/Depth:	Rate/Freq: 15	Level/Mix: 1		
ZNR - Noise reduction:					
Type: nr		Threshold: 14			
DRIVE:					
Type: Md	Gain: 50	Tone: 5	Level: 74		
EQ:					
State: ON	Bass:	Middle:	Treble:		
Extra EQ/Cabinet & Mic:					
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 7		
MOD/SFX:					
Type: CH	Depth/Time: 56	Rate/Feedback: 25	Reso/Mix: 84		
DELAY:					
Type: dL	Time:	Feedback: 34	Mix: 40		
REVERB:					
Type: HL	Decay:	Tone:	Mix: 40		

Artist:

Preset-/Songname: slash		Artist: slash		
Description: son slash				
Contributor: pierrotleouf				
Date uploaded: 2007-05-31		Rating: 2.67		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: Pb	Position/Depth: bf	Rate/Freq: 16	Level/Mix: 60	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		12		
DRIVE:				
Type: Md	Gain: 20	Tone: 7	Level: 60	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	9	-6	9	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: Pt	Depth/Time: -01	Rate/Feedback: 10	Reso/Mix: 1.0	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone: 00	Mix: 12	-

Preset-/Songname: Sultans Of Swing		Artist: Dire Straits/N	larc Knopfler	
Description: Lead Guitar, switch micr	o middle.			
Contributor: Toto				
Date uploaded: 2008-01-23		Rating: 2.67		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: FC	Gain: 30	Tone: 10	Level: 80	
EQ:				
State: ON	Bass: 5	Middle: 10	Treble: 10	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 17	Tone: 5		

Master of Puppets Album

Patch settings for ZOOM G2 and G2.1u

	MOP album and maybe <i>l</i> o clock on my amp.Use bri		have to adjust to your ar	np settings, I have
Contributor: Pantellica5150				
Date uploaded: 2007-02-07		Rating: 2.64		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 3	Rate/Freq: 5	Level/Mix: 80	
ZNR - Noise reduction	n: 	The shald		
Type: nr		Threshold: 15		
DRIVE:				
Type: bG	Gain: 100	Tone: 5	Level: 74	
EQ:				
State:	Bass: 10	Middle: -10	Treble: 12	
Extra EQ/Cabinet & M	ic:			
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 5	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	_
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Metallica

Preset-/Songname: Best Preset for VERY hE	AVY sOUND!	Artist: Pantera, Meta	allica, Iron Maiden	
Description: Heavy Sound				
Contributor: Ta Mere				
Date uploaded: 2007-08-15		Rating: 2.56		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		12		
DRIVE:				
Type: Ed	Gain: 0	Tone: 0	Level: 0	
EQ:				
State:	Bass: -10	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type:	Time:	Feedback:	Mix:	
dL	20	8	10	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: Like a Stone Solo		Artist: Audioslave		
Description: As close as I have gotten	to the solo effects. L	Jse plenty of wah when pla	aying.	
Contributor: rlowe				
Date uploaded: 2007-02-15		Rating: 2.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: SL	Level: 80	
WAH/EFX:				
Type: PV	Position/Depth: BF	Rate/Freq: 15	Level/Mix: 70	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: GV	Gain: 86	Tone: 5	Level: 44	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:	Depth/Time:			
Type: OFF	рерии ппе:	nate/reedback:	Reso/IVIX:	
DELAY:				
Type: dL	Time: 52	Feedback: 0	Mix: 18	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Funk #49

Patch settings for ZOOM G2 and G2.1u

Description: My preset for playing Funk#49. Amp EQ is Bass 5 Mid 7 Treble 7 and reverb at 7 This is being played through a Carvin Valvemaster 100 tube head through a 1x15 cab so adjust EQ as needed.				
Contributor: Baelzebob				
Date uploaded: 2007-05-09		Rating: 2.50		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 7		
DRIVE:				
Type: MC	Gain: 30	Tone: 8	Level: 80	
EQ:				
State: ON	Bass: 4	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic:	:			
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Joe Walsh

Patch settings for ZOOM G2 and G2.1u

Heavy Metal Sound (the number of the beast)

example, listen And li	isten it (and other Iron Ma	ypical Heavy Metal sound. aiden's albums). Is most in attern (1.0), tempo (9), mix	nportant setting the guit	ar volume at MAX
Contributor: Dave Murray				
Date uploaded: 2007-07-16		Rating: 2.50		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold: 10		
DRIVE:				
Type: Md	Gain: 1.0	Tone: 9	Level: 80	
EQ:				
State: ON	Bass:	Middle: -7	Treble:	
Extra EQ/Cabinet & Mic);			
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: -2	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Dave Murray

Preset-/Songname: Lead Guitar / Kabayoooo	o	Artist: HRD(Human	Resources Devlopment)	
Description: This is the lead guitar pat	ch for the song "Kab	ayooooo" by HRD		
Contributor: bunkie				
Date uploaded: 2007-07-18		Rating: 2.50		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		16		
DDIVE.				
DRIVE:	 Gain:			
Type: bG	100	10 10	100	
EQ:				
State:	Bass:		Treble:	
ON	12	0	12	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback: UP	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: All Paramita Rhythm and	Solo	Artist: Paramita		
Description: Paramita - a indie band in	the Philippines			
Contributor: bRy				
Date uploaded: 2008-02-25		Rating: 2.50		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 8	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS - Booster	Position/Depth:	Rate/Freq:	Level/Mix: 1.0	
ZNR - Noise reduction:				
Type: dG - Dirty gate		Threshold:		
DRIVE:				
Type: PV - PV Drive	Gain: 86	Tone:	Level: 80	
EQ:				
State: ON	Bass: 10	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC - Stereo Chorus	Depth/Time:	Rate/Feedback: 26	Reso/Mix: 24	
DELAY:				
Type: dL - Delay	Time: 36	Feedback: 10	Mix: 18	
REVERB:				
Type: HI - Hall	Decay:	Tone:	Mix:	

Preset-/Songname: Acoustic #2		Artist:		
Description: Strat, neck pick up.				
Contributor: FYROMB				
Date uploaded: 2007-08-18		Rating: 2.43		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		14		
DRIVE:				
Type: AC	Gain: 6	Tone: 5	Level: 80	
EQ:				
State:	Bass:		Treble: 4	
Future FO/Oakingt 9 Mice				
Extra EQ/Cabinet & Mic:	Lo mid/Mic type:	Presence/Mic pos:		
Type: Et	2	0	0	
MOD/SFX:				
Type: MP	Depth/Time: dt	Rate/Feedback: 6	Reso/Mix: 50	
DELAY:				
Type: Pd	Time: 1,1	Feedback: 42	Mix: 22	-
REVERB:				
Type: HL	Decay: 10	Tone: 5	Mix: 60	

Preset-/Songname: Vertigo		Artist: U2		
Description: This patch is for the dist	tortion part of this son	ıg		
Contributor: Edu				
Date uploaded: 2007-07-07		Rating: 2.39		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 6	Attack: SL	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		16		
DRIVE:				
Type:	Gain:	Tone:	Level:	
Hb	72	9	92	
EQ:				
State:	Bass:		Treble:	
ON	9	6	7	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:		
Et	2	3	2	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
СН	14	36	14	
DELAY:				
Type:	Time:			
OFF				
REVERB:				
Type:	Decay:	Tone:	Mix:	
OFF	-			

Patch settings for ZOOM G2 and G2.1u

Metal Zone Boss	John Petrucci			
Description: This patch is using '	'MT-MetalZone", and this v	works.		
Contributor: Me re-again				
Date uploaded: 2007-04-22		Rating: 2.33		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: FS	Level: 0	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 76	
ZNR - Noise reduction	ı:			
Type: nr		Threshold:		
DRIVE:				
Type: Mt	Gain: 1.0	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 8	Middle: -6	Treble: 1	
Extra EQ/Cabinet & M	ic:			
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time: 50	Feedback: 0	Mix: 4	
REVERB:				
Type: HL	Decay: 9	Tone:	Mix:	

Artist:

Preset-/Songname: Peavey Distortion!!!!!!!	Artist: Black Sabbath, Kiss, Judas Priest			
Description: Good for old metal,rock	songs			
Contributor: Dennis				
Date uploaded: 2007-11-17		Rating: 2.33		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 10	Level/Mix: 80	
ZNR - Noise reduction:				
Type: dG		Threshold:		
DRIVE:				
Type:	Gain: 100	Tone: 10	Level: 100	
EQ:				
State: ON	Bass: 7	Middle: 9	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 1	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix: 20	

Preset-/Songname: johnny b. good		Artist: chuck berry		
Description: original gibson guitar				
Contributor:				
Date uploaded: 2007-11-17		Rating: 2.33		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Acoustic sound w/delay

Patch settings for ZOOM G2 and G2.1u

		o and delay. I use it in a co ucker). amp settings: bas-		osing right now
Contributor: Aiwa				
Date uploaded: 2007-12-15		Rating: 2.33		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: AC	Gain: 10	Tone: 7	Level: 50	
EQ:				
State: ON	Bass: 0	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic:	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 50	Reso/Mix: 14	
DELAY:				
Type: OFF	Time: 20	Feedback: 50	Mix: 30	
REVERB:				
Type: OFF	Decay: 30	Tone: 5	 Mix: 80	

Artist:

my own patch

Patch settings for ZOOM G2 and G2.1u

Through the Fire and the	Flames	Dragonforce		
Description: This patch will practically	y have the song play I	TSELF!		
Contributor: Bob				
Date uploaded: 2007-12-19		Rating: 2.33		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 1		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Preset-/Songname: Heavy Rythm Distortion		Artist: John Petrucc	ei	
Description: Probably you'll have to p	lay a little with your a	amps to get the intended s	ound.	
Contributor: alchemyguitar				
Date uploaded: 2007-01-18		Rating: 2.25		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		11		
DRIVE:				
Type:	-	 Tone:		
bG	60	5	90	
EQ:				
State: ON	Bass: -1	Middle: 1	Treble:	
Extra EQ/Cabinet & Mic:				
		Presence/Mic pos:		
Et	0	0	2	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF				
DELAY:				
Type:	Time:	Feedback:		
dL	3	0	34	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: Acoustic preset A9		Artist:		
Description: I needed somewhere to	write this patch down			
Contributor: ben				
Date uploaded: 2007-01-16		Rating: 2.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 1	Attack: SL	Level: 60	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		5		
DRIVE:				
Type:	Gain: 5	Tone: 6	Level: 80	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	1	-3	1	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 6	
MOD/SFX:				
Type: SC	Depth/Time: 74	Rate/Feedback: 28	Reso/Mix: 60	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix: 30	

Heavy Lead Distortion

Patch settings for ZOOM G2 and G2.1u

	otional solos because of sed with humbuckers.	the delay fx, but if you tur	n down the delay, you'l	l get a nice lead for
Contributor: alchemyguitar				
Date uploaded: 2007-01-18		Rating: 2.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: bG	Gain: 74	Tone: 5	Level: 94	
EQ:				
State: ON	Bass:	Middle: -1	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time:	Feedback: 4	Mix: 18	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

John Petrucci

Patch settings for ZOOM G2 and G2.1u

Steve Vai Funky Wah Solo		Steve Vai		
Description: Very funky Vai solo sound headphones or direct com			uto wah to save your fee	t. best thru
Contributor: Lattissimus				
Date uploaded: 2007-02-23		Rating: 2.00		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 80	
WAH/EFX:				
Type: AW	Position/Depth: bf	Rate/Freq: 6	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 16		
DRIVE:				
Type: Ed	Gain: 50	Tone: 10	Level: 92	
EQ:				
State: ON	Bass:	Middle: -12	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 30	Reso/Mix: 1.0	
DELAY:				
Type: Pd	Time:	Feedback: 30	Mix: 60	
REVERB:				
Type:	Decay: 20	Tone:	Mix: 40	

Artist:

Delicate sound of Gilmour

Patch settings for ZOOM G2 and G2.1u

		more processed sound D cut down on background t		
Contributor:				
Date uploaded: 2007-03-06		Rating: 2.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 6	Attack: SL	Level: 1.0	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction	:			
Type: dG		Threshold:		
DRIVE:				
Type: Mt	Gain: 90	Tone: 10	Level: 90	
EQ:				
State: ON	Bass: -4	Middle:	Treble:	
Extra EQ/Cabinet & Mi	c:			
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: FL	Depth/Time: 36	Rate/Feedback: 10	Reso/Mix:	
DELAY:				
Type: dL	Time: 30	Feedback: 40	Mix: 30	
REVERB:				
Type: HL	Decay: 30	Tone: 10	Mix: 80	

Artist:

Pink Floyd

Best Distortion Ever

Patch settings for ZOOM G2 and G2.1u

		se it On My Sony Hifi,lt m e equalizer if u felt a little t		
Contributor:				
Date uploaded: 2007-03-17		Rating: 2.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: SL	Level: 72	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type: Ed	Gain: 1.0	Tone: 8	Level: 60	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:	:			
Type: Et	Lo mid/Mic type: -11	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

On Thronez

Patch settings for ZOOM G2 and G2.1u

Shred Sustain Solo		Renato Moss		
Description: Patche I use in my song	JS			
Contributor: Renato Moss				
Date uploaded: 2007-08-04		Rating: 2.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 6	Attack: FS	Level: 12	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 72	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type: Md	Gain: 100	Tone: 7	Level: 76	
EQ:				
State: ON	Bass: 11	Middle: 6	Treble: 2	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 5	Harmonics: 11	
MOD/SFX:				
Type: CH	Depth/Time: 100	Rate/Feedback: 6	Reso/Mix: 16	
DELAY:				
Type: dL	Time: 55	Feedback: 4	Mix: 20	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Patch settings for ZOOM G2 and G2.1u

eye of the beholder		Metallica		
Description: metallica - eye of the be	eholder; aimed at palm	muting you might add gai	n on your amp	
Contributor: marek (SK)				
Date uploaded: 2007-08-26		Rating: 2.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF		Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: Mt	Gain: 100	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 10	Middle: -2	Treble: 5	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Preset-/Songname: iron maiden		Artist: iron maiden		
Description: metal				
Contributor: emrock				
Date uploaded: 2008-01-10		Rating: 2.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level:	
WAH/EFX: Type: AW	Position/Depth:	-	Level/Mix:	
ZNR - Noise reduction: Type: OFF		Threshold:		
DRIVE:				
Type: FC	Gain:	Tone:	Level:	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB: Type: OFF	Decay:		 Mix:	

Preset-/Songname: I Still Haven't Found Wha	at I'm Looking For	Artist: U2		
Description: Per la parte in distorsion	e cambiare solo il dri	ve in: Mc 60 - 5 - 50.		
Contributor: Marco				
Date uploaded: 2008-02-01		Rating: 2.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: FS	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: FC	Gain: 60	Tone: 10	Level: 74	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time: 47	Feedback:	Mix: 70	
REVERB:				
Type:	Decay: 21	Tone:	 Mix: 4	

Preset-/Songname: Fallen Leaves		Artist: Billy Talent		
Description: Its a fresh sound from th	is Canadian band.			
Contributor: Sam				
Date uploaded: 2007-02-06		Rating: 1.91		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: OFF	Gain:		Level:	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Iron maiden: "Revelations" (by Piece of Mind)

Description: The guitar volume mu	st is setting on MAX PLA	AY: pattern (0), tempo (2),	mix (92) (piniciu a tutti)	
Contributor: Dave murray				
Date uploaded: 2007-07-16		Rating: 1.80		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 94	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: nr		Threshold:		
DRIVE: Type: FF		Tone: 2	Level: 1.0	
EQ: State: ON			Treble:	
Extra EQ/Cabinet & Mic	<u> </u>			
Type: Et	Lo mid/Mic type: 11	Presence/Mic pos: -1	Harmonics: 12	
MOD/SFX: Type: OFF		Rate/Feedback:	Reso/Mix:	
DELAY: Type: OFF		Feedback:	Mix:	
REVERB: Type: OFF			——————————————————————————————————————	

Artist:

Iron Maiden

Kill'em All (Seek & destroy)

Patch settings for ZOOM G2 and G2.1u

Description: I set my amp EQ to 6,5 patch. welcome sugge		nd (Marshall MG15 DFX). a	nd I also use bridge pick	cup often with this
Contributor: Q				
Date uploaded: 2007-08-31		Rating: 1.75		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: FS	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 13		
DRIVE:				
Type: Mt	Gain: 70	Tone: 7	Level: 80	
EQ:				
State: ON	Bass: 2	Middle: 0	Treble:	
Extra EQ/Cabinet & Mic:	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 6	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Metallica

Preset-/Songname: Parallel Universe		Artist: Red Hot Chili Peppers			
Description: Distorsion for the sor close	ng, as before, some tweal	kin should be done accord	ding to your setup But	i thing it should be	
Contributor: Fa11eN					
Date uploaded: 2007-06-05		Rating: 1.67			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 5	Attack: SL	Level: 80		
WAH/EFX:					
Type: bS	Position/Depth:	Rate/Freq: 7	Level/Mix: 10		
ZNR - Noise reduction:					
Type: nr		Threshold: 15			
DRIVE:					
Type: dF	Gain: 0	Tone: 0	Level: 70		
EQ:					
State:	Bass: -6	Middle:	Treble: 12		
Extra EQ/Cabinet & Mic):				
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics: 0		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix: 0		
DELAY:					
Type: dL	Time: 40	Feedback: 20	Mix: 30		
REVERB:					
Type: OFF	Decay:	Tone: 0	 Mix: 0		

Preset-/Songname: OHSA		Artist: Jimifendrix		
Description: 0.0.0				
Contributor: your mom xD				
Date uploaded: 2008-01-02		Rating: 1.50		
Preset parameters:				
COMPRESSOR:				
Type:	Sense:	Attack:	Level:	
ON	39	FS	01	
WAH/EFX:				
Type:	Position/Depth:	Rate/Freq:	Level/Mix:	
PH	33	95	35	
ZNR - Noise reduction:				
Type:		Threshold:		
dG		79		
DRIVE:				
Type:	Gain:	Tone:	Level:	
JC	65	02	354	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	58	78	45	
Extra EQ/Cabinet & Mic:				
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Cb	44	58	98	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
Pt	8	0	77	
DELAY:				
Type:	Time:	Feedback:	Mix:	
dL	7	56	37	
REVERB:				
Туре:	Decay:	Tone:	Mix:	
rM	45	45	37	

Preset-/Songname: Enter Sandman		Artist: Metallica		
Description: seems good				
Contributor: Edu				
Date uploaded: 2007-01-09		Rating: 1.44		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 16		
DRIVE:				
Type: bG	Gain: 72	Tone: 05	Level: 80	
EQ:				
State: ON	Bass: 05	Middle: 05	Treble: 05	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 08	Presence/Mic pos: 04	Harmonics: 05	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 20	Reso/Mix: 50	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

You shook me all night long

Patch settings for ZOOM G2 and G2.1u

		. Works great for the song mproved. Please adjust dr		
Contributor: Leo				
Date uploaded: 2007-03-17		Rating: 1.33		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 0	Attack: FS	Level: 42	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: Ed	Gain: 64	Tone: 5	Level: adjust	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

AC/DC

Preset-/Songname: Heartbreaker		Artist: Jimmy Page- Led Zeppelin			
Description: use both pickups on a without echo.	Les Paul/335/SG with h	umbuckers to nail this tor	ne. Works well for mos	st Zep II-III-IV tunes	
Contributor: Gigmeister					
Date uploaded: 2007-04-06		Rating: 1.00			
Preset parameters:					
COMPRESSOR:					
Type: OFF	Sense:	Attack:	Level:		
WAH/EFX:					
Type: OFF		Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type: OFF		Threshold:			
DRIVE:					
Type: Md	Gain:	Tone:	Level:		
EQ:					
State: ON	Bass:	Middle:	Treble:		
Extra EQ/Cabinet & Mic:					
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type:	Decay:	Tone:	Mix:		

Preset-/Songname: Pokemom	Artist: Ash Catamuito			
Description: Nem sei Muito Sobre el	le ele é iugual ULTRAB	ALL		
Contributor: FOFOKINHA quando Po	eida			
Date uploaded: 2007-05-24		Rating: 1.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 20	Attack: FS	Level: 1	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: death		Artist: RAFAEL		
Description: esse patch eh pra to	ka death			
Contributor:				
Date uploaded: 2007-05-28		Rating: 1.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: Cp	Attack: FS	Level: 60	
WAH/EFX:				
Type: Pb	Position/Depth: bF	Rate/Freq: 15	Level/Mix: 70	
ZNR - Noise reduction	:			
Type: Gt		Threshold:		
DRIVE:				
Type: Ed	Gain: 90	Tone: 07	Level: 92	
EQ:				
State:	Bass: 7	Middle: -3	Treble:	
Extra EQ/Cabinet & Mi	ic:			
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 20	Tone: 4	Mix: 60	

Preset-/Songname: queen		Artist: queen		
Description: please ,any good patche	s for brian may			
Contributor:				
Date uploaded: 2007-07-05		Rating: 1.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: Basket Case		Artist: Green Day		
Description: Anyone know the 505 se	ttings for this tune??1	??		
Contributor: Stevie K				
Date uploaded: 2007-08-02		Rating: 1.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: OFF			Level:	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
		Presence/Mic pos:		
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Preset-/Songname: Chocise intro		Artist: Audioslave		
Description: Intro for chocise				
Contributor: Chico				
Date uploaded: 2007-08-07		Rating: 1.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 1	Attack: FS	Level: 10	
WAH/EFX:				
Type: rG	Position/Depth:	Rate/Freq:	Level/Mix: 30	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: bG	Gain:	Tone:	Level:	
EQ:				
State: ON	Bass: 7	Middle: -3	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 7	
MOD/SFX: Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF	-			
DELAY:				
Type: dL	Time: 30	Feedback: 14	Mix: 15	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Mike's LIVE guh-grind tone

Patch settings for ZOOM G2 and G2.1u

Description: Currently I am getting my live sound with just my G2.1u through a 50w x 50w stereo power amp that powers a Marshall 4x12 slant @ 8ohms and an old 2x15 loaded with 50w Jensen alnico 15's also @ 8ohms. I turned down the levels for this write up on it. All you have to do to make this exactly like mine is turn the master, the Bs level and the Pv level all to 1.0. NOTE: Very strong signal and is LOUD. I like driving an amp hard though personally. **Contributor: Mike Lowery** Date uploaded: Rating: 2007-10-12 1.00 Preset parameters: **COMPRESSOR:** Type: Sense: Attack: Level: ON 0 **FS** 90 WAH/EFX: Type: Position/Depth: Rate/Freq: Level/Mix: 4 bS 10 86 **ZNR - Noise reduction:** Type: Threshold: Gt 15 Type: Gain: Tone: Level: PV 90 10 90 State: Bass: Middle: Treble: 10 5 12 ON Extra EQ/Cabinet & Mic: Type: Lo mid/Mic type: Presence/Mic pos: Harmonics: 0 Et 12 7 MOD/SFX: Depth/Time: Rate/Feedback: Reso/Mix: 20 SC 1.0 16 **DELAY:** Time: Type: Feedback: Mix: Pd 3 0 34 **REVERB:** Decay: Type: Tone: Mix:

8

20

Artist:

Mike Lowery

Printed from www.haax.se

HL

16

Preset-/Songname: sample for peavey set-up		Artist: rad		
Description: this set-up is only an expe	erimental			
Contributor: rad				
Date uploaded: 2007-11-30		Rating: 1.00		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 5	Level/Mix: 80	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type:	Gain: 60	Tone: 7	Level: 70	
EQ:				
State: ON	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone: 6	Mix: 60	

Patch settings for ZOOM G2 and G2.1u

play the game and others	brian mayish			
Description: solo to the play the game	and some others.its	not righti could use a litt	tle help on improveing it	t.
Contributor: brumi				
Date uploaded: 2007-12-11		Rating: 1.00		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: FS	Level: 10	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: bC	Gain: 92	Tone: 7	Level: 70	
EQ:				
State: ON	Bass:	Middle: 12	Treble: 12	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 6	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 14	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 24	Tone:	Mix: 40	
r ivi	74	n	411	

Artist:

Preset-/Songname: COSMIC STOP		Artist: jozef slovakia	a	
Description: A6				
Contributor: akibono				
Date uploaded: 2007-01-04		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: FS	Level: 78	
WAH/EFX:				
Type: Pb	Position/Depth: bF	Rate/Freq: 15	Level/Mix: 70	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type:	Gain: 10 - 20	Tone: 10	Level:	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF		Presence/Mic pos:		
MOD/SFX:				
Type: MP	Depth/Time:	Rate/Feedback: 5	Reso/Mix: 74	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix: 34	

Preset-/Songname: EVH		Artist: jozef slovakia	1	
Description: A7				
Contributor: akibono				
Date uploaded: 2007-01-04		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF		Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		10		
DRIVE:				
Type:	Gain:		Level:	
PV	90	05	80	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
OFF				
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF				
DELAY:				
Type:	Time:		Mix:	
dĹ	44	12	08	
DEVEDD.				
REVERB:	Decay:			
OFF	Decay.	TOTIC.	IVIIA.	

Preset-/Songname: FLOYD		Artist: jozef slovakia	a	
Description: A8				
Contributor: akibono				
Date uploaded: 2007-01-04		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: Ed	Gain: 0	Tone: 10	Level: 78	
EQ:				
State: ON	Bass: 12	Middle: -2	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: EC	Time:	Feedback:	Mix: 40	
REVERB:				
Type: HL	Decay: 1,0	Tone: 3	Mix: 18	

Patch settings for ZOOM G2 and G2.1u

Dripping		Submersed (produced by Mark Tremonti)			
Description: really liked the sound for plucking than strun		e song so I just made som	ething similar to it I thin	nk. Better for riffs	
Contributor: ohnpat28					
Date uploaded: 2007-02-27		Rating:			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 8	Attack: FS	Level: 88		
WAH/EFX:					
Type: PH	Position/Depth: bF	Rate/Freq: 1	Level/Mix: 1		
ZNR - Noise reduction:					
Type: nr		Threshold: 7			
DRIVE:					
Type: JC	Gain: 60	Tone: 5	Level: 80		
EQ:					
State: OFF	Bass:	Middle:	Treble: -2		
Extra EQ/Cabinet & Mic:					
Type:	Lo mid/Mic type: 2	Presence/Mic pos:	Harmonics: 0		
MOD/SFX:					
Type: CH	Depth/Time: 46	Rate/Feedback: 36	Reso/Mix: 68		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
 Туре: rM	Decay:	Tone:	 Mix: 60		

Artist:

Preset-/Songname: Recto		Artist: Me		
Description: My own distortion Preservation	t. Enjoy!			
Contributor: Rocky \m/				
Date uploaded: 2007-03-26		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 5	Level/Mix: 100	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type: bG	Gain: 100	Tone: 7	Level: 100	
EQ:				
State: ON	Bass: 12	Middle: -6	Treble: 12	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 9	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Room 335		Larry Carlton		
Description: fat neck pickup soun	d with humbuckings. Wo	rks great for all Steely Dar	n era and early solo care	er tones.
Contributor: Gigmeister				
Date uploaded: 2007-04-06		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 3		
DRIVE:				
Type: bC	Gain: 50	Tone: 6	Level: 78	
EQ:				
State: ON	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic	3:			
Type: Cb	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay: 10	Tone: 5	Mix: 30	

Artist:

Preset-/Songname: Blues 4		Artist: Larsen		
Description: Blues				
Contributor: Larsen				
Date uploaded: 2007-06-23		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		10		
DRIVE:				
Type: MC	Gain: 80	Tone: 4	Level: 86	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	7	5	4	
Extra EQ/Cabinet & Mic:				
Type:	Lo mid/Mic type:	Presence/Mic pos:		
Cb	Dy	0	0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY.				
DELAY: Type:		Feedback:		
Pd	7	16	50	
REVERB:				
Type:	Decay:	Tone:	Mix: 1 0	

Preset-/Songname: Blues 5		Artist: Larsen		
Description: Bluesy				
Contributor: Larsen				
Date uploaded: 2007-06-23		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		13		
DRIVE:				
Type: Od	Gain: 40	Tone: 7	Level: 88	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	6	5	4	
Extra EQ/Cabinet & Mic:				
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Cb	Dy	0	0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type:	Time:			
Pd	10	50	30	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Preset-/Songname: Blues 6		Artist: Larsen		
Description: Blue Blues				
Contributor: Larsen				
Date uploaded: 2007-06-23		Rating:		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 3	Rate/Freq: 6	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold: 9		
DRIVE:				
Type: GV	Gain: 60	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 6	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: Dy	Presence/Mic pos: 0	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: r M	Decay: 30	Tone: 10	Mix: 1.0	

Preset-/Songname: Blues 7		Artist: Larsen		
Description: Drive in				
Contributor: Larsen				
Date uploaded: 2007-06-23		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: PV	Position/Depth: bF	Rate/Freq: 15	Level/Mix: 70	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: GV	Gain: 60	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 6		Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX: Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF				
DELAY: Type:	Time:	Feedback:		
OFF	inic.	i cousach.	IVIIA.	
REVERB:				
Type: HL	Decay: 14	Tone: 10	Mix: 40	

Preset-/Songname: Blues 8		Artist: Larsen		
Description: Little Drive				
Contributor: Larsen				
Date uploaded: 2007-06-23		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		13		
DRIVE:				
	Gain: 40		Level: 80	
IVIC	40	0	00	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	0	6	2	
Extra EQ/Cabinet & Mic:				
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
Cb	Dy	0	0	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
HP	3	С	70	
DELAY:				
Type:	Time:		Mix:	
EC	51	16	26	
REVERB:				
Туре:	Decay:	Tone:	Mix:	
LII .	7	Q	12	

Preset-/Songname: Blues 9		Artist: Larsen		
Description: Bluesy Clean				
Contributor: Larsen				
Date uploaded: 2007-06-23		Rating:		
Preset parameters: COMPRESSOR:				
Type: ON	Sense:	Attack: SL	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type:	Gain:	Tone: 5	Level:	
EQ:				
State: ON	Bass: 0	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 0	Harmonics: 0	
MOD/SFX:				
Type: SC	Depth/Time: 80	Rate/Feedback: 30	Reso/Mix: 60	
DELAY:				
Type: Pd	Time: 1.2.	Feedback: 10	Mix: 30	_
REVERB:				
Type:	Decay:	Tone:	Mix:	

Preset-/Songname: Hard Messa		Artist: ???		
Description: Hard Messa				
Contributor:				
Date uploaded: 2007-06-30		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: nr		Threshold:		
DRIVE:				
Type: PV	Gain: 36	Tone: 4	Level: 98	
EQ:				
State: ON	Bass:	Middle: -4	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: -7	Presence/Mic pos:	Harmonics: 5	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay: 18	Tone: 5	Mix: 18	

Black hole sun - b6

Patch settings for ZOOM G2 and G2.1u

	lose to original. It's not my s just a link to the song, t	y patch, i found it in the fa ry it it's a nice song.	bric presets under b6 if u	maybe deleted it.
Contributor: Alex1b				
Date uploaded: 2007-07-22		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction	ı: 			
Type: nr		Threshold: 14		
DRIVE:				
Type: bC	Gain: 80	Tone: 4	Level: 80	
EQ:				
State: ON	Bass: 4	Middle: 4	Treble:	
Extra EQ/Cabinet & M	ic:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 7	
MOD/SFX:				
Type: Vb	Depth/Time: 16	Rate/Feedback: 40	Reso/Mix: 60	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	_
REVERB:				
Type:	Decay: 5	Tone: 6	Mix: 22	

Artist:

Soundgarden

Preset-/Songname: whiskey in the jar		Artist: thin lizzy		
Description: the lead for the song				
Contributor: danny				
Date uploaded: 2007-07-27		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 6	Attack: FS	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DDIVE:				
DRIVE:	Gain:			
Md	70	6	80	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	6	8	4	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 6	Presence/Mic pos: 6	Harmonics: 6	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Preset-/Songname: Dance On		Artist: The Shadows	S	
Description: Use the neck pickup				
Contributor: Ginger				
Date uploaded: 2007-07-31		Rating:		
Preset parameters: COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: nr		Threshold:		
DRIVE:				
Type: CA	Gain: 72	Tone: 3	Level: 75	
EQ:				
State: ON	Bass:	Middle: 3	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 2	Presence/Mic pos: -4	Harmonics: -6	
MOD/SFX:				
Type: tE	Depth/Time: 28	Rate/Feedback: 24	Reso/Mix: 18	
DELAY:				
Type: EC	Time: 36	Feedback: 44	Mix: 26	
REVERB:				
Type: Md	Decay: 37	Tone: 8	Mix: 12	

Patch settings for ZOOM G2 and G2.1u

Comfortably NUMB (Another test)		DAVID GILMOUR		
Description: I'm coming back with a I worked on it and tryin		ortably Numb. I have seen	the comments to my pre	ecedent preset, so
Contributor: Daniel				
Date uploaded: 2007-08-26		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 9	Attack: FS	Level: 80	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type:		Threshold: 16		
DRIVE:				
Type: Ed	Gain: 37	Tone:	Level: 80	
EQ:				
State: ON	Bass: 9	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type: Co	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time: 65	Rate/Feedback: 25	Reso/Mix: 60	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
	Decay:	Tone:	 Mix: 5	

Artist:

Preset-/Songname: nice solo tone	Artist: vinnie moore				
Description: begining of metallica-ar	m i evil, vinnie moore-	morningstar,etc			
Contributor: memoo					
Date uploaded: 2007-10-26		Rating:			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 10	Attack: FS	Level: 78		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type: Gt		Threshold:			
DRIVE:					
Type: bL	Gain: 68	Tone: 5	Level:		
EQ:					
State:	Bass:	Middle:	Treble: -1		
Extra EQ/Cabinet & Mic:					
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type: HL	Decay:	Tone: 5	Mix: 46		

Patch settings for ZOOM G2 and G2.1u

heavy lead and rhy	melodic metal angra dr. sin stratovarius (+ -)			
		say that it's the same but y this with the old one zoor		
Contributor: rodhammett				
Date uploaded: 2007-09-20		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: Md	Gain: 52	Tone: 7	Level: 76	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	6	0	5	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 0	Presence/Mic pos: -8	Harmonics: 5	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay:	Tone: 6	Mix: 36	

Artist:

Preset-/Songname: Wish		Artist: Luna sea		
Description: Clean of Inoran				
Contributor: Sugizaki				
Date uploaded: 2007-09-25		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: CP	Attack: SL	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: CA	Gain: 60	Tone: 5	Level: 80	
EQ:				
State: OFF	Bass:	Middle: 2	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 20	Reso/Mix: 80	
DELAY:				
Type: dL	Time:	Feedback: 40	Mix: 36	
REVERB:				
Type:	Decay: 16	Tone: 10		

Preset-/Songname: Storm		Artist: Luna sea		
Description: Sugizo 's Chorus Guitar	Kiss mein the s	stormy		
Contributor: Sugizaki				
Date uploaded: 2007-09-25		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 80	
WAH/EFX:				
Type: OFF			Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State: OFF	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 0	Presence/Mic pos: -12	Harmonics: -2	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: EC	Time: 28	Feedback: 40	Mix: 34	
REVERB:				
Type: HI	Decay:	Tone:	Mix: 1 0	

Preset-/Songname: Heavy	Artist: Metallica			
Description: Fantastic heavy sound t	or Metallica			
Contributor: Ben Scullion				
Date uploaded: 2007-10-21		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 1	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold: 14		
DRIVE:				
Type: bG	Gain: 60	Tone: 7	Level: 80	
EQ:				
State:	Bass: 10	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: SC	Depth/Time: 1.0	Rate/Feedback: 26	Reso/Mix: 4	
DELAY:				
Type: dL	Time:	Feedback:	Mix: 16	
REVERB:				
Type:	Decay:	Tone:	Mix: 20	

Patch settings for ZOOM G2 and G2.1u

Avenged Sevenfold - both Syn and Zacky		Avenged Sevenfold		
Description: Credits to IZE frm http guys think	o://launch.groups.yahoo.	com/group/zoomg2 its qu	ite close give it a hear! tel	me what you
Contributor: Skrekro				
Date uploaded: 2007-10-21		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: SL	Level: 80	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 5	Level/Mix: 80	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type:	Gain: 50	Tone: 6	Level:	
EQ:				
State: ON	Bass:	Middle: 12	Treble:	
Extra EQ/Cabinet & Mic	::			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

High gain alt-rock distortion

Patch settings for ZOOM G2 and G2.1u

	nooth distorion, rich with patch for one of my band		hrough an amp, don't tu	rn the Mid in the	
Contributor: Aiwa					
Date uploaded: 2007-10-29		Rating:			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 5	Attack: FS	Level: 80		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Type: nr		Threshold:			
DRIVE:					
Type: bC	Gain: 80	Tone: 7	Level: 80		
EQ:					
State: ON	Bass: 10	Middle:	Treble:		
Extra EQ/Cabinet & Mic	:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:		
MOD/SFX:					
Type: CH	Depth/Time:	Rate/Feedback: 10	Reso/Mix: 18		
DELAY:					
Type: OFF	Time:	Feedback:	Mix:		
REVERB:					
Type: rM	Decay:	Tone:	Mix: 26		

Artist:

my own patch

Patch settings for ZOOM G2 and G2.1u

Revolution is my name		Pantera		
mids and bass than trebe	el giving the song a m	ng. using the bridge picku nore dynamic and chunkie al patch I use and was crea	r sound. You may need	to lower the bass
Contributor: CowboyFromHeII				
Date uploaded: 2007-10-31		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: SL	Level: 66	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 7	Level/Mix: 60	
ZNR - Noise reduction:				
Type: Gt		Threshold:		
DRIVE:				
Type: Ed	Gain: 68	Tone:	Level: 78	
EQ:				
State: ON	Bass: 11	Middle: 8	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Cb	dY	Presence/Mic pos: 2	Harmonics:	
MOD/SFX: Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL	Decay:	Tone: 7	Mix: 22	

Artist:

Patch settings for ZOOM G2 and G2.1u

Progressive metal dis	tortion	my own patc	h	
Description: I use this patch for pla	nying some prog metal s	ongs. very high gain disto	ortion. aby improvemen	ts are welcome
Contributor: Aiwa				
Date uploaded: 2007-11-28		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: SL	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: Ed	Gain: 62	Tone:	Level: 46	
EQ:				
State: ON	Bass: 10	Middle:	Treble: 7	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone: 5	Mix: 22	

Artist:

Patch settings for ZOOM G2 and G2.1u

The End	Roadrunner United			
Description: The clean sound of the song. I use it to play those awesome rich harmonics. I use it through an amp v settings: Bass-3, Mid-6, Treble-6.				
Contributor: Aiwa				
Date uploaded: 2007-11-28		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: FC	Gain: 50	Tone: 6	Level: 60	
EQ:				
State: ON	Bass: 2	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic:	:			
Type: Et	Lo mid/Mic type: 0	Presence/Mic pos: 0	Harmonics: 12	
MOD/SFX:				
Type: CH	Depth/Time: 28	Rate/Feedback: 27	Reso/Mix: 20	
DELAY:				
Type: dL	Time: 24	Feedback: 50	Mix: 10	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Artist:

Patch settings for ZOOM G2 and G2.1u

Metal/ Heavy Distortion	on	1		
	<i>r</i> guitar (Ibanez GSZ 120) ny pickups, so it might no			ss to compensate
Contributor: Kynos				
Date uploaded: 2007-12-01		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
DRIVE:				
Type:	Gain: 92	Tone:	Level: 86	
EQ:				
State:	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic	::			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone: 6	Mix: 60	

Artist:

Ultra-high-gain distortion

Patch settings for ZOOM G2 and G2.1u

	gher than Drop C# (or D	core, but it fits death met b), you'll probably want to for Drop C).		
Contributor: Aiwa				
Date uploaded: 2007-12-02		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 8	Level/Mix: 64	
ZNR - Noise reduction:				
Type: nr		Threshold: 11		
DRIVE:				
Type: Ed	Gain: 90	Tone: 0	Level: 1.0	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	3	0	6	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY: Type:		-		
OFF		· ooasayii		
REVERB:				
Type: Er	Decay: 9	Tone:	Mix: 14	

Artist:

my own patch

5-6

Patch settings for ZOOM G2 and G2.1u

John Petrucci (rhythm)	John Petrucci					
Description: The closest I could get to the rhythm distortion that John Petrucci use in his solo album Suspended Animation. amp settings: bass-3, mid-6, treble-6.						
Contributor: Aiwa						
Date uploaded: 2007-12-10		Rating:				
Preset parameters: COMPRESSOR:						
Type: ON	Sense: 2	Attack: FS	Level: 44			
WAH/EFX:						
Type: bS	Position/Depth: 5	Rate/Freq: 10	Level/Mix: 80			
ZNR - Noise reduction:						
Type: nr		Threshold: 10				
DRIVE:						
Type: bG	Gain: 90	Tone: 1	Level: 80			
EQ:						
State: ON	Bass: 4	Middle: 5	Treble:			
Extra EQ/Cabinet & Mic:						
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:			
MOD/SFX:						
Type: CH	Depth/Time:	Rate/Feedback: 50	Reso/Mix: 20			
DELAY:						
Type: OFF	Time:	Feedback:	Mix:			
REVERB:						
Type: HL	Decay: 20	Tone: 10	Mix: 10			

Artist:

Ali's Distortion

Patch settings for ZOOM G2 and G2.1u

Ali's Distortion	Custom Patch				
description: leavy distortion good for riffing and leads, drop delay mix if too much for your liking. I use a Gibson SG thru a lughes & Kettner 30 watt blue edition. Enjoy					
Contributor: alimon1208					
Date uploaded: 2007-12-14		Rating:			
Preset parameters:					
COMPRESSOR:					
Type: ON	Sense: 7	Attack: FS	Level: 50		
WAH/EFX:					
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:		
ZNR - Noise reduction:					
Туре:		Threshold: 16			
nr		10			
DRIVE:					
Type: Md	Gain: 24	Tone: 0	Level: 76		
EQ:					
State:	Bass:	Middle:	Treble:		
ON	8	-6	6		
Extra EQ/Cabinet & Mic:					
		Presence/Mic pos:			
Et	-12	-2	2		
MOD/SFX:					
Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:		
OFF					
DELAY:					
Type:	Time:	Feedback:	Mix:		
dL	35	34	14		
REVERB:					
Type:	Decay:	Tone:	Mix:		
HL	10	6	10		

Artist:

Patch settings for ZOOM G2 and G2.1u

sonido maiden		iron maiden		
Description: lo mas parecido que h	ne podido sacar ,espero	comentarios y aportacion	es para mejorarlo.	
Contributor: metal				
Date uploaded: 2007-12-15		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 10-14		
DRIVE:				
Type: bG	Gain: 90	Tone: 6	Level: 80	
EQ:				
State: ON	Bass: 5	Middle: 0	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 5	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: EC	Time: 29	Feedback: 4	Mix: 44	
REVERB:				
Type:	Decay: 30	Tone: 10	Mix: 20	

Artist:

Preset-/Songname: Liipo's Heavy metal		Artist: Liipo443		
Description: I use this to play Heavy s	shit. Thats all haha!!			
Contributor: Liipo443				
Date uploaded: 2007-12-17		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq: 8	Level/Mix: 76	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		10		
DRIVE:				
Type: Ed	Gain: 78	Tone: 8	Level: 92	
EQ:				
State:	Bass:	Middle: -9	Treble: -10	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: Liipo's Bubby Metal		Artist: Liipo443		
Description: Sometimes i do love this	more than the other	one.		
Contributor: Liipo443				
Date uploaded: 2007-12-17		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS	Position/Depth: 5	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold: 16		
DRIVE:				
Type: Ed	Gain: 60	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 6	Middle: 7	Treble: -9	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 5	Harmonics: 10	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Dist Like w/ Wah	Jack Striker			
Description: Standard dist sound , wah off for rhythm and when lead step on wah				
Contributor: jackstriker@yahoo.coi	m			
Date uploaded: 2007-12-25		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 4	Attack: FS	Level: 52	
WAH/EFX:				
Type: Pb	Position/Depth: bf	Rate/Freq: 25	Level/Mix: 70	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: Md	Gain: 35	Tone: 10	Level: 86	
EQ:				
State: ON	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et	Lo mid/Mic type: 0	Presence/Mic pos: -1	Harmonics: 6	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time: 29	Feedback: 24	Mix: 26	
REVERB:				
Type: HL	Decay: 10	Tone: 7	Mix: 42	

Artist:

Patch settings for ZOOM G2 and G2.1u

Heavy Rythm guitar		The guy playing your guitar				
Description: It's a very heavy sounding patch for thrash/death etc. works very well with a Drop D tuning and a heavily muted riff						
Contributor: Washburn4o						
Date uploaded: 2008-01-12		Rating:				
Preset parameters:						
COMPRESSOR:						
Type: ON	Sense: 5	Attack: FS	Level: 50			
WAH/EFX:						
Type: bS	Position/Depth: 5	Rate/Freq: 5	Level/Mix: 1.0.			
ZNR - Noise reduction:						
Type: nr		Threshold: 16				
DRIVE:						
Type: Ed	Gain: 1.0.	Tone:	Level:			
EQ:						
State: ON	Bass: 10	Middle: -312	Treble:			
Extra EQ/Cabinet & Mic:	:					
Type: Et	Lo mid/Mic type: -5	Presence/Mic pos:	Harmonics:			
MOD/SFX:						
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:			
DELAY:						
Type: OFF	Time:	Feedback:	Mix:			
REVERB:						
Type: OFF	Decay:	Tone:	Mix:			

Artist:

Preset-/Songname: Overdrive	Artist: my own					
Description: tried to do my own overdrive patch and this is what it came to Please note it so that i know if its any good. Thank you!						
Contributor:						
Date uploaded: 2008-01-12		Rating:				
Preset parameters: COMPRESSOR:						
Type: ON	Sense:	Attack: SL	Level: 70			
WAH/EFX:						
Type: bS	Position/Depth:	Rate/Freq: 4	Level/Mix: 80			
ZNR - Noise reduction:						
Type: OFF		Threshold:				
DRIVE:						
Type: Od	Gain: 60	Tone: 5	Level: 80			
EQ:						
State: ON	Bass: 3	Middle: -1	Treble: -2			
Extra EQ/Cabinet & Mic:						
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:			
MOD/SFX:						
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:			
DELAY:						
Type: OFF	Time:	Feedback:	Mix:			
REVERB:						
Type:	Decay:	Tone:	Mix:			

Thrash/Death Metal (Rhythm)

Patch settings for ZOOM G2 and G2.1u

		y thrash metal and death Thrash/Death Metal (Lead)		
Contributor: Aiwa				
Date uploaded: 2008-01-14		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold:		
DRIVE:				
Type: Ed	Gain: 60	Tone: 5	Level: 84	
EQ:				
State: ON	Bass: 6	Middle: -1	Treble:	
Extra EQ/Cabinet & Mic).			
Type: Et	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
	Decay: 16			

Artist:

my own patch

Thrash/Death Metal (Lead)

Patch settings for ZOOM G2 and G2.1u

		y thrash metal and death ook for "Thrash/Death Me		
Contributor: Aiwa				
Date uploaded: 2008-01-14		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 1	Attack: FS	Level: 60	
WAH/EFX:				
Type: bS	Position/Depth: 3	Rate/Freq: 2	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr		Threshold: 12		
DRIVE:				
Type: OFF	Gain: 60	Tone: 5	Level: 84	
EQ:				
State: ON	Bass:	Middle: -1	Treble:	
Extra EQ/Cabinet & Mic	:			
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 0	Harmonics: 2	
MOD/SFX:				
Type: SC	Depth/Time:	Rate/Feedback: 26	Reso/Mix: 6	
DELAY:				
Type: dL	Time: 24	Feedback: 34	Mix: 20	
REVERB:				
Type: HL	Decay: 16	Tone: 10	Mix: 14	

Artist:

my own patch

Patch settings for ZOOM G2 and G2.1u

Metalcore preset	metalcore artists			
Description: This is a basic metalc	ore sound. 'nough said.	For recording or through	headphones.	
Contributor: Aiwa				
Date uploaded: 2008-01-14		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq: 1	Level/Mix: 90	
ZNR - Noise reduction:				
Type:		Threshold: 10		
DRIVE:				
Type: bG	Gain: 1.0	Tone: 2	Level: 80	
EQ:				
State: ON	Bass: 0	Middle: 0	Treble: 1	
Extra EQ/Cabinet & Mic	::			
Type: Cb	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	 Mix: 6	

Artist:

Preset-/Songname: Intro Someone, Somewhere In Summertime		Artist: Simple Minds	5	
Description: Per maggiori informazio mfsRW0	oni vi consiglio di cons	sultare il seguente link: htt	p://www.youtube.com/wa	tch?v=xNcz-
Contributor: Marco				
Date uploaded: 2008-01-18		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 2	Attack: FS	Level: 50	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr		Threshold: 10		
DRIVE:				
Type: Od	Gain: 60	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 5	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 19	Reso/Mix: 84	
DELAY:				
Type: dL	Time: 44	Feedback: 36	Mix: 1.0	
REVERB:				
Type: HL	Decay: 20	Tone: 5	Mix: 40	

Preset-/Songname: II part Don't You Forget A	About Me	Artist: Simple Minds	S	
Description: La seguente patch viene	utilizzata nella parte	centrale della canzone. No	nel ritornello	
Contributor: Marco				
Date uploaded: 2008-01-18		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 4	Attack: FS	Level: 84	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		7		
DRIVE:				
Туре:	Gain:	Tone:	Level:	
bC	60	5	80	
EQ:				
State:	Bass:	Middle:	Treble:	
OFF				
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
OFF	7,			
MOD/SEV.				
MOD/SFX: Type:	Depth/Time:	Rate/Feedback:	Reso/Mix:	
OFF				
DELAY: Type:	 Time:	 Feedback:		
EC	37	40	42	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Preset-/Songname: III part Don't You Forget	About Me	Artist: Simple Minds	S	
Description: La seguente patch viene	e utilizzata nella parte	finale. La part II e III sono :	settate in base alla vers	one live
Contributor: Marco				
Date uploaded: 2008-01-18		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 4	Attack: FS	Level: 50	
WAH/EFX:				
Type: PH	Position/Depth: bF	Rate/Freq: 15	Level/Mix: 1	
ZNR - Noise reduction:				
Type:		Threshold:		
nr		7		
DRIVE:				
Type: bC	Gain: 60	Tone: 5	Level: 80	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	3	-2	-2	
Extra EQ/Cabinet & Mic:				
Type:	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: EC	Time: 37	Feedback: 40	Mix: 42	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Power/melodic metal solo	s	my own patch				
Description: This is a patch I made for playing power metal and melodic metal solos. Look for the matching rhythm preset "Power/melodic metal". Amp settings: bass-3, mid-6. treble-6.						
Contributor: Aiwa						
Date uploaded: 2008-01-25		Rating:				
Preset parameters:						
COMPRESSOR:						
Type: ON	Sense: 2	Attack: FS	Level: 50			
WAH/EFX:						
Type: OFF	Position/Depth:	Rate/Freq: 5	Level/Mix: 80			
ZNR - Noise reduction:						
Type: nr		Threshold:				
DRIVE:						
Type: PV	Gain: 90	Tone: 5	Level: 70			
EQ:						
State:	Bass:	 Middle:	Treble:			
ON	5	8	3			
Extra EQ/Cabinet & Mic:						
Type: Et	Lo mid/Mic type:	Presence/Mic pos: 0	Harmonics: 7			
MOD/SFX:						
Type: CH	Depth/Time:	Rate/Feedback:	Reso/Mix:			
DELAY:						
Type: dL	Time:	Feedback: 46	Mix: 22			
REVERB:						
Type:	Decay:	Tone:	Mix:			

Artist:

Preset-/Songname: Echo Etude	Artist: Yngwie Malmsteen			
Description: woodshedder's request.				
Contributor: hieyan				
Date uploaded: 2008-01-31		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: FC	Gain: 100	Tone: 10	Level: 100	
EQ:				
State:	Bass: 5	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: dL	Time: 75	Feedback: 0	Mix: 100	
REVERB:				
Type:	Decay: 10	Tone:	Mix: 90	

Description: Sound for playing wonderful land by the Shadows.	Preset-/Songname: Wonderful Land	Artist: The Shadows					
Date uploaded: 2008-02-03 Rating:							
Preset parameters: COMPRESSOR: Type: OFF WAH/FEX: Type: OFF ZNR - Noise reduction: Type: nr Type: OR							
COMPRESSOR:			Rating:				
Type: OFF	Preset parameters:						
Type: OFF	COMPRESSOR:						
Type: OFF				Level:			
Type:	WAH/EFX:						
Type: nr				Level/Mix:			
Type: nr	ZNR - Noise reduction:						
DRIVE: Type:			Threshold:				
Type: Gain: Tone: Level: 74 EQ:			2				
Type: Gain: Tone: Level: 74 EQ:	DDIVE.						
EQ: State:							
State:							
State:	FO:						
ON 0 6 0 Extra EQ/Cabinet & Mic: Type:				Trobles			
Type: Lo mid/Mic type: Presence/Mic pos: Harmonics: MOD/SFX: -10 Type: Depth/Time: Rate/Feedback: Reso/Mix: tE 28 24 40 DELAY: Time: Feedback: Mix: EC 36 38 60 REVERB: Type: Decay: Tone: Mix:							
Type: Lo mid/Mic type: Presence/Mic pos: Harmonics: MOD/SFX: -10 Type: Depth/Time: Rate/Feedback: Reso/Mix: tE 28 24 40 DELAY: Time: Feedback: Mix: EC 36 38 60 REVERB: Type: Decay: Tone: Mix:	Extra EQ/Cabinet & Mic:						
Type: Depth/Time: Rate/Feedback: Reso/Mix: LELAY: 28 24 40 DELAY: Time: Feedback: Mix: EC 36 38 60 REVERB: Type: Decay: Tone: Mix:	Type:						
tE 28 24 40 DELAY: Type: Time: Feedback: Mix: EC Tope: Type: Decay: Tope: Mix: Tope: Mix:	MOD/SFX:						
Type: Time: Feedback: Mix: EC 36 38 60 REVERB: Type: Decay: Tone: Mix:	Type: tE						
EC 36 38 60 REVERB: Type: Decay: Tone: Mix:	DELAY:						
REVERB: Type: Decay: Tone: Mix:							
Type: Decay: Tone: Mix:	EU	30	30	δU			
Type: Decay: Tone: Mix: Md 37 8 26	REVERB:						

Love Drive

Patch settings for ZOOM G2 and G2.1u

	y to set standard sound like on leave some comments			
Contributor: Dark_Kay				
Date uploaded: 2008-02-13		Rating:		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 5	Attack: FS	Level: 50	
WAH/EFX:				
Type: bS	Position/Depth: 2	Rate/Freq: 10	Level/Mix: 80	
ZNR - Noise reduction: Type: nr	:	Threshold:		
DRIVE:				
Type: Md	Gain: 86	Tone: 9	Level: 100	
EQ:				
State: ON	Bass:	Middle: 10	Treble:	
Extra EQ/Cabinet & Mic	c:			
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH	Depth/Time:	Rate/Feedback: 26	Reso/Mix: 12	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix:	

Artist:

Ken Kitamura (L'arc~en~Ciel)

Preset-/Songname: death metal		Artist: self		
Description: death metal				
Contributor:				
Date uploaded: 2008-02-15		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 10	Attack: FS	Level: 68	
WAH/EFX:				
Type: bS	Position/Depth:	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:	:			
Type:		Threshold:		
DRIVE:				
Type: bC	Gain: 70	Tone: 9	Level: 50	
EQ:				
State:	Bass: 10	Middle: 12	Treble: 12	
Extra EQ/Cabinet & Mi	c:			
Type:	Lo mid/Mic type: dy	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type:	Depth/Time:	Rate/Feedback: 26	Reso/Mix: 4	
DELAY:				
Type: dL	Time:	Feedback: 4	Mix: O	-
REVERB:				
Type:	Decay:	Tone: 0	Mix: 10	

Preset-/Songname: Thrash Metal		Artist: Thrash Metal		
Description: Guitar Jackson Dk2M Pic	ckups Jazz SH-2N y JB	TB-4.		
Contributor: Silvia				
Date uploaded: 2008-02-19		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: bS - Booster	Position/Depth: 5	Rate/Freq:	Level/Mix: 80	
ZNR - Noise reduction:				
Type: nr - ZNR		Threshold:		
DRIVE:				
Type: PV - PV Drive	Gain: 90	Tone: 10	Level: 90	
EQ:				
State: ON	Bass: 9	Middle: -12	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF		Presence/Mic pos:		
MOD/SFX:				
Type: tE - Tape Echo	Depth/Time: 5	Rate/Feedback: 40	Reso/Mix: 50	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:			. 	
Type: HL - Hall	Decay:	Tone: 5	Mix: 10	

Patch settings for ZOOM G2 and G2.1u

billie joes guitar / warning album		Green Day		
Description: Ive experimenting with m sunday, fashion victim a		found it. this patch works	excellent with songs like	church on
Contributor: JohnP				
Date uploaded: 2008-02-26		Rating:		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 10	Attack: FS	Level: 50	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: nr - ZNR		Threshold:		
DRIVE:				
Type: Od - Overdrive	Gain: 1.0	Tone: 5	Level: 80	
EQ:				
State: ON	Bass: 5	Middle: 1	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX: Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Artist:

Preset-/Songname: 21th century punk	Artist: maybe rise against?			
Description: tell me what you think , a	ny improvements are	well appreciated to get an	ace new age punk sou	nd!
Contributor: ben				
Date uploaded: 2008-02-29		Rating:		
Preset parameters: COMPRESSOR:				
Type: ON	Sense: 4	Attack: FS	Level: 60	
WAH/EFX: Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: nr - ZNR		Threshold:		
DRIVE:				
Type: PV - PV Drive	Gain: 60	Tone: 7	Level: 80	
EQ:				
State: ON	Bass: 3	Middle: 7	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et - Extra EQ	Lo mid/Mic type: -2	Presence/Mic pos: 7	Harmonics: 5	
MOD/SFX: Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY: Type: OFF	- — — — — — — - Time:		Mix:	
REVERB: Type: HL - Hall			Mix: 28	

Preset-/Songname: whammy, searching intro		Artist: Joe Satriani		
Description: Whammy effect, like "sea	rching" from satriani	(is there love in space?) S	Set the pedal assign to "r	mod/sfx"
Contributor: NoopyKs				
Date uploaded: 2008-03-02		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type:		Threshold:		
nr - ZNR		6		
DRIVE:				
Type: Ed - Extreme Distors	Gain: ion 60	Tone: 5	Level:	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	8	5	8	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: PP - Pedal pitch	Depth/Time:	Rate/Feedback: UP	Reso/Mix: 10	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone:	Mix: 40	

Metal distortion

Patch settings for ZOOM G2 and G2.1u

	scoop! . Perfect for meta	metal stuff (pantera, kre lcore, and if you want so pass-3, mid-6, treble-6.		
Contributor: Aiwa				
Date uploaded: 2008-03-06		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense:	Attack: SL	Level: 60	
WAH/EFX:				
Type: bS - Booster	Position/Depth:	Rate/Freq:	Level/Mix: 60	
ZNR - Noise reduction:				
Type: nr - ZNR		Threshold:		
DRIVE:				
Type: Ed - Extreme Distor	Gain: rsion 70	Tone:	Level: 80	
EQ:				
State: ON	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
Type: OFF	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: HL - Hall	Decay: 22	Tone:	Mix: 4	

Artist:

my own patch

Preset-/Songname: Clean sound		Artist: my own patch	1	
Description: This is the clean sound	I use. Tons of mids. an	np settings: bass-3, mid-6,	treble-6	
Contributor: Aiwa				
Date uploaded: 2008-03-06		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF		Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: FC - FD Clean	Gain: 70	Tone:	Level:	
EQ:				
State:	Bass:	Middle:	Treble:	
ON	3	11	1	
Extra EQ/Cabinet & Mic:				
Type: Et - Extra EQ	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: CH - Chorus	Depth/Time:	Rate/Feedback: 19	Reso/Mix:	
DELAY:				
Type:	Time:	Feedback:	Mix:	
dL - Delay	24	30	6	
REVERB:				
Туре: HL - Hall	Decay: 13	Tone: 7	Mix: 16	

Preset-/Songname: Bird of Paradise		Artist: Snowy White		
Description: The intro, a bit rough, but	getting closer. I'm us	sing the middle pickup		
Contributor: Tuig				
Date uploaded: 2008-03-06		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 6	Attack: FS	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: OFF		Threshold:		
DRIVE:				
Type: MC - MS Crunch	Gain: 18	Tone: 8	Level: 1.0	
EQ:				
State: ON	Bass:	Middle:	Treble:	
Extra EQ/Cabinet & Mic:				
	Lo mid/Mic type:	Presence/Mic pos:	Harmonics:	
MOD/SFX:				
Type: SC - Stereo Chorus	Depth/Time:	Rate/Feedback: 21	Reso/Mix: 52	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: rM - Room	Decay: 28	Tone: 7	Mix: 1.0	

Preset-/Songname: BRITISH CRUNCH !!!		Artist: me		
Description: british overdriven amp -	ish .			
Contributor: gwigwi				
Date uploaded: 2008-03-09		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 5	Attack: SL	Level: 66	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr - ZNR		Threshold:		
DRIVE:				
Type: PV - PV Drive	Gain: 4	Tone: 9	Level: 1.0	
EQ:				
State: ON	Bass: 5	Middle: 5	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et - Extra EQ	Lo mid/Mic type: 5	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type: OFF	Decay:	Tone:	Mix:	

Patch settings for ZOOM G2 and G2.1u

Alison Hell (clean)		Jeff Waters		
Description: The clean sound jeff used	in Alison Hell song.	Amp settings: bass-3, mid	-6, treble-6.	
Contributor: Aiwa				
Date uploaded: 2008-03-15		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: OFF	Sense:	Attack:	Level:	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction: Type: OFF		Threshold:		
DRIVE:				
Type: OFF	Gain:	Tone:	Level:	
EQ:				
State: ON	Bass: -1	Middle:	Treble: 5	
Extra EQ/Cabinet & Mic:				
Type: Et - Extra EQ	Lo mid/Mic type:	Presence/Mic pos: 1	Harmonics: 2	
MOD/SFX:				
Type: SC - Stereo Chorus	Depth/Time: 82	Rate/Feedback: 19	Reso/Mix: 6	
DELAY:				
Type: dL - Delay	Time: 21	Feedback: 24	Mix: 4	
REVERB:				
Туре: HL - Hall	Decay: 20	Tone:	Mix: 10	

Artist:

Patch settings for ZOOM G2 and G2.1u

Alison Hell (distortion)		Jeff Waters		
Description: The distortion sound Jet	ff used in Alison Hell s	ong. Amp settings: bass-	3, mid-6, treble-6.	
Contributor: Aiwa				
Date uploaded: 2008-03-15		Rating:		
Preset parameters:				
COMPRESSOR:				
Type: ON	Sense: 7	Attack: SL	Level: 80	
WAH/EFX:				
Type: OFF	Position/Depth:	Rate/Freq:	Level/Mix:	
ZNR - Noise reduction:				
Type: nr - ZNR		Threshold: 9		
DRIVE:				
Type: Ed - Extreme Distor	Gain: Sion 44	Tone: 2	Level: 82	
EQ:				
State: ON	Bass: 5	Middle: 6	Treble:	
Extra EQ/Cabinet & Mic:				
Type: Et - Extra EQ	Lo mid/Mic type:	Presence/Mic pos:	Harmonics: 0	
MOD/SFX:				
Type: OFF	Depth/Time:	Rate/Feedback:	Reso/Mix:	
DELAY:				
Type: OFF	Time:	Feedback:	Mix:	
REVERB:				
Type:	Decay:	Tone: 9	Mix: 4	

Artist: